

ENTIRE PAGE [REDACTED] BUSINESS INFORMATION

IWC [lbs]	ETW [lbs]	Model Name	Body Style	Engine	MB Vehicle Code	Transm.	Transmission Class	GVWR [lbs]	Approach Angle (≥28°)	Breakover Angle (≥14°)	Departure Angle (≥20°)	Running Clearance (≥200mm)	Front Axle Clearance (≥180mm)	Rear Axle Clearance (≥180mm)	Base Fuel (MPG)	E85 Fuel (MPG)	Proj. Model Sales
4000	3875	GLA 250 4MATIC (ULEV)	MPV	2.0L I-4 Turbo	X 156 E20DE LA 4x4 (ULEV)	AM-7 (4x4)	4 wd auto 7 OD L/U	4387	19.7	20.6	30.8	204	224	247	34.3		5293
4000	3875	GLA 250 4MATIC (FFV)	MPV	2.0L I-4 Turbo	X 156 E20DE LA 4x4 (FFV)	AM-7 (4x4)	4 wd auto 7 OD L/U	4387	19.7	20.6	30.8	204	224	247	34.3	25.5	4330
4500	4500	GLC 300 4MATIC	MPV	2.0L I-4 Turbo	X 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD L/U	5214	28.8	18.6	21	202	202	245	31.3		20710
4500	4500	GLC 300 4MATIC (Air-Susp.)	MPV	2.0L I-4 Turbo	X 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD L/U	5214	29.3	18.7	21	207	207	245	31.3		104
4500	4500	AMG GLC 43 4MATIC (Std. Air-Susp.)	MPV	3.0L V-6 Turbo	X 253 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD L/U	5423	29.3	18.7	21	207	207	245	26.3		2043
4500	4500	GLC 300 4MATIC Coupe	MPV	2.0L I-4 Turbo	C 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD L/U	5291	28.8	18.6	21	202	202	245	31.5		4373
4500	4500	GLC 300 4MATIC Coupe (Air-Susp.)	MPV	2.0L I-4 Turbo	C 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD L/U	5291	29.3	18.7	21	207	207	245	31.5		44
4500	4500	AMG GLC 43 4MATIC Coupe (Std. Air-Susp.)	MPV	3.0L V-6 Turbo	C 253 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD L/U	5423	29.3	18.7	21	207	207	245	26.6		455
5000	5000	GLE 350	MPV	3.5L V-6	W 166 E35DEH 4x2	L-7	2 wd auto 7 OD L/U	6173	23	17	20.2 - 25.7	210	210	233	26.4		16140
5000	5250	GLE 350 4MATIC (ULEV)	MPV	3.5L V-6	W 166 E35DEH 4x4 (ULEV)	L-7 (4x4)	4 wd auto 7 OD L/U	6283	23	17	20.2 - 25.7	210	210	233	25.3		14566
5000	5250	GLE 350 4MATIC (ULEV) (Air-Susp.)	MPV	3.5L V-6	W 166 E35DEH 4x4 (ULEV)	L-7 (4x4)	4 wd auto 7 OD L/U	6283	23	17	21.5 - 25.7	210	210	233	25.3		73
5000	5250	GLE 350 4MATIC (FFV)	MPV	3.5L V-6	W 166 E35DEH 4x4 (FFV)	L-7 (4x4)	4 wd auto 7 OD L/U	6283	23	17	20.2 - 25.7	210	210	233	25.3	18.9	11918
5000	5250	GLE 350 4MATIC (FFV) (Air-Susp.)	MPV	3.5L V-6	W 166 E35DEH 4x4 (FFV)	L-7 (4x4)	4 wd auto 7 OD L/U	6283	23	17	21.5 - 25.7	210	210	233	25.3	18.9	60
5000	5250	GLE 400 4MATIC	MPV	3.0L V-6 Turbo	W 166 E30DE LA 4x4 (L-9)	L-9 (4x4)	4 wd auto 9 OD L/U	6283	23	17	20.2 - 25.7	210	210	233	26.1		1001
5000	5250	GLE 400 4MATIC (Air-Susp.)	MPV	3.0L V-6 Turbo	W 166 E30DE LA 4x4 (L-9)	L-9 (4x4)	4 wd auto 9 OD L/U	6283	23	17	21.5 - 25.7	210	210	233	26.1		111
5500	5500	AMG GLE 43 4MATIC	MPV	3.0L V-6 Turbo	W 166 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD L/U	6460	23	17	20.2 - 25.7	210	210	233	25.4		1817
5500	5500	AMG GLE 43 4MATIC (Air-Susp.)	MPV	3.0L V-6 Turbo	W 166 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD L/U	6460	23	17	21.5 - 25.7	210	210	233	25.4		202
6000	6000	GLE 550 e 4MATIC	MPV	3.0L V-6 Turbo	W 166 E30DE LA P2-85 PHEV 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	6724	23	17	20.2 - 25.7	210	210	233	49.1		351
6000	6000	GLE 550 e 4MATIC (Air-Susp.)	MPV	3.0L V-6 Turbo	W 166 E30DE LA P2-85 PHEV 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	6724	23	17	21.5 - 25.7	210	210	233	49.1		67
5500	5500	AMG GLE 63 (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	W 166 E55DE LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	6724	21	19	24	231	232	230	19.8		179
5500	5500	AMG GLE 63 S (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	W 166 E55DE LA AMG S 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	6724	21	19	24	231	232	230	19.8		387
5500	5500	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	MPV	3.0L V-6 Turbo	C 292 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD L/U	6393	23	17	20 - 25	211	211	211	25.4		5344
5500	5500	AMG GLE 63 S Coupe (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	C 292 E55DE LA AMG S 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	6823	22	20	22 - 24	253	276	276	19.6		589
6000	6000	GLS 350 d 4MATIC (Std. Air-Susp.)	MPV	3.0L V-6 Turbo	X 166 DE30 LA 4x4	L-9 (4x4)	4 wd auto 9 OD L/U	7165	25 - 33	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	28.8		617
6000	6000	GLS 450 4MATIC (Std. Air-Susp.)	MPV	3.0L V-6 Turbo	X 166 E30DE LA 4x4	L-9 (4x4)	4 wd auto 9 OD L/U	7165	20 - 26	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	24.1		38281
6000	6000	GLS 550 4MATIC (Std. Air-Susp.)	MPV	4.7L V-8 Turbo	X 166 E46DE LA 4x4	L-9 (4x4)	4 wd auto 9 OD L/U	7165	20 - 26	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	20.5		5600
6000	6000	AMG GLS 63 (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	X 166 E55DE LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	7165	23	18.9	21.9	249	249	239	19.2		1440
6000	6000	G 550	MPV	4.0L V-8 Turbo	G 463 E40DE LA 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	7055	36	24	29	205	205	205	17.8		1709
7000	7000	G 550 (4x4)^2	MPV	4.0L V-8 Turbo	G 463 E40DE LA 4x42	L-7 (4x4)	4 wd auto 7 OD L/U	7694	51.6	44.6-47.4	43.8	438	438	438	14.2		477
6000	6000	AMG G 63	MPV	5.5L V-8 Turbo	G 463 E55DE LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	7055	28	24	30	229	224	233	17.0		2127
6000	6000	AMG G 65	MPV	6.0L V-12 Turbo	G 463 E60 LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD L/U	7055	28	24	30	229	224	233	15.0		110
4500	4500	Metris (Cargo Van)	Truck	2.0L I-4 Turbo	L 447 E20DE LA 4x2 (Cargo Van)	L-7	2 wd auto 7 OD L/U	6724	18.6	18.6	16.9	176	213	212	30.2		2743
5000	5250	Metris (Passenger Van)	MPV	2.0L I-4 Turbo	L 447 E20DE LA 4x2 (Passenger Van)	L-7	2 wd auto 7 OD L/U	6724	17.4	17.1	15.5	158	147	194	29.4		2531

LT Attribute Projected Light Truck Sales: 145792

Calculations:	Baseline	Dual Fuel	FFV/Dual Fuel Calculation:	
Total Sales:	145792	145792	Delta (FFV-Baseline):	1.1446
Base Vol. / Base Comb:	5640.5900	5401.3902	Max. FFV Credit:	0.6000
CAFE (unrounded unadjusted):	25.8469	26.9916	FFV Credit:	0.6000

Final Calculation:
 CAFE (unrounded unadjusted): 26.4469
 CAFE (rounded): 26.4

ENTIRE PAGE BUSINESS INFORMATION

Model Name	Curb Weight (lbs)	SAE hp	SAE kW	Engine Code	NV	Roadload HP	Airs Ratio	Proj. Model	Passenger Volume (ft³)	Cargo Volume (ft³)	Interior Volume Index	5 rows of seats	Base Tire		Front Track Width (in)	Rear Track Width (in)	Avg. Track Width (in)	Wheelbase (in)	Footprint (ft²)
													Front Tire Size	Rear Tire Size					
GLA 250 4MATIC (ULEV)	3428	208	155	M270-20DETC	28.1	12.8	2.65	5293	89.079	41.838	NA	-	235/45 R19	235/45 R19	60.8	61.1	61.0	106.3	45.5
GLA 250 4MATIC (FFV)	3428	208	155	M270-20DETC-F	28.1	12.8	2.65	4330	89.079	41.838	NA	-	235/45 R19	235/45 R19	60.8	61.1	61.0	106.3	45.5
GLC 300 4MATIC	4001	241	180	M274-20DETC	23.3	14.7	3.27	20710	101.017	24.258	NA	-	235/60 R18	235/60 R18	63.5	63.2	63.4	113.1	50.1
GLC 300 4MATIC (Air-Susp.)	4001	241	180	M274-20DETC-S	23.3	14.7	3.27	104	101.017	24.258	NA	-	235/60 R18	235/60 R18	63.7	63.6	63.7	113.1	50.1
AMG GLC 43 4MATIC (Std. Air-Susp.)	4145	382	270	M276-30DETC-S	26.5	15.8	3.69	2043	101.017	24.258	NA	-	255/45 R20	285/40 R20	64.5	65.2	64.9	113.1	50.1
GLC 300 4MATIC Coupe	4045	241	180	M274-20DETC	23.3	14.7	3.27	4373	94.352	18.051	NA	-	235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
GLC 300 4MATIC Coupe (Air-Susp.)	4045	241	180	M274-20DETC	23.3	14.7	3.27	44	94.352	18.051	NA	-	235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
AMG GLC 43 4MATIC Coupe (Std. Air-Susp.)	4189	382	270	M276-30DETC-S	26.5	15.8	3.69	455	94.352	18.051	NA	-	255/45 R20	285/40 R20	64.5	65.2	64.9	113.1	50.1
GLE 350	4652	302	225	M276-35DEH	32.0	17.0	3.69	16140	103.176	44.527	NA	-	255/50 R19	255/50 R19	64.4	65.0	64.7	114.8	51.7
GLE 350 4MATIC (ULEV)	4751	302	225	M276-35DEH	31.8	18.2	3.69	14566	103.176	44.527	NA	-	255/50 R19	255/50 R19	64.4	65.0	64.7	114.8	51.7
GLE 350 4MATIC (ULEV) (Air-Susp.)	4751	302	225	M276-35DEH	31.8	18.2	3.69	73	103.176	44.527	NA	-	255/50 R19	255/50 R19	65.0	65.7	65.4	114.8	52.3
GLE 350 4MATIC (FFV)	4751	302	225	M276-35F	31.8	18.2	3.69	11918	103.176	44.527	NA	-	255/50 R19	255/50 R19	64.4	65.0	64.7	114.8	51.7
GLE 350 4MATIC (FFV) (Air-Susp.)	4751	302	225	M276-35F	31.8	18.2	3.69	60	103.176	44.527	NA	-	255/50 R19	255/50 R19	65.0	65.7	65.4	114.8	52.3
GLE 400 4MATIC	4927	329	245	M276-30DETC	24.5	16.9	3.46	1001	103.176	44.527	NA	-	265/45 R20	265/45 R20	64.6	65.2	64.9	114.8	51.7
GLE 400 4MATIC (Air-Susp.)	4927	329	245	M276-30DETC	24.5	16.9	3.46	111	103.176	44.527	NA	-	265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
AMG GLE 43 4MATIC	4987	382	270	M276-30DETC-S	24.5	16.9	3.46	1817	103.176	44.527	NA	-	265/45 R20	265/45 R20	64.6	65.2	64.9	114.8	51.7
AMG GLE 43 4MATIC (Air-Susp.)	4987	382	270	M276-30DETC-S	24.5	16.9	3.46	202	103.176	44.527	NA	-	265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
GLE 550 e 4MATIC	5456	436	325	M276-30HP	28.0	18.3	3.27	351	103.176	44.527	NA	-	265/45 R20	265/45 R20	64.6	65.2	64.9	114.8	51.7
GLE 550 e 4MATIC (Air-Susp.)	5456	436	325	M276-30HP	28.0	18.3	3.27	67	103.176	44.527	NA	-	265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
AMG GLE 63 (Std. Air-Susp.)	5203	550	410	M197-55DETC	29.7	19.8	3.47	179	103.176	44.527	NA	-	265/45 R20	265/45 R20	66.4	67.1	66.8	114.8	53.3
AMG GLE 63 S (Std. Air-Susp.)	5225	577	430	M197-55DETC	29.7	19.8	3.47	387	103.176	44.527	NA	-	265/45 R20	265/45 R20	66.4	67.1	66.8	114.8	53.3
AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	4960	382	270	M276-30DETC-S	24.8	17.4	3.69	5344	101.406	37.517	NA	-	275/45 R21	315/40 R21	65.6	67.4	66.5	114.8	52.2
AMG GLE 63 S Coupe (Std. Air-Susp.)	5379	577	430	M197-55DETC	30.0	19.1	3.69	589	101.406	37.517	NA	-	285/40 R22	325/35 R22	65.2	67.1	66.2	114.8	52.8
GLS 350 4MATIC (Std. Air-Susp.)	5467	250	186	OM642-30B	22.0	19.4	3.46	617	144.024	16.150	NA	Yes	275/50 R20	275/50 R20	64.8	65.6	65.2	121.1	54.8
GLS 450 4MATIC (Std. Air-Susp.)	5335	382	270	M276-30DETC-S	22.1	18.7	3.27	38281	144.024	16.150	NA	Yes	275/50 R20	275/50 R20	64.8	65.6	65.2	121.1	54.8
GLS 550 4MATIC (Std. Air-Susp.)	5578	449	335	M276-48DETC	22.4	20.1	3.27	5600	144.024	16.150	NA	Yes	295/40 R21	295/40 R21	66.0	66.8	66.4	121.1	55.8
AMG GLS 63 (Std. Air-Susp.)	5754	577	430	M197-55DETC	28.8	20.8	3.47	1440	144.024	16.150	NA	Yes	295/40 R21	295/40 R21	66.0	66.8	66.4	121.1	55.8
G 550	5820	416	310	M197-E40DETC	33.5	23.5	3.58	1709	94.260	38.560	NA	-	275/55 R19	275/55 R19	59.1	59.1	59.1	112.2	46.4
G 550 (4x4)2	6691	416	310	M176-E40DETC	37.5	38.8	5.38	477	94.260	34.262	NA	-	325/55 R22	325/55 R22	69.4	70.0	69.7	112.2	46.4
AMG G 63	5833	563	420	M197-55DETC	33.6	26.1	4.11	2127	94.260	38.560	NA	-	275/50 R20	275/50 R20	59.1	59.1	59.1	112.2	46.0
AMG G 65	5924	621	463	M279-60TC	29.7	26.0	3.6	110	94.260	38.560	NA	-	295/40 R21	295/40 R21	59.5	59.5	59.5	112.2	45.4
Metra (Cargo Van)	4222	208	155	M274-20DETC-C	32.6	18.8	3.5	2743	41.937	186.008	NA	-	225/55 R17	225/55 R17	65.7	65.0	65.4	126.0	57.0
Metra (Passenger Van)	4850	208	155	M274-20DETC-C	32.6	17.4	3.5	2531	NA	38.000	NA	Yes	225/55 R17	225/55 R17	65.7	65.0	65.4	126.0	57.0

LT Attribute

ENTIRE PAGE [REDACTED] BUSINESS INFORMATION

Model Year **2017**
Compliance Category **LT**

MT Index	Carline Mfr Cd	Division Code	Carline Code	Carline Name	Drive System	Engine Name / Description	Transmission Class	Footprint Index	Footprint Description	Data Used In Calculations						Calculation Values					
										Width - Inch (1)	White Inch (1)	DR	ProdVol FE	TAAAS Y/N	ProdVol GHG	Footprint SqFt	Target FE	Target GHG	Weighted FE	Weighted GHG	
505	MBX	1	505	GLA 250 4MATIC (LLEV)	4	M276-20DETC	AM-7	1		60.8	61.1	106.3	1	5,293	N	5,293	45.0	33.59	257.4	157.57666	1362418.2
35	MBX	1	505	GLA 250 4MATIC (FFV)	4	M276-20DETC	AM-7	1		60.8	61.1	106.3	1	4,330	N	4,330	45.0	33.59	257.4	128.92741	1114542.0
112	MBX	1	112	GLC 300 4MATIC	4	M274-20DETC	L-9	1		63.5	63.2	113.1	1	20,710	N	20,710	49.8	30.86	280.8	671.09527	5815368.0
112	MBX	1	112	GLC 300 4MATIC (Air-Susp.)	4	M274-20DETC	L-9	1		63.7	63.6	113.1	1	104	N	104	50.0	30.75	281.8	3.38211	29307.2
310	MBX	1	310	AMG GLE 43 4MATIC (Std. Air-Susp.)	4	M276-30DETC-S	L-9	1		64.5	65.2	113.1	1	2,043	N	2,043	59.9	30.31	286.1	67.40350	584502.3
130	MBX	1	130	GLC 300 4MATIC Coupe	4	M274-20DETC	L-9	1		63.3	63.7	113.1	1	4,373	N	4,373	50.1	30.70	282.3	142.44300	1234497.8
130	MBX	1	130	GLC 300 4MATIC Coupe (Air-Susp.)	4	M274-20DETC	L-9	1		63.8	63.7	113.1	1	44	N	44	50.1	30.70	282.3	1.43322	12421.2
311	MBX	1	311	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	4	M276-30DETC-S	L-9	1		64.5	65.2	113.1	1	455	N	455	59.9	30.31	286.1	15.01155	130175.5
401	MBX	1	401	GLE 350	R	M276-35DEH	L-7	1		64.4	65.0	114.8	1	16,140	N	16,140	51.6	30.02	289.0	537.64157	4864460.0
402	MBX	1	402	GLE 350 4MATIC (LLEV)	4	M276-35DEH	L-7	1		64.4	65.0	114.8	1	14,666	N	14,666	51.6	30.02	289.0	485.20986	4209574.0
402	MBX	1	402	GLE 350 4MATIC (LLEV) (Air-Susp.)	4	M276-35DEH	L-7	1		65.0	65.7	114.8	1	73	N	73	52.1	29.82	291.0	2.44802	21243.0
821	MBX	1	402	GLE 350 4MATIC (FFV)	4	M276-35F	L-7	1		64.4	65.0	114.8	1	11,918	N	11,918	51.6	30.02	289.0	397.00200	3444302.0
821	MBX	1	402	GLE 350 4MATIC (FFV) (Air-Susp.)	4	M276-35F	L-7	1		65.0	65.7	114.8	1	60	N	60	52.1	29.82	291.0	2.01207	17460.0
408	MBX	1	408	GLE 400 4MATIC	4	M276-30DETC	L-9	1		64.0	65.7	114.8	1	1,001	N	1,001	51.7	29.98	289.4	33.38893	289699.4
408	MBX	1	408	GLE 400 4MATIC (Air-Susp.)	4	M276-30DETC	L-9	1		65.1	65.9	114.8	1	111	N	111	52.2	29.78	291.4	3.72733	32345.4
270	MBX	1	270	AMG GLE 43 4MATIC	4	M276-30DETC-S	L-9	1		64.6	65.2	114.8	1	1,817	N	1,817	51.7	29.98	289.4	60.60707	525830.8
270	MBX	1	270	AMG GLE 43 4MATIC (Air-Susp.)	4	M276-30DETC-S	L-9	1		65.1	65.9	114.8	1	202	N	202	52.2	29.78	291.4	6.78308	58862.8
333	MBX	1	333	GLE 550 4MATIC	4	M276-30HP	L-7	1		64.0	65.7	114.8	1	351	N	351	51.7	29.98	289.4	11.70781	101578.4
333	MBX	1	333	GLE 550 4MATIC (Air-Susp.)	4	M276-30HP	L-7	1		65.1	65.9	114.8	1	67	N	67	52.2	29.78	291.4	2.24983	19523.8
406	MBX	1	406	AMG GLE 63 (Std. Air-Susp.)	4	M157-55DETC	L-7	1		66.4	67.1	114.8	1	179	N	179	53.3	29.34	295.8	6.10089	52846.2
272	MBX	1	272	AMG GLE 63 S (Std. Air-Susp.)	4	M157-55DETC	L-7	1		66.4	67.1	114.8	1	387	N	387	53.3	29.34	295.8	13.19018	114474.6
271	MBX	1	271	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	4	M276-30DETC-S	L-9	1		65.0	67.4	114.8	1	5,344	N	5,344	53.0	29.46	294.6	181.38951	1574342.4
274	MBX	1	274	AMG GLE 63 S Coupe (Std. Air-Susp.)	4	M157-55DETC	L-7	1		65.2	67.1	114.8	1	589	N	589	52.8	29.54	293.8	19.93907	173048.2
422	MBX	1	422	GLS 350 4MATIC (Std. Air-Susp.)	4	OM642-99B	L-9	1		64.8	65.6	121.1	1	817	N	817	54.8	28.77	301.9	21.44595	186272.3
421	MBX	1	421	GLS 450 4MATIC (Std. Air-Susp.)	4	M276-30DETC-S	L-9	1		64.8	65.6	121.1	1	38,281	N	38,281	54.8	28.77	301.9	1330.58742	11557033.9
423	MBX	1	423	GLS 550 4MATIC (Std. Air-Susp.)	4	M276-40DETC	L-9	1		66.0	66.8	121.1	1	5,000	N	5,000	55.8	28.39	305.9	197.25255	1713040.0
424	MBX	1	424	AMG GLS 63 (Std. Air-Susp.)	4	M157-55DETC	L-7	1		66.0	66.8	121.1	1	1,440	N	1,440	55.8	28.39	305.9	50.72209	440456.0
435	MBX	1	435	G 550	4	M176-E40DETC	L-7	1		59.1	59.1	112.2	1	1,709	N	1,709	46.0	32.98	282.3	51.81928	448270.7
436	MBX	1	436	G 550 4x4P2	4	M176-E40DETC	L-7	1		59.4	70.0	112.2	1	477	N	477	54.3	28.98	299.9	16.47099	143052.3
440	MBX	1	440	AMG G 63	4	M157-55DETC	L-7	1		59.1	59.1	112.2	1	2,127	N	2,127	46.0	32.98	282.3	64.49363	557912.1
441	MBX	1	441	AMG G 65	4	M276-60TC	L-7	1		59.5	59.5	112.2	1	110	N	110	46.4	32.74	264.3	3.35980	29073.0
411	MBX	1	411	Meris (Cargo Van)	R	M274-20DETC-C	L-7	1		65.7	65.0	126.0	1	2,743	N	2,743	57.2	27.89	311.6	98.35066	854718.6
410	MBX	1	410	Meris (Passenger Van)	R	M274-20DETC-C	L-7	1		65.7	65.0	126.0	1	2,631	N	2,631	57.2	27.89	311.6	90.74937	788656.6

Model Year	2017
Comp Cat	LT
Prod Vol	-
Weighted	-
UnRnd Wgt Avg	-
Rnd Wgt Avg	-
Min PV Dom	-
Rnd Std	-
Prod Vol	-
Weighted	-
UnRnd Std	-
Rnd Std	-
Prod Vol	145,792
Weighted	4076.970692
UnRnd Std	29,90046562
Rnd Std	29.9
Prod Vol	145,792
Weighted	42301454
UnRnd Std	290,1493498
Rnd Std	290
Prod Vol	0
Weighted	0
UnRnd Wgt Avg	-
Rnd Wgt Avg	-
x 1.25	-
Rnd Std	-