

TABLE [redacted] [redacted] on (Domestically produced passenger automobiles)

[redacted]

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
YARIS iA	P5	M6	P185/65R16	58.8	58.4	58.6	101.2	41.2	1828
YARIS iA	P5	S6-2	P185/65R16	58.8	58.4	58.6	101.2	41.2	32987
CAMRY	2AR-FE1	S6-1	P225/45R18 AS	62.4	62.0	62.2	109.3	47.2	16344
CAMRY	2AR-FE1	S6-1	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	240626
CAMRY	2AR-FE1	S6-1	P205/65R16 AS	62.8	62.4	62.6	109.3	47.5	114125
AVALON	2GR-FE	S6-3	P215/55R17 AS	62.6	62.0	62.3	110.9	48.0	11082
AVALON	2GR-FE	S6-3	P225/45R18 AS	62.6	62.0	62.3	110.9	48.0	7606
CAMRY	2GR-FE	S6-1	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	5379
CAMRY	2GR-FE	S6-1	P225/45R18 AS	62.4	62.0	62.2	109.3	47.2	3503

TABLE 2 MODEL TYPE FUEL ECONOMY (DOMESTICALLY PRODUCED PASSENGER AUTOMOBILES)

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED SALES
1	YARIS iA	1.5/FI/FFS	M6	47.5	1828
2	YARIS iA	1.5/FI/FFS	S6-2	49.4	32987
3	CAMRY	2.5/FI/FFS	S6-1	36.8	371095
4	AVALON	3.5/FI/FFS	S6-3	32.0	18688
5	CAMRY	3.5/FI/FFS	S6-1	32.3	8882

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE 3: Footprint Information (Non-domestically produced passenger automobiles)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
MIRAI	FCHV	AV-1	P215/55R17 AS	60.6	60.8	60.7	104.4	44.0	2499
YARIS	1NZ-FE	L4-1	P175/65R15 AS	57.9	57.4	57.6	98.8	39.5	11185
YARIS	1NZ-FE	M5	P175/65R15 AS	57.9	57.4	57.6	98.8	39.5	210
PRIUS c	1NZ-FXE	AV-2 SS	P175/65R15 AS	58.4	58.0	58.2	100.4	40.6	5433
YARIS	P5	M6	P185/65R15	58.8	58.4	58.6	101.2	41.2	570
YARIS	P5	S6-2	P185/65R15	58.8	58.4	58.6	101.2	41.2	5139
COROLLA	2ZR-FE/FAE1	AV-1	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	179422
COROLLA	2ZR-FE/FAE1	AV-1	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	18967
COROLLA	2ZR-FE/FAE1	M6	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	2075
COROLLA	2ZR-FE/FAE1	M6	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	194
COROLLA	2ZR-FE/FAE1	S7-2	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	114436
COROLLA LE ECO	2ZR-FE/FAE2	AV-1	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	2280
COROLLA LE ECO	2ZR-FE/FAE2	AV-2	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	602
COROLLA iM	2ZR-FE/FAE3	M6	P225/45R17 AS	59.7	59.5	59.6	102.4	42.4	1940
COROLLA iM	2ZR-FE/FAE3	S7-2	P225/45R17 AS	59.7	59.5	59.6	102.4	42.4	21860
CT 200h	2ZR-FXE1	AV-3 SS	P215/45R17 AS	60.0	59.8	59.9	102.4	42.6	6385
PRIUS v	2ZR-FXE2	AV-3 SS	P205/60R16 AS	60.4	60.8	60.6	109.4	46.0	15376
PRIUS	2ZR-FXE3	AV-3 SS	P215/45R17 AS	59.4	59.6	59.5	106.3	43.9	14262
PRIUS	2ZR-FXE3	AV-3 SS	P195/65R15 AS	60.3	60.4	60.4	106.3	44.6	60883
PRIUS Eco	2ZR-FXE4	AV-3 SS	P195/65R15 AS	60.3	60.4	60.4	106.3	44.6	4284
PRIUS PRIME	2ZR-FXE5	AV-3 SS	195/65R15 AS	60.2	60.5	60.4	106.3	44.6	26922
86	2.0L	M6	215/45R17 SM	59.8	60.6	60.2	101.2	42.3	3297
86	2.0L	S6-2	215/45R17 SM	59.8	60.6	60.2	101.2	42.3	5945
NX 200t	8AR-FTS1	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	29901
NX 200t AWD F SPORT	8AR-FTS2	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	6330
GS 200t	8AR-FTS3	S8-3	225/50R17 SM	62.0	62.6	62.3	112.2	48.5	220
IS 200t	8AR-FTS3	S8-3	225/45R17 AS	60.4	61.1	60.8	110.2	46.5	16509
RC 200t	8AR-FTS3	S8-3	P235/45R18 AS	62.1	62.9	62.5	107.6	46.7	2426
GS 200t F SPORT	8AR-FTS4	S8-3	265/35R19 SM	62.0	61.4	61.7	112.2	48.1	116
RAV4	2AR-FE3	S6-3	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	26314
RAV4 LE/XLE	2AR-FE5	S6-3	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	130627
AVALON HYBRID	2AR-FXE1	S6-3 SS	P215/55R17 AS	62.6	62.0	62.3	110.9	48.0	2416
CAMRY HYBRID LE	2AR-FXE1	AV-2 SS	P205/65R16 AS	62.8	62.4	62.6	109.3	47.5	7217
ES 300h	2AR-FXE1	S6-3 SS	P215/55R17 AS	62.5	61.9	62.2	110.8	47.9	5843
CAMRY HYBRID XLE/SE	2AR-FXE2	AV-2 SS	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	12361
ES 350	2GR-FE	S6-3	P215/55R17 AS	62.5	62.0	62.2	110.8	47.9	46326
IS 300 AWD	2GR-FSE/FKS1	S6-3	225/45R17 AS	60.5	61.1	60.8	110.2	46.5	8926
IS 350	2GR-FSE/FKS1	S8-3	255/35R18 AS	60.4	60.7	60.6	110.2	46.4	1256
IS 350 AWD	2GR-FSE/FKS1	S6-3	255/35R18 AS	60.5	60.7	60.6	110.2	46.4	949
RC 300 AWD	2GR-FSE/FKS1	S6-3	P235/45R18 AS	62.2	62.9	62.6	107.6	46.8	1540
RC 350	2GR-FSE/FKS1	S8-3	P235/45R18 AS	62.1	62.9	62.5	107.6	46.7	2713
RC 350 AWD	2GR-FSE/FKS1	S6-3	P235/45R18 AS	62.2	62.9	62.6	107.6	46.8	1000
GS 350	2GR-FSE/FKS2	S8-3	235/45R18 SM	62.0	62.6	62.3	112.2	48.5	1662
GS 350 AWD	2GR-FSE/FKS2	S6-3	P235/45R18 AS	62.0	62.6	62.3	112.2	48.5	2636
GS 350 F SPORT	2GR-FSE/FKS3	S8-3	265/35R19 SM	62.0	61.4	61.7	112.2	48.1	2055
RX 350	2GR-FSE/FKS4	S8-3	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	56750
GS 450h	2GR-FXE/FXS1	S8-3 SS	225/50R17 SM	62.0	62.6	62.3	112.2	48.5	55
LS 460	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.8	63.7	116.9	51.7	3052
LS 460 AWD	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.6	63.6	116.9	51.6	1715
LS 460 L	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.8	63.7	121.7	53.8	427
LS 460 L AWD	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.6	63.6	121.7	53.8	168
GS F	2UR-GSE	S8-3	275/35R19 SM	61.2	61.4	61.3	112.2	47.8	341
RC F	2UR-GSE	S8-3	275/35ZR19 SM	61.2	61.4	61.3	107.6	45.8	765

TABLE 4 MODEL TYPE FUEL ECONOMY (NON-DOMESTICALLY PRODUCED PASSENGER AUTOMOBILES)

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED SALES
1	MIRAI	FCV	AV-1	640.2	2499
2	YARIS	1.5/FI/FFS	L4-1	43.8	11185
3	YARIS	1.5/FI/FFS	M5	45.0	210
4	PRIUS c	1.5/FI/FFS	AV-2 SS	66.5	5433
5	YARIS	1.5/FI/FFS	M6	47.5	570
6	YARIS	1.5/FI/FFS	S6-2	49.4	5139
7	COROLLA	1.8/FI/FFS	AV-1	43.1	198389
8	COROLLA	1.8/FI/FFS	M6	41.4	2269
9	COROLLA	1.8/FI/FFS	S7-2	42.2	114436
10	COROLLA LE ECO	1.8/FI/FFS	AV-1	47.0	2280
11	COROLLA LE ECO	1.8/FI/FFS	AV-2	44.9	602
12	COROLLA iM	1.8/FI/FFS	M6	40.4	1940
13	COROLLA iM	1.8/FI/FFS	S7-2	42.7	21860
14	CT 200h	1.8/FI/FFS	AV-3 SS	57.5	6385
15	PRIUS v	1.8/FI/FFS	AV-3 SS	58.8	15376
16	PRIUS	1.8/FI/FFS	AV-3 SS	74.4	75145
17	PRIUS Eco	1.8/FI/FFS	AV-3 SS	80.8	4284
18	PRIUS PRIME	1.8/FI/FFS	AV-3 SS	146.6	26922
19	86	2.0/FI/FFS	M6	31.4	3297
20	86	2.0/FI/FFS	S6-2	36.2	5945
21	NX 200t	2.0/FI/FFS	S6-3	32.7	29901
22	NX 200t AWD F SPORT	2.0/FI/FFS	S6-3	31.4	6330
23	GS 200t	2.0/FI/FFS	S8-3	34.3	220
24	IS 200t	2.0/FI/FFS	S8-3	34.3	16509
25	RC 200t	2.0/FI/FFS	S8-3	34.3	2426
26	GS 200t F SPORT	2.0/FI/FFS	S8-3	31.7	116
27	RAV4	2.5/FI/FFS	S6-3	33.9	26314
28	RAV4 LE/XLE	2.5/FI/FFS	S6-3	34.9	130627
29	AVALON HYBRID	2.5/FI/FFS	S6-3 SS	55.2	2416
30	CAMRY HYBRID LE	2.5/FI/FFS	AV-2 SS	57.4	7217
31	ES 300h	2.5/FI/FFS	S6-3 SS	55.2	5843
32	CAMRY HYBRID XLE/SE	2.5/FI/FFS	AV-2 SS	54.8	12361
33	ES 350	3.5/FI/FFS	S6-3	32.0	46326
34	IS 300 AWD	3.5/FI/FFS	S6-3	27.9	8926
35	IS 350	3.5/FI/FFS	S8-3	29.0	1256
36	IS 350 AWD	3.5/FI/FFS	S6-3	27.9	949
37	RC 300 AWD	3.5/FI/FFS	S6-3	27.9	1540
38	RC 350	3.5/FI/FFS	S8-3	29.0	2713
39	RC 350 AWD	3.5/FI/FFS	S6-3	27.9	1000
40	GS 350	3.5/FI/FFS	S8-3	30.0	1662
41	GS 350 AWD	3.5/FI/FFS	S6-3	28.2	2636
42	GS 350 F SPORT	3.5/FI/FFS	S8-3	28.6	2055
43	RX 350	3.5/FI/FFS	S8-3	29.8	56750
44	GS 450h	3.5/FI/FFS	S8-3 SS	41.6	55
45	LS 460	4.6/FI/FFS	S8-3	24.8	3052
46	LS 460 AWD	4.6/FI/FFS	S8-3	23.5	1715
47	LS 460 L	4.6/FI/FFS	S8-3	24.8	427
48	LS 460 L AWD	4.6/FI/FFS	S8-3	23.5	168
49	GS F	5.0/FI/FFS	S8-3	23.8	341
50	RC F	5.0/FI/FFS	S8-3	25.3	765

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE [REDACTED] Information (Light Truck)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
HIGHLANDER	1AR-FE1	S6-1	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	10133
TACOMA 2WD	2TR-FE	S6-2	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	30618
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/55R19 AS	64.3	64.1	64.2	109.8	49.0	15284
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	30480
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	8974
SIENNA	2GR-FSE/FKS4	S8-2	P235/60R17 AS	67.7	67.5	67.6	119.3	56.0	92900
SIENNA	2GR-FSE/FKS4	S8-2	P235/50R19 AS	67.7	67.5	67.6	119.3	56.0	13431
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	56875
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	127.4	56.1	2706
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	140.6	61.9	0
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	140.6	61.9	8075
HIGHLANDER	2GR-FSE/FKS6	S8-2	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	4312
4RUNNER 2WD	1GR-FE1	S5-1	P265/70R17 AS	63.2	63.2	63.2	109.8	48.2	17602
TUNDRA 2WD	1UR-FE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	13574
TUNDRA 2WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	3790
TUNDRA 2WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	9039
TUNDRA 2WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	256
SEQUOIA 2WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	513
SEQUOIA 2WD	3UR-FE1	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	1748
TUNDRA 2WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	720
TUNDRA 2WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	3553
TUNDRA 2WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	105
NX 200t AWD	8AR-FTS1	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	20939
RAV4 AWD	2AR-FE3	S6-3	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	147161
RAV4 Limited AWD/SE AWD	2AR-FE4	S6-3	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	52103
NX 300h AWD	2AR-FXE3	S6-3 SS	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	2695
RAV4 HYBRID AWD	2AR-FXE3	S6-3 SS	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	28089
RAV4 HYBRID AWD	2AR-FXE3	S6-3 SS	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	24810
TACOMA 4WD	2TR-FE	M5	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	3580
TACOMA 4WD	2TR-FE	S6-2	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	7100
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	7800
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2 SS	245/55R19 AS	64.3	64.1	64.2	109.8	49.0	33913
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	75729
RX 350 AWD	2GR-FSE/FKS4	S8-3	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	75097
SIENNA AWD	2GR-FSE/FKS4	S8-2	235/55RF18 RF-AS	67.7	67.6	67.6	119.3	56.0	23668
SIENNA AWD	2GR-FSE/FKS4	S8-2	235/55RF18 RF-AS	67.7	67.6	67.6	119.2	56.0	7022
TACOMA 4WD	2GR-FSE/FKS4	M6	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	6143
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	127.4	56.1	10235
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	123641
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P265/65R17 AS	63.0	63.2	63.1	140.6	61.6	0
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	140.6	61.9	28357

TABLE Information (Light Truck)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
TACOMA 4WD D-CAB V6 MT OFF-ROAD	2GR-FSE/FKS5	M6	265/70R16 OFF	63.3	63.6	63.4	127.4	56.1	4988
HIGHLANDER AWD LE	2GR-FSE/FKS7	S8-2 SS	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	9975
HIGHLANDER HYBRID AWD	2GR-FXE/FXS2	S6-2 SS	245/60R18 AS	64.3	63.9	64.1	109.8	48.9	4411
HIGHLANDER HYBRID AWD	2GR-FXE/FXS2	S6-2 SS	245/55R19 AS	64.4	63.9	64.2	109.8	49.0	10741
RX 450h AWD	2GR-FXE/FXS2	S6-3 SS	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	10670
HIGHLANDER HYBRID AWD LE Plus	2GR-FXE/FXS3	S6-2 SS	245/60R18 AS	64.3	63.9	64.1	109.8	48.9	1194
4RUNNER 4WD	1GR-FE1	S5-1	P265/70R17 AS	63.2	63.2	63.2	109.8	48.2	70127
GX 460	1UR-FE	S6-1	P265/60R18 AS	62.3	62.4	62.4	109.8	47.6	28694
TUNDRA 4WD	1UR-FE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	5190
SEQUOIA 4WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	1408
SEQUOIA 4WD FFV	3UR-FBE	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	2226
TUNDRA 4WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	17705
TUNDRA 4WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	34914
TUNDRA 4WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	560
LAND CRUISER WAGON 4WD	3UR-FE1	S8-2	285/60R18 AS	64.9	64.7	64.8	112.2	50.5	3143
LX 570	3UR-FE1	S8-2	285/50R20 AS	64.8	64.6	64.7	112.2	50.4	6604
SEQUOIA 4WD	3UR-FE1	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	2597
SEQUOIA 4WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	919
TUNDRA 4WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	11855
TUNDRA 4WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	21754
TUNDRA 4WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	765

TABLE 6 MODEL TYPE FUEL ECONOMY (LIGHT TRUCKS)

(1) 2WD

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED
1	HIGHLANDER	2.7/FI/FFS	S6-1	30.1	10133
2	TACOMA 2WD	2.7/FI/FFS	S6-2	27.4	30618
3	HIGHLANDER LE/XLE/SE/LTD	3.5/FI/FFS	S8-2 SS	30.8	54738
4	SIENNA	3.5/FI/FFS	S8-2	28.4	106331
5	TACOMA 2WD	3.5/FI/FFS	S6-2	27.0	67656
6	HIGHLANDER	3.5/FI/FFS	S8-2	30.1	4312
7	4RUNNER 2WD	4.0/FI/FFS	S5-1	24.5	17602
8	TUNDRA 2WD	4.6/FI/FFS	S6-1	21.3	13574
9	TUNDRA 2WD FFV	5.7/FI/FFS	S6-1	32.3	13085
10	SEQUOIA 2WD	5.7/FI/FFS	S6-1	18.9	2261
11	TUNDRA 2WD	5.7/FI/FFS	S6-1	19.2	4378

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE 6 MODEL TYPE FUEL ECONOMY (LIGHT TRUCKS)

(2) 4WD

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED
12	NX 200t AWD	2.0/FI/FFS	S6-3	32.4	20939
13	RAV4 AWD	2.5/FI/FFS	S6-3	32.9	147161
14	RAV4 Limited AWD/SE AWD	2.5/FI/FFS	S6-3	32.3	52103
15	NX 300h AWD	2.5/FI/FFS	S6-3 SS	43.1	2695
16	RAV4 HYBRID AWD	2.5/FI/FFS	S6-3 SS	44.7	52899
17	TACOMA 4WD	2.7/FI/FFS	M5	26.7	3580
18	TACOMA 4WD	2.7/FI/FFS	S6-2	26.2	7100
19	HIGHLANDER AWD	3.5/FI/FFS	S8-2	29.0	7800
20	HIGHLANDER AWD	3.5/FI/FFS	S8-2 SS	29.2	109642
21	RX 350 AWD	3.5/FI/FFS	S8-3	28.6	75097
22	SIENNA AWD	3.5/FI/FFS	S8-2	26.2	30690
23	TACOMA 4WD	3.5/FI/FFS	M6	24.0	6143
24	TACOMA 4WD	3.5/FI/FFS	S6-2	26.0	162233
25	TACOMA 4WD D-CAB V6 MT OFF-ROAD	3.5/FI/FFS	M6	23.8	4988
26	HIGHLANDER AWD LE	3.5/FI/FFS	S8-2 SS	29.9	9975
27	HIGHLANDER HYBRID AWD	3.5/FI/FFS	S6-2 SS	39.6	15152
28	RX 450h AWD	3.5/FI/FFS	S6-3 SS	40.9	10670
29	HIGHLANDER HYBRID AWD LE Plus	3.5/FI/FFS	S6-2 SS	40.3	1194
30	4RUNNER 4WD	4.0/FI/FFS	S5-1	23.9	70127
31	GX 460	4.6/FI/FFS	S6-1	21.3	28694
32	TUNDRA 4WD	4.6/FI/FFS	S6-1	20.3	5190
33	SEQUOIA 4WD FFV	5.7/FI/FFS	S6-1	30.6	3634
34	TUNDRA 4WD FFV	5.7/FI/FFS	S6-1	31.1	53179
35	LAND CRUISER WAGON 4WD	5.7/FI/FFS	S8-2	19.1	3143
36	LX 570	5.7/FI/FFS	S8-2	19.0	6604
37	SEQUOIA 4WD	5.7/FI/FFS	S6-1	18.2	3516
38	TUNDRA 4WD	5.7/FI/FFS	S6-1	18.3	34374

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE [REDACTED] [REDACTED] on (Domestically produced passenger automobiles)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
YARIS iA	P5	M6	P185/65R16	58.8	58.4	58.6	101.2	41.2	[REDACTED]
YARIS iA	P5	S6-2	P185/65R16	58.8	58.4	58.6	101.2	41.2	
CAMRY	2AR-FE1	S6-1	P225/45R18 AS	62.4	62.0	62.2	109.3	47.2	
CAMRY	2AR-FE1	S6-1	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	
CAMRY	2AR-FE1	S6-1	P205/65R16 AS	62.8	62.4	62.6	109.3	47.5	
AVALON	2GR-FE	S6-3	P215/55R17 AS	62.6	62.0	62.3	110.9	48.0	
AVALON	2GR-FE	S6-3	P225/45R18 AS	62.6	62.0	62.3	110.9	48.0	
CAMRY	2GR-FE	S6-1	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	
CAMRY	2GR-FE	S6-1	P225/45R18 AS	62.4	62.0	62.2	109.3	47.2	

TABLE 2 [REDACTED] FUEL ECONOMY (DOMESTICALLY PRODUCED PASSENGER AUTOMOBILES)

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED SALES
1	YARIS iA	1.5/FI/FFS	M6	47.5	
2	YARIS iA	1.5/FI/FFS	S6-2	49.4	
3	CAMRY	2.5/FI/FFS	S6-1	36.8	
4	AVALON	3.5/FI/FFS	S6-3	32.0	
5	CAMRY	3.5/FI/FFS	S6-1	32.3	

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE [REDACTED] [REDACTED] on (Non-domestically produced passenger automobiles)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
MIRAI	FCHV	AV-1	P215/55R17 AS	60.6	60.8	60.7	104.4	44.0	
YARIS	1NZ-FE	L4-1	P175/65R15 AS	57.9	57.4	57.6	98.8	39.5	
YARIS	1NZ-FE	M5	P175/65R15 AS	57.9	57.4	57.6	98.8	39.5	
PRIUS c	1NZ-FXE	AV-2 SS	P175/65R15 AS	58.4	58.0	58.2	100.4	40.6	
YARIS	P5	M6	P185/65R15	58.8	58.4	58.6	101.2	41.2	
YARIS	P5	S6-2	P185/65R15	58.8	58.4	58.6	101.2	41.2	
COROLLA	2ZR-FE/FAE1	AV-1	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	
COROLLA	2ZR-FE/FAE1	AV-1	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	
COROLLA	2ZR-FE/FAE1	M6	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	
COROLLA	2ZR-FE/FAE1	M6	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	
COROLLA	2ZR-FE/FAE1	S7-2	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	
COROLLA LE ECO	2ZR-FE/FAE2	AV-1	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	
COROLLA LE ECO	2ZR-FE/FAE2	AV-2	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	
COROLLA iM	2ZR-FE/FAE3	M6	P225/45R17 AS	59.7	59.5	59.6	102.4	42.4	
COROLLA iM	2ZR-FE/FAE3	S7-2	P225/45R17 AS	59.7	59.5	59.6	102.4	42.4	
CT 200h	2ZR-FXE1	AV-3 SS	P215/45R17 AS	60.0	59.8	59.9	102.4	42.6	
PRIUS v	2ZR-FXE2	AV-3 SS	P205/60R16 AS	60.4	60.8	60.6	109.4	46.0	
PRIUS	2ZR-FXE3	AV-3 SS	P215/45R17 AS	59.4	59.6	59.5	106.3	43.9	
PRIUS	2ZR-FXE3	AV-3 SS	P195/65R15 AS	60.3	60.4	60.4	106.3	44.6	
PRIUS Eco	2ZR-FXE4	AV-3 SS	P195/65R15 AS	60.3	60.4	60.4	106.3	44.6	
PRIUS PRIME	2ZR-FXE5	AV-3 SS	195/65R15 AS	60.2	60.5	60.4	106.3	44.6	
86	2.0L	M6	215/45R17 SM	59.8	60.6	60.2	101.2	42.3	
86	2.0L	S6-2	215/45R17 SM	59.8	60.6	60.2	101.2	42.3	
NX 200t	8AR-FTS1	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	
NX 200t AWD F SPORT	8AR-FTS2	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	
GS 200t	8AR-FTS3	S8-3	225/50R17 SM	62.0	62.6	62.3	112.2	48.5	
IS 200t	8AR-FTS3	S8-3	225/45R17 AS	60.4	61.1	60.8	110.2	46.5	
RC 200t	8AR-FTS3	S8-3	P235/45R18 AS	62.1	62.9	62.5	107.6	46.7	
GS 200t F SPORT	8AR-FTS4	S8-3	265/35R19 SM	62.0	61.4	61.7	112.2	48.1	
RAV4	2AR-FE3	S6-3	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	
RAV4 LE/XLE	2AR-FE5	S6-3	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	
AVALON HYBRID	2AR-FXE1	S6-3 SS	P215/55R17 AS	62.6	62.0	62.3	110.9	48.0	
CAMRY HYBRID LE	2AR-FXE1	AV-2 SS	P205/65R16 AS	62.8	62.4	62.6	109.3	47.5	
ES 300h	2AR-FXE1	S6-3 SS	P215/55R17 AS	62.5	61.9	62.2	110.8	47.9	
CAMRY HYBRID XLE/SE	2AR-FXE2	AV-2 SS	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	
ES 350	2GR-FE	S6-3	P215/55R17 AS	62.5	62.0	62.2	110.8	47.9	
IS 300 AWD	2GR-FSE/FKS1	S6-3	225/45R17 AS	60.5	61.1	60.8	110.2	46.5	
IS 350	2GR-FSE/FKS1	S8-3	255/35R18 AS	60.4	60.7	60.6	110.2	46.4	
IS 350 AWD	2GR-FSE/FKS1	S6-3	255/35R18 AS	60.5	60.7	60.6	110.2	46.4	
RC 300 AWD	2GR-FSE/FKS1	S6-3	P235/45R18 AS	62.2	62.9	62.6	107.6	46.8	
RC 350	2GR-FSE/FKS1	S8-3	P235/45R18 AS	62.1	62.9	62.5	107.6	46.7	
RC 350 AWD	2GR-FSE/FKS1	S6-3	P235/45R18 AS	62.2	62.9	62.6	107.6	46.8	
GS 350	2GR-FSE/FKS2	S8-3	235/45R18 SM	62.0	62.6	62.3	112.2	48.5	
GS 350 AWD	2GR-FSE/FKS2	S6-3	P235/45R18 AS	62.0	62.6	62.3	112.2	48.5	
GS 350 F SPORT	2GR-FSE/FKS3	S8-3	265/35R19 SM	62.0	61.4	61.7	112.2	48.1	
RX 350	2GR-FSE/FKS4	S8-3	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	
GS 450h	2GR-FXE/FXS1	S8-3 SS	225/50R17 SM	62.0	62.6	62.3	112.2	48.5	
LS 460	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.8	63.7	116.9	51.7	

TABLE [REDACTED] on (Non-domestically produced passenger automobiles)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
LS 460 AWD	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.6	63.6	116.9	51.6	[REDACTED]
LS 460 L	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.8	63.7	121.7	53.8	
LS 460 L AWD	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.6	63.6	121.7	53.8	
GS F	2UR-GSE	S8-3	275/35R19 SM	61.2	61.4	61.3	112.2	47.8	
RC F	2UR-GSE	S8-3	275/35ZR19 SM	61.2	61.4	61.3	107.6	45.8	

TABLE 4 [REDACTED] FUEL ECONOMY (NON-DOMESTICALLY PRODUCED PASSENGER AUTOMOBILES)

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED SALES
1	MIRAI	FCV	AV-1	640.2	
2	YARIS	1.5/FI/FFS	L4-1	43.8	
3	YARIS	1.5/FI/FFS	M5	45.0	
4	PRIUS c	1.5/FI/FFS	AV-2 SS	66.5	
5	YARIS	1.5/FI/FFS	M6	47.5	
6	YARIS	1.5/FI/FFS	S6-2	49.4	
7	COROLLA	1.8/FI/FFS	AV-1	43.1	
8	COROLLA	1.8/FI/FFS	M6	41.4	
9	COROLLA	1.8/FI/FFS	S7-2	42.2	
10	COROLLA LE ECO	1.8/FI/FFS	AV-1	47.0	
11	COROLLA LE ECO	1.8/FI/FFS	AV-2	44.9	
12	COROLLA iM	1.8/FI/FFS	M6	40.4	
13	COROLLA iM	1.8/FI/FFS	S7-2	42.7	
14	CT 200h	1.8/FI/FFS	AV-3 SS	57.5	
15	PRIUS v	1.8/FI/FFS	AV-3 SS	58.8	
16	PRIUS	1.8/FI/FFS	AV-3 SS	74.4	
17	PRIUS Eco	1.8/FI/FFS	AV-3 SS	80.8	
18	PRIUS PRIME	1.8/FI/FFS	AV-3 SS	146.6	
19	86	2.0/FI/FFS	M6	31.4	
20	86	2.0/FI/FFS	S6-2	36.2	
21	NX 200t	2.0/FI/FFS	S6-3	32.7	
22	NX 200t AWD F SPORT	2.0/FI/FFS	S6-3	31.4	
23	GS 200t	2.0/FI/FFS	S8-3	34.3	
24	IS 200t	2.0/FI/FFS	S8-3	34.3	
25	RC 200t	2.0/FI/FFS	S8-3	34.3	
26	GS 200t F SPORT	2.0/FI/FFS	S8-3	31.7	
27	RAV4	2.5/FI/FFS	S6-3	33.9	
28	RAV4 LE/XLE	2.5/FI/FFS	S6-3	34.9	
29	AVALON HYBRID	2.5/FI/FFS	S6-3 SS	55.2	
30	CAMRY HYBRID LE	2.5/FI/FFS	AV-2 SS	57.4	
31	ES 300h	2.5/FI/FFS	S6-3 SS	55.2	
32	CAMRY HYBRID XLE/SE	2.5/FI/FFS	AV-2 SS	54.8	
33	ES 350	3.5/FI/FFS	S6-3	32.0	
34	IS 300 AWD	3.5/FI/FFS	S6-3	27.9	
35	IS 350	3.5/FI/FFS	S8-3	29.0	
36	IS 350 AWD	3.5/FI/FFS	S6-3	27.9	
37	RC 300 AWD	3.5/FI/FFS	S6-3	27.9	
38	RC 350	3.5/FI/FFS	S8-3	29.0	
39	RC 350 AWD	3.5/FI/FFS	S6-3	27.9	
40	GS 350	3.5/FI/FFS	S8-3	30.0	
41	GS 350 AWD	3.5/FI/FFS	S6-3	28.2	
42	GS 350 F SPORT	3.5/FI/FFS	S8-3	28.6	
43	RX 350	3.5/FI/FFS	S8-3	29.8	
44	GS 450h	3.5/FI/FFS	S8-3 SS	41.6	
45	LS 460	4.6/FI/FFS	S8-3	24.8	
46	LS 460 AWD	4.6/FI/FFS	S8-3	23.5	
47	LS 460 L	4.6/FI/FFS	S8-3	24.8	
48	LS 460 L AWD	4.6/FI/FFS	S8-3	23.5	
49	GS F	5.0/FI/FFS	S8-3	23.8	
50	RC F	5.0/FI/FFS	S8-3	25.3	

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE [REDACTED] Information (Light Truck)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
HIGHLANDER	1AR-FE1	S6-1	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	
TACOMA 2WD	2TR-FE	S6-2	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/55R19 AS	64.3	64.1	64.2	109.8	49.0	
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	
SIENNA	2GR-FSE/FKS4	S8-2	P235/60R17 AS	67.7	67.5	67.6	119.3	56.0	
SIENNA	2GR-FSE/FKS4	S8-2	P235/50R19 AS	67.7	67.5	67.6	119.3	56.0	
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	127.4	56.1	
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	140.6	61.9	
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	140.6	61.9	
HIGHLANDER	2GR-FSE/FKS6	S8-2	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	
4RUNNER 2WD	1GR-FE1	S5-1	P265/70R17 AS	63.2	63.2	63.2	109.8	48.2	
TUNDRA 2WD	1UR-FE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 2WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 2WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 2WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	
SEQUOIA 2WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	
SEQUOIA 2WD	3UR-FE1	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	
TUNDRA 2WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 2WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 2WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	
NX 200t AWD	8AR-FTS1	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	
RAV4 AWD	2AR-FE3	S6-3	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	
RAV4 Limited AWD/SE AWD	2AR-FE4	S6-3	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	
NX 300h AWD	2AR-FXE3	S6-3 SS	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	
RAV4 HYBRID AWD	2AR-FXE3	S6-3 SS	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	
RAV4 HYBRID AWD	2AR-FXE3	S6-3 SS	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	
TACOMA 4WD	2TR-FE	M5	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	
TACOMA 4WD	2TR-FE	S6-2	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2 SS	245/55R19 AS	64.3	64.1	64.2	109.8	49.0	
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	
RX 350 AWD	2GR-FSE/FKS4	S8-3	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	
SIENNA AWD	2GR-FSE/FKS4	S8-2	235/55RF18 RF-AS	67.7	67.6	67.6	119.3	56.0	
SIENNA AWD	2GR-FSE/FKS4	S8-2	235/55RF18 RF-AS	67.7	67.6	67.6	119.2	56.0	
TACOMA 4WD	2GR-FSE/FKS4	M6	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	127.4	56.1	
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P265/65R17 AS	63.0	63.2	63.1	140.6	61.6	
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	140.6	61.9	

TABLE [REDACTED] Information (Light Truck)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
TACOMA 4WD D-CAB V6 MT OFF-ROAD	2GR-FSE/FKS5	M6	265/70R16 OFF	63.3	63.6	63.4	127.4	56.1	
HIGHLANDER AWD LE	2GR-FSE/FKS7	S8-2 SS	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	
HIGHLANDER HYBRID AWD	2GR-FXE/FXS2	S6-2 SS	245/60R18 AS	64.3	63.9	64.1	109.8	48.9	
HIGHLANDER HYBRID AWD	2GR-FXE/FXS2	S6-2 SS	245/55R19 AS	64.4	63.9	64.2	109.8	49.0	
RX 450h AWD	2GR-FXE/FXS2	S6-3 SS	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	
HIGHLANDER HYBRID AWD LE Plus	2GR-FXE/FXS3	S6-2 SS	245/60R18 AS	64.3	63.9	64.1	109.8	48.9	
4RUNNER 4WD	1GR-FE1	S5-1	P265/70R17 AS	63.2	63.2	63.2	109.8	48.2	
GX 460	1UR-FE	S6-1	P265/60R18 AS	62.3	62.4	62.4	109.8	47.6	
TUNDRA 4WD	1UR-FE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	
SEQUOIA 4WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	
SEQUOIA 4WD FFV	3UR-FBE	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	
TUNDRA 4WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 4WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 4WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	
LAND CRUISER WAGON 4WD	3UR-FE1	S8-2	285/60R18 AS	64.9	64.7	64.8	112.2	50.5	
LX 570	3UR-FE1	S8-2	285/50R20 AS	64.8	64.6	64.7	112.2	50.4	
SEQUOIA 4WD	3UR-FE1	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	
SEQUOIA 4WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	
TUNDRA 4WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 4WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	
TUNDRA 4WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	

(1) 2WD

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED
1	HIGHLANDER	2.7/FI/FFS	S6-1	30.1	
2	TACOMA 2WD	2.7/FI/FFS	S6-2	27.4	
3	HIGHLANDER LE/XLE/SE/LTD	3.5/FI/FFS	S8-2 SS	30.8	
4	SIENNA	3.5/FI/FFS	S8-2	28.4	
5	TACOMA 2WD	3.5/FI/FFS	S6-2	27.0	
6	HIGHLANDER	3.5/FI/FFS	S8-2	30.1	
7	4RUNNER 2WD	4.0/FI/FFS	S5-1	24.5	
8	TUNDRA 2WD	4.6/FI/FFS	S6-1	21.3	
9	TUNDRA 2WD FFV	5.7/FI/FFS	S6-1	32.3	
10	SEQUOIA 2WD	5.7/FI/FFS	S6-1	18.9	
11	TUNDRA 2WD	5.7/FI/FFS	S6-1	19.2	

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

(2) 4WD

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED
12	NX 200t AWD	2.0/FI/FFS	S6-3	32.4	
13	RAV4 AWD	2.5/FI/FFS	S6-3	32.9	
14	RAV4 Limited AWD/SE AWD	2.5/FI/FFS	S6-3	32.3	
15	NX 300h AWD	2.5/FI/FFS	S6-3 SS	43.1	
16	RAV4 HYBRID AWD	2.5/FI/FFS	S6-3 SS	44.7	
17	TACOMA 4WD	2.7/FI/FFS	M5	26.7	
18	TACOMA 4WD	2.7/FI/FFS	S6-2	26.2	
19	HIGHLANDER AWD	3.5/FI/FFS	S8-2	29.0	
20	HIGHLANDER AWD	3.5/FI/FFS	S8-2 SS	29.2	
21	RX 350 AWD	3.5/FI/FFS	S8-3	28.6	
22	SIENNA AWD	3.5/FI/FFS	S8-2	26.2	
23	TACOMA 4WD	3.5/FI/FFS	M6	24.0	
24	TACOMA 4WD	3.5/FI/FFS	S6-2	26.0	
25	TACOMA 4WD D-CAB V6 MT OFF-ROAD	3.5/FI/FFS	M6	23.8	
26	HIGHLANDER AWD LE	3.5/FI/FFS	S8-2 SS	29.9	
27	HIGHLANDER HYBRID AWD	3.5/FI/FFS	S6-2 SS	39.6	
28	RX 450h AWD	3.5/FI/FFS	S6-3 SS	40.9	
29	HIGHLANDER HYBRID AWD LE Plus	3.5/FI/FFS	S6-2 SS	40.3	
30	4RUNNER 4WD	4.0/FI/FFS	S5-1	23.9	
31	GX 460	4.6/FI/FFS	S6-1	21.3	
32	TUNDRA 4WD	4.6/FI/FFS	S6-1	20.3	
33	SEQUOIA 4WD FFV	5.7/FI/FFS	S6-1	30.6	
34	TUNDRA 4WD FFV	5.7/FI/FFS	S6-1	31.1	
35	LAND CRUISER WAGON 4WD	5.7/FI/FFS	S8-2	19.1	
36	LX 570	5.7/FI/FFS	S8-2	19.0	
37	SEQUOIA 4WD	5.7/FI/FFS	S6-1	18.2	
38	TUNDRA 4WD	5.7/FI/FFS	S6-1	18.3	

*1 : SPECIAL DESCRIPTION

*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.