

IWC [lbs]	ETW [lbs]	Model Name	Body Style	Engine	MB Vehicle Code	Transm.	Transmission Class	GVWR [lbs]	Approach Angle (±28°)	Breakover Angle (±14°)	Departure Angle (±20°)	Running Clearance (±200mm)	Front Axle Clearance (±180mm)	Rear Axle Clearance (±180mm)	Base Fuel (MPG)	E85 Fuel (MPG)	Proj. Model Sales
4000	3875	GLA 250 4MATIC (ULEV)	MPV	2.0L-I4 Turbo	X 166 E20DE LA 4x4 (ULEV)	AM-7 (4x4)	4 wd auto 7 OD LU	4387	11.7	20.6	18.5	204	224	247	34.3	25.5	5414
4000	3875	GLA 250 4MATIC (FFV)	MPV	2.0L-I4 Turbo	X 166 E20DE LA 4x4 (FFV)	AM-7 (4x4)	4 wd auto 7 OD LU	4387	19.7	18.6	21	202	202	245	31.3		4429
4500	4500	GLC 300 4MATIC	MPV	2.0L-I4 Turbo	X 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD LU	5214	28.8	18.6	21	202	202	245	31.3		20691
4500	4500	GLC 300 4MATIC (Air-Susp.)	MPV	2.0L-I4 Turbo	X 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD LU	5214	29.3	18.7	21	207	207	246	31.3		104
4500	4500	AMG GLC 43 4MATIC (Std. Air-Susp.)	MPV	3.0L-V6 Turbo	X 253 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD LU	5423	29.3	18.7	21	207	207	246	26.3		1886
4500	4500	AMG GLC 300 4MATIC Coupe	MPV	2.0L-I4 Turbo	C 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD LU	5291	28.8	18.6	21	202	202	245	31.5		4330
4500	4500	GLC 300 4MATIC Coupe (Air-Susp.)	MPV	2.0L-I4 Turbo	C 253 E20DE LA 4x4 (LDT)	L-9 (4x4)	4 wd auto 9 OD LU	5291	29.3	18.7	21	207	207	246	31.5		44
4500	4500	AMG GLC 43 4MATIC Coupe (Std. Air-Susp.)	MPV	3.0L-V6 Turbo	C 253 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD LU	5423	29.3	18.7	21	207	207	246	26.6		484
5000	5000	GLE 350	MPV	3.5L-V6	W 166 E35DEH 4x2	L-7	2 wd auto 7 OD LU	6173	23	17	20.2 - 25.7	210	210	233	26.4		16603
5000	5250	GLE 350 4MATIC (ULEV)	MPV	3.5L-V6	W 166 E35DEH 4x4 (ULEV)	L-7 (4x4)	4 wd auto 7 OD LU	6283	23	17	20.2 - 25.7	210	210	233	25.3		14836
5000	5250	GLE 350 4MATIC (ULEV) (Air-Susp.)	MPV	3.5L-V6	W 166 E35DEH 4x4 (ULEV)	L-7 (4x4)	4 wd auto 7 OD LU	6283	23	17	21.5 - 25.7	210	210	233	25.3		75
5000	5250	GLE 350 4MATIC (FFV)	MPV	3.5L-V6	W 166 E35DEH 4x4 (FFV)	L-7 (4x4)	4 wd auto 7 OD LU	6283	23	17	20.2 - 25.7	210	210	233	25.3	18.9	12141
5000	5250	GLE 350 4MATIC (FFV) (Air-Susp.)	MPV	3.5L-V6	W 166 E35DEH 4x4 (FFV)	L-7 (4x4)	4 wd auto 7 OD LU	6283	23	17	21.5 - 25.7	210	210	233	25.3	18.9	61
5000	5250	GLE 400 4MATIC	MPV	3.0L-V6 Turbo	W 166 E30DE LA 4x4 (L-9)	L-9 (4x4)	4 wd auto 9 OD LU	6283	23	17	20.2 - 25.7	210	210	233	26.1		988
5000	5250	GLE 400 4MATIC (Air-Susp.)	MPV	3.0L-V6 Turbo	W 166 E30DE LA 4x4 (L-9)	L-9 (4x4)	4 wd auto 9 OD LU	6283	23	17	21.5 - 25.7	210	210	233	26.1		110
5500	5500	AMG GLE 43 4MATIC	MPV	3.0L-V6 Turbo	W 166 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD LU	6460	23	17	20.2 - 25.7	210	210	233	26.1		1732
5500	5500	AMG GLE 43 4MATIC (Air-Susp.)	MPV	3.0L-V6 Turbo	W 166 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD LU	6460	23	17	21.5 - 25.7	210	210	233	26.1		193
6000	6000	GLE 550 e 4MATIC	MPV	3.0L-V6 Turbo	W 166 E30DE LA P2-85 PHEV 4x4	L-7 (4x4)	4 wd auto 7 OD LU	6724	23	17	20.2 - 25.7	210	210	233	49.1		292
6000	6000	GLE 550 e 4MATIC (Air-Susp.)	MPV	3.0L-V6 Turbo	W 166 E30DE LA P2-85 PHEV 4x4	L-7 (4x4)	4 wd auto 7 OD LU	6724	23	17	21.5 - 25.7	210	210	233	49.1		56
5500	5500	AMG GLE 63 (Std. Air-Susp)	MPV	5.5L-V8 Turbo	W 166 E55DE LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD LU	6724	21	19	24	231	232	230	19.8		148
5500	5500	AMG GLE 63 S (Std. Air-Susp)	MPV	5.5L-V8 Turbo	W 166 E55DE LA AMG S 4x4	L-7 (4x4)	4 wd auto 7 OD LU	6724	21	19	24	231	232	230	19.8		292
5500	5500	AMG GLE 43 4MATIC Coupe (Std. Air-Susp)	MPV	3.0L-V6 Turbo	C 292 E30DE LA 4x4 Sport AMG	L-9 (4x4)	4 wd auto 9 OD LU	6393	23	17	20 - 25	211	211	211	25.4		5055
5500	5500	AMG GLE 63 S Coupe (Std. Air-Susp)	MPV	5.5L-V8 Turbo	C 292 E55DE LA AMG S 4x4	L-7 (4x4)	4 wd auto 7 OD LU	6823	22	20	22 - 24	253	276	276	19.6		586
6000	6000	GLS 350 e 4MATIC (Std. Air-Susp)	MPV	3.0L-V6 Turbo	X 166 E30DE LA 4x4	L-9 (4x4)	4 wd auto 9 OD LU	7165	25 - 33	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	28.8		600
6000	6000	GLS 450 4MATIC (Std. Air-Susp)	MPV	3.0L-V6 Turbo	X 166 E30DE LA 4x4	L-9 (4x4)	4 wd auto 9 OD LU	7165	20 - 26	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	24.1		38427
6000	6000	GLS 550 4MATIC (Std. Air-Susp)	MPV	4.7L-V8 Turbo	X 166 E46DE LA 4x4	L-9 (4x4)	4 wd auto 9 OD LU	7165	20 - 26	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	20.5		5665
6000	6000	AMG GLS 63 (Std. Air-Susp)	MPV	5.5L-V8 Turbo	X 166 E55DE LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD LU	7165	23	18.9	21.9	249	249	239	19.2		1159
6000	6000	G 550	MPV	4.0L-V8 Turbo	G 463 E40DE LA 4x4	L-7 (4x4)	4 wd auto 7 OD LU	7055	36	24	29	205	205	205	17.8		1586
7000	7000	G 550 (4x4)*2	MPV	4.0L-V8 Turbo	G 463 E40DE LA (4x4)*2	L-7 (4x4)	4 wd auto 7 OD LU	7694	51.6	44.6-47.4	43.8	438	438	438	15.1		320
6000	6000	AMG G 63	MPV	5.5L-V8 Turbo	G 463 E55DE LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD LU	7055	28	24	30	229	224	233	17.0		1959
6000	6000	AMG G 65	MPV	6.0L-V12 Turbo	G 463 E60 LA AMG 4x4	L-7 (4x4)	4 wd auto 7 OD LU	7055	28	24	30	229	224	233	15.0		83
4500	4500	Metris (Cargo Van)	Truck	2.0L-I4 Turbo	L 447 E20DE LA 4x2 (Cargo Van)	L-7	2 wd auto 7 OD LU	6724	18.6	18.6	16.9	176	213	212	30.2		1859
5000	5250	Metris (Passenger Van)	MPV	2.0L-I4 Turbo	L 447 E20DE LA 4x2 (Passenger Van)	L-7	2 wd auto 7 OD LU	6724	17.4	17.1	15.5	158	147	194	29.4		2420

LT Attribute				Projected Light Truck Sales:				144639	
Calculations:				Baseline		Dual Fuel		FFV/Dual Fuel Calculation:	
Total Sales:				144639		144639		Delta (FFV-Baseline): 1.1837	
Base Vol. / Base Comb:				5582.2170		5338.3346		Max. FFV Credit: 0.6000	
CAFE (unrounded unadjusted):				25.9107		27.0944		FFV Credit: 0.6000	
Final Calculation:									
CAFE (unrounded unadjusted):				26.5107					
CAFE (rounded):				26					



Model Name	Curb Weight [lbs]	SAE hp	SAE kW	Engine Code	N/V	Roadload HP	Airs Ratio	Proj. Model Sales	Passenger Volume [ft³]	Cargo Volume [ft³]	Interior Volume Index	3 rows of seats	Base Tire		Front Track Width [in]	Rear Track Width [in]	Avg. Track Width [in]	Wheelbase [in]	Footprint [ft²]
													Front Tire Size	Rear Tire Size					
GLA 250 4MATIC (ULEV)	3428	208	155	M270-20DETC	28.1	12.6	2.65	5414	89.079	41.838	NA	-	235/45 R19	235/45 R19	61.8	61.4	61.6	106.3	45.5
GLA 250 4MATIC (FFV)	3428	208	155	M270-20DETC-F	28.1	12.6	2.65	4429	89.079	41.838	NA	-	235/45 R19	235/45 R19	61.8	61.4	61.6	106.3	45.5
GLC 300 4MATIC	3891	241	180	M274-20DETC	23.3	14.7	3.27	20691	101.017	24.258	NA	-	235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
GLC 300 4MATIC (Air-Susp.)	3891	241	180	M274-20DETC	23.3	14.7	3.27	104	101.017	24.258	NA	-	235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
AMG GLC 43 4MATIC (Std. Air-Susp.)	4145	362	270	M276-30DETC-S	26.5	15.8	3.69	1886	101.017	24.258	NA	-	255/45 R20	285/40 R20	63.8	63.7	63.8	113.1	50.1
GLC 300 4MATIC Coupe	4045	241	180	M274-20DETC	23.3	14.7	3.27	4330	94.352	18.051	NA	-	235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
GLC 300 4MATIC Coupe (Air-Susp.)	4045	241	180	M274-20DETC	23.3	14.7	3.27	44	94.352	18.051	NA	-	235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
AMG GLC 43 4MATIC Coupe (Std. Air-Susp.)	4189	362	270	M276-30DETC-S	26.5	15.8	3.69	484	94.352	18.051	NA	-	255/45 R20	285/40 R20	63.8	63.7	63.8	113.1	50.1
GLE 350	4652	302	225	M276-35DEH	32.0	17.0	3.69	16603	103.176	44.527	NA	-	255/50 R19	255/50 R19	64.6	65.2	64.9	114.8	51.7
GLE 350 4MATIC (ULEV)	4751	302	225	M276-35DEH	31.8	18.2	3.69	14836	103.176	44.527	NA	-	255/50 R19	255/50 R19	64.6	65.2	64.9	114.8	51.7
GLE 350 4MATIC (ULEV) (Air-Susp.)	4751	302	225	M276-35DEH	31.8	18.2	3.69	75	103.176	44.527	NA	-	255/50 R19	255/50 R19	65.2	65.9	65.6	114.8	52.3
GLE 350 4MATIC (FFV)	4751	302	225	M276-35F	31.8	18.2	3.69	12141	103.176	44.527	NA	-	255/50 R19	255/50 R19	64.6	65.2	64.9	114.8	51.7
GLE 350 4MATIC (FFV) (Air-Susp.)	4751	302	225	M276-35F	31.8	18.2	3.69	61	103.176	44.527	NA	-	255/50 R19	255/50 R19	65.2	65.9	65.6	114.8	52.3
GLE 400 4MATIC	4927	329	245	M276-30DETC	24.5	16.9	3.46	988	103.176	44.527	NA	-	265/45 R20	265/45 R20	64.6	65.2	64.9	114.8	51.7
GLE 400 4MATIC (Air-Susp.)	4927	329	245	M276-30DETC	24.5	16.9	3.46	110	103.176	44.527	NA	-	265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
AMG GLE 43 4MATIC	4987	362	270	M276-30DETC-S	24.5	16.9	3.46	1732	103.176	44.527	NA	-	265/45 R20	265/45 R20	64.6	65.2	64.9	114.8	51.7
AMG GLE 43 4MATIC (Air-Susp.)	4987	362	270	M276-30DETC-S	24.5	16.9	3.46	193	103.176	44.527	NA	-	265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
GLE 550 e 4MATIC	5456	436	325	M276-30HP	28.0	18.3	3.27	292	103.176	44.527	NA	-	265/45 R20	265/45 R20	64.6	65.2	64.9	114.8	51.7
GLE 550 e 4MATIC (Air-Susp.)	5456	436	325	M276-30HP	28.0	18.3	3.27	56	103.176	44.527	NA	-	265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
AMG GLE 63 (Std. Air-Susp.)	5203	550	410	M157-55DETC	29.7	19.8	3.47	148	103.176	44.527	NA	-	265/45 R20	265/45 R20	66.4	67.1	66.8	114.8	53.3
AMG GLE 63 S (Std. Air-Susp.)	5225	577	430	M157-55DETC	29.7	19.8	3.47	252	103.176	44.527	NA	-	265/45 R20	265/45 R20	66.4	67.1	66.8	114.8	53.3
AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	4960	362	270	M276-30DETC-S	24.8	17.4	3.69	5055	101.406	37.517	NA	-	275/45 R21	315/40 R21	65.1	65.9	65.5	114.8	52.2
AMG GLE 63 S Coupe (Std. Air-Susp.)	5379	577	430	M157-55DETC	30.0	19.1	3.69	586	101.406	37.517	NA	-	285/40 R22	325/35 R22	65.2	67.1	66.2	114.8	52.8
GLS 350 e 4MATIC (Std. Air-Susp.)	5467	250	186	OM642-30B	22.0	18.6	3.27	600	144.024	16.150	NA	Yes	275/55 R19	275/55 R19	64.8	65.6	65.2	121.1	54.8
GLS 450 4MATIC (Std. Air-Susp.)	5335	362	270	M276-30DETC-S	22.1	18.7	3.27	36427	144.024	16.150	NA	Yes	275/50 R20	275/50 R20	64.8	65.6	65.2	121.1	54.8
GLS 550 4MATIC (Std. Air-Susp.)	5578	449	335	M278-48DETC	22.4	20.1	3.27	5665	144.024	16.150	NA	Yes	295/40 R21	295/40 R21	66.0	66.8	66.4	121.1	55.8
AMG GLS 63 (Std. Air-Susp.)	5754	577	430	M157-55DETC	28.8	20.8	3.47	1168	144.024	16.150	NA	Yes	295/40 R21	295/40 R21	66.0	66.8	66.4	121.1	55.8
G 550	5820	416	310	M176-EX40DETC	33.5	29.5	3.58	1586	94.260	38.560	NA	-	275/55 R19	275/55 R19	59.6	59.6	59.6	112.2	46.4
G 550 (4x4)*2	6691	416	310	M176-EX40DETC	37.5	38.7	5.38	320	94.260	34.262	NA	-	325/55 R22	325/55 R22	59.6	59.6	59.6	112.2	46.4
AMG G 63	5833	563	420	M157-55DETC	33.6	26.1	4.11	1959	94.260	38.560	NA	-	275/50 R20	275/50 R20	59.1	59.1	59.1	112.2	46.0
AMG G 65	5924	621	463	M279-60TC	29.7	26.0	3.6	63	94.260	38.560	NA	-	295/40 R21	295/40 R21	58.3	58.3	58.3	112.2	45.4
Meriva (Cargo Van)	4222	208	155	M274-20DETC-C	32.6	16.8	3.5	1859	89.087	18.038	NA	-	225/55 R17	225/55 R17	65.6	64.8	65.2	126.0	57.0
Meriva (Passenger Van)	4850	208	155	M274-20DETC-C	32.6	17.4	3.5	2420	NA	38.000	NA	Yes	225/55 R17	225/55 R17	65.6	64.8	65.2	126.0	57.0

LT Attribute



Model Year

2017

Compliance Category

LT

MT Index	Carline Mfr Cd	Division Code	Carline Code	Carline Name	Drive System	Engine Name / Description	Transmission Class	Footprint Index	Footprint Description	Data Used In Calculations						Calculation Values					
										Width - Inch (1)		WhlBse Inch (1)	D/I	ProdVol FE	TLAAS Y/N	ProdVol GHG	Footprint SqFt	Target FE	Target GHG	Weighted FE	Weighted GHG
										Front	Rear										
505	MBX	1	505	GLA 250 4MATIC (ULEV)	4	M270-20DETC	AM-7	1		61.8	61.4	106.3	I	5,414	N	5,414	45.5	33.28	259.9	162.68029	1407098.6
35	MBX	1	505	GLA 250 4MATIC (FFV)	4	M270-20DETC-F	AM-7	1		61.8	61.4	106.3	I	4,429	N	4,429	45.5	33.28	259.9	133.08293	1151097.1
112	MBX	1	112	GLC 300 4MATIC	4	M274-20DETC	L-9	1		63.8	63.7	113.1	I	20,691	N	20,691	50.1	30.70	282.3	673.97394	5841069.3
112	MBX	1	112	GLC 300 4MATIC (Air-Susp.)	4	M274-20DETC	L-9	1		63.8	63.7	113.1	I	104	N	104	50.1	30.70	282.3	3.38762	29359.2
310	MBX	1	310	AMG GLC 43 4MATIC (Std. Air-Susp.)	4	M276-30DETC-S	L-9	1		63.8	63.7	113.1	I	1,886	N	1,886	50.1	30.70	282.3	61.43322	532417.8
130	MBX	1	130	GLC 300 4MATIC Coupe	4	M274-20DETC	L-9	1		63.8	63.7	113.1	I	4,330	N	4,330	50.1	30.70	282.3	141.04235	1222359.0
130	MBX	1	130	GLC 300 4MATIC Coupe (Air-Susp.)	4	M274-20DETC	L-9	1		63.8	63.7	113.1	I	44	N	44	50.1	30.70	282.3	1.43322	12421.2
311	MBX	1	311	AMG GLC 43 4MATIC Coupe (Std. Air-Susp.)	4	M276-30DETC-S	L-9	1		63.8	63.7	113.1	I	484	N	484	50.1	30.70	282.3	15.76547	136633.2
401	MBX	1	401	GLE 350	R	M276-35DEH	L-7	1		64.6	65.2	114.8	I	16,603	N	16,603	51.7	29.98	289.4	553.80254	4804908.2
402	MBX	1	402	GLE 350 4MATIC (ULEV)	4	M276-35DEH	L-7	1		64.6	65.2	114.8	I	14,838	N	14,838	51.7	29.98	289.4	494.92995	4294117.2
402	MBX	1	402	GLE 350 4MATIC (ULEV) (Air-Susp.)	4	M276-35DEH	L-7	1		65.2	65.9	114.8	I	75	N	75	52.3	29.74	291.8	2.52186	21885.0
821	MBX	1	402	GLE 350 4MATIC (FFV)	4	M276-35F	L-7	1		64.6	65.2	114.8	I	12,141	N	12,141	51.7	29.98	289.4	404.96998	3513605.4
821	MBX	1	402	GLE 350 4MATIC (FFV) (Air-Susp.)	4	M276-35F	L-7	1		65.2	65.9	114.8	I	61	N	61	52.3	29.74	291.8	2.05111	17799.8
408	MBX	1	408	GLE 400 4MATIC	4	M276-30DETC	L-9	1		64.6	65.2	114.8	I	988	N	988	51.7	29.98	289.4	32.95530	285927.2
408	MBX	1	408	GLE 400 4MATIC (Air-Susp.)	4	M276-30DETC	L-9	1		65.1	65.9	114.8	I	110	N	110	52.2	29.78	291.4	3.69375	32054.0
270	MBX	1	270	AMG GLE 43 4MATIC	4	M276-30DETC-S	L-9	1		64.6	65.2	114.8	I	1,732	N	1,732	51.7	29.98	289.4	57.77185	501240.8
270	MBX	1	270	AMG GLE 43 4MATIC (Air-Susp.)	4	M276-30DETC-S	L-9	1		65.1	65.9	114.8	I	193	N	193	52.2	29.78	291.4	6.48086	56240.2
333	MBX	1	333	GLE 550 e 4MATIC	4	M276-30HP	L-7	1		64.6	65.2	114.8	I	292	N	292	51.7	29.98	289.4	9.73983	84504.8
333	MBX	1	333	GLE 550 e 4MATIC (Air-Susp.)	4	M276-30HP	L-7	1		65.1	65.9	114.8	I	56	N	56	52.2	29.78	291.4	1.88046	16318.4
406	MBX	1	406	AMG GLE 63 (Std. Air-Susp)	4	M157-55DETC	L-7	1		66.4	67.1	114.8	I	148	N	148	53.3	29.34	295.8	5.04431	43778.4
272	MBX	1	272	AMG GLE 63 S (Std. Air-Susp)	4	M157-55DETC	L-7	1		66.4	67.1	114.8	I	292	N	292	53.3	29.34	295.8	9.95228	86373.6
271	MBX	1	271	AMG GLE 43 4MATIC Coupe (Std. Air-Susp)	4	M276-30DETC-S	L-9	1		65.1	65.9	114.8	I	5,055	N	5,055	52.2	29.78	291.4	169.74480	1473027.0
274	MBX	1	274	AMG GLE 63 S Coupe (Std. Air-Susp)	4	M157-55DETC	L-7	1		65.2	67.1	114.8	I	586	N	586	52.8	29.54	293.8	19.83751	172166.8
407	MBX	1	407	GLS 350 d 4MATIC (Std. Air-Susp)	4	OM642-30B	L-9	1		64.8	65.6	121.1	I	600	N	600	54.8	28.77	301.9	20.85506	181140.0
421	MBX	1	421	GLS 450 4MATIC (Std. Air-Susp)	4	M276-30DETC-S	L-9	1		64.8	65.6	121.1	I	38,427	N	38,427	54.8	28.77	301.9	1335.66215	11601111.3
423	MBX	1	423	GLS 550 4MATIC (Std. Air-Susp)	4	M278-46DETC	L-9	1		66.0	66.8	121.1	I	5,665	N	5,665	55.8	28.39	305.9	199.54209	1732923.5
424	MBX	1	424	AMG GLS 63 (Std. Air-Susp)	4	M157-55DETC	L-7	1		66.0	66.8	121.1	I	1,168	N	1,168	55.8	28.39	305.9	41.14125	357291.2
435	MBX	1	435	G 550	4	M176-E40DETC	L-7	1		59.6	59.6	112.2	I	1,586	N	1,586	46.4	32.74	264.3	48.44227	419179.8
436	MBX	1	436	G 550 (4x4)*2	4	M176-E40DETC	L-7	1		59.6	59.6	112.2	I	320	N	320	46.4	32.74	264.3	9.77398	84576.0
440	MBX	1	440	AMG G 63	4	M157-55DETC	L-7	1		59.1	59.1	112.2	I	1,959	N	1,959	46.0	32.98	262.3	59.39964	513845.7
441	MBX	1	441	AMG G 65	4	M279-60TC	L-7	1		58.3	58.3	112.2	I	83	N	83	45.4	33.34	259.4	2.48950	21530.2
411	MBX	1	411	Metris (Cargo Van)	R	M274-20DETC-C	L-7	1		65.6	64.8	126.0	I	1,859	N	1,859	57.0	27.96	310.8	66.48784	577777.2
410	MBX	1	410	Metris (Passenger Van)	R	M274-20DETC-C	L-7	1		65.6	64.8	126.0	I	2,420	N	2,420	57.0	27.96	310.8	86.55222	752136.0

Model Year

2017

Comp Cat

LT

Prod Vol

Weighted

UnRnd Wgt Avg

Rnd Wgt Avg

Min PV Dom

Rnd Std

Domestic

-

-

-

-

-

-

Prod Vol

Weighted

UnRnd Std

Rnd Std

Import

-

-

-

-

Prod Vol

Weighted

UnRnd Std

Rnd Std

Truck

144,639

4838.521419

29.89322305

29.9

Prod Vol

Weighted

UnRnd Std

Rnd Std

GHG

144,639

41977913.1

290.2254102

290

Prod Vol

Weighted

UnRnd Wgt Avg

Rnd Wgt Avg

x 1.25

Rnd Std

TLAAS

0

0

-

-

-

-