

TABLE 1: Footprint Information (Domestically produced passenger automobiles)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
YARIS iA	P5	M6	P185/60R16	58.8	58.4	58.6	101.2	41.2	1386
YARIS iA	P5	S6-2	P185/60R16	58.8	58.4	58.6	101.2	41.2	26400
CAMRY	2AR-FE1	S6-1	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	241377
CAMRY	2AR-FE1	S6-1	P225/45R18 AS	62.4	62.0	62.2	109.3	47.2	16314
CAMRY	2AR-FE1	S6-1	P205/65R16 AS	62.8	62.4	62.6	109.3	47.5	115335
AVALON	2GR-FE	S6-3	P215/55R17 AS	62.6	62.0	62.3	110.9	48.0	16276
AVALON	2GR-FE	S6-3	P225/45R18 AS	62.6	62.0	62.3	110.9	48.0	9942
CAMRY	2GR-FE	S6-1	P225/45R18 AS	62.4	62.0	62.2	109.3	47.2	4425
CAMRY	2GR-FE	S6-1	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	6486

TABLE 2 MODEL TYPE FUEL ECONOMY (DOMESTICALLY PRODUCED PASSENGER AUTOMOB

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED SALES
1	YARIS iA	1.5/FI/FFS	M6	47.5	1386
2	YARIS iA	1.5/FI/FFS	S6-2	49.4	26400
3	CAMRY	2.5/FI/FFS	S6-1	36.8	373026
4	AVALON	3.5/FI/FFS	S6-3	31.5	26218
5	CAMRY	3.5/FI/FFS	S6-1	32.3	10911

\*1 : SPECIAL DESCRIPTION

\*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE 3 : Technical Information (Domestically produced passenger automobiles)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	INT VOL	BDY STY	FRNT AREA	ROAD LOAD	OPT
1	2685	2750	1.5	106	6P5V3AAB	FI	E15	M6	YES	37.1, 37.6	4.11	47.6119	1386	99.4	D	23.2	9.8 -10.0	A
2	2716	2750	1.5	106	7P5VSAAA	FI	E15	S6-2	YES	31.8, 32.2	3.82	49.2837	26400	99.4	D	23.2	9.8 -10.0	A
3	3545	3500	2.5	178	01	FI	E1	S6-1	YES	29.4	3.63	38.1862	115335	118.2	D	24.6	10.4	A
3	3600 -3650	3625	2.5	178	03	FI	E1	S6-1	YES	29.4, 29.5	3.63	36.2730	257691	118.2	D	24.7	10.7, 11.0	A
4	3840 -3920	3875	3.5	268	02	FI	E2	S6-3	YES	28.1	3.46	31.4721	26218	119.6	D	24.7	10.9 -11.5	A
5	3760, 3780	3750	3.5	268	01	FI	E2	S6-1	YES	28.1	3.46	32.2713	10911	118.2	D	24.7	10.7, 11.1	A

TABLE 4: Information (Non-domestically produced passenger automobiles)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
MIRAI	FCHV	AV-1	P215/55R17 AS	60.6	60.8	60.7	104.4	44.0	2505
YARIS	1NZ-FE	L4-1	P175/65R15 AS	57.9	57.4	57.6	98.8	39.5	9286
YARIS	1NZ-FE	M5	P175/65R15 AS	57.9	57.4	57.6	98.8	39.5	190
PRIUS c	1NZ-FXE	AV-2 SS	P175/65R15 AS	58.4	58.0	58.2	100.4	40.6	7710
YARIS	P5	M6	P185/65R15	58.8	58.4	58.6	101.2	41.2	433
YARIS	P5	S6-2	P185/65R15	58.8	58.4	58.6	101.2	41.2	3904
COROLLA	2ZR-FE/FAE1	AV-1	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	174599
COROLLA	2ZR-FE/FAE1	AV-1	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	18285
COROLLA	2ZR-FE/FAE1	M6	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	2516
COROLLA	2ZR-FE/FAE1	M6	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	174
COROLLA	2ZR-FE/FAE1	S7-2	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	127645
COROLLA LE ECO	2ZR-FE/FAE2	AV-1	195/65R15 AS	60.3	60.4	60.4	106.3	44.6	3332
COROLLA LE ECO	2ZR-FE/FAE2	AV-2	P205/55R16 AS	59.8	59.9	59.8	106.3	44.1	1021
COROLLA iM	2ZR-FE/FAE3	M6	P225/45R17 AS	59.7	59.5	59.6	102.4	42.4	1684
COROLLA iM	2ZR-FE/FAE3	S7-2	P225/45R17 AS	59.7	59.5	59.6	102.4	42.4	18520
CT 200h	2ZR-FXE1	AV-3 SS	P215/45R17 AS	60.0	59.8	59.9	102.4	42.6	6402
PRIUS v	2ZR-FXE2	AV-3 SS	P205/60R16 AS	60.4	60.8	60.6	109.4	46.0	18464
PRIUS	2ZR-FXE3	AV-3 SS	P215/45R17 AS	59.4	59.6	59.5	106.3	43.9	14349
PRIUS	2ZR-FXE3	AV-3 SS	P195/65R15 AS	60.3	60.4	60.4	106.3	44.6	53843
PRIUS Eco	2ZR-FXE4	AV-3 SS	P195/65R15 AS	60.3	60.4	60.4	106.3	44.6	4772
PRIUS PRIME	2ZR-FXE5	AV-3 SS	195/65R15 AS	60.2	60.5	60.4	106.3	44.6	26155
86	2.0L	M6	215/45R17 SM	59.8	60.6	60.2	101.2	42.3	2025
86	2.0L	S6-2	215/45R17 SM	59.8	60.6	60.2	101.2	42.3	3689
NX 200t	8AR-FTS1	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	46718
NX 200t AWD F SPORT	8AR-FTS2	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	23464
GS 200t	8AR-FTS3	S8-3	225/50R17 SM	62.0	62.6	62.3	112.2	48.5	442
IS 200t	8AR-FTS3	S8-3	225/45R17 AS	60.4	61.1	60.8	110.2	46.5	22342
RC 200t	8AR-FTS3	S8-3	P235/45R18 AS	62.1	62.9	62.5	107.6	46.7	2948
GS 200t F SPORT	8AR-FTS4	S8-3	265/35R19 SM	62.0	61.4	61.7	112.2	48.1	202
RAV4	2AR-FE3	S6-3	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	26686
RAV4 LE/XLE	2AR-FE5	S6-3	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	131788
AVALON HYBRID	2AR-FXE1	S6-3 SS	P215/55R17 AS	62.6	62.0	62.3	110.9	48.0	4475
CAMRY HYBRID LE	2AR-FXE1	AV-2 SS	P205/65R16 AS	62.8	62.4	62.6	109.3	47.5	8031
ES 300h	2AR-FXE1	S6-3 SS	P215/55R17 AS	62.5	61.9	62.2	110.8	47.9	7725
CAMRY HYBRID XLE/SE	2AR-FXE2	AV-2 SS	P215/55R17 AS	62.4	62.0	62.2	109.3	47.2	12782
ES 350	2GR-FE	S6-3	P215/55R17 AS	62.5	62.0	62.2	110.8	47.9	50173
IS 300 AWD	2GR-FSE/FKS1	S6-3	225/45R17 AS	60.5	61.1	60.8	110.2	46.5	9415
IS 350	2GR-FSE/FKS1	S8-3	255/35R18 AS	60.4	60.7	60.6	110.2	46.4	1370
IS 350 AWD	2GR-FSE/FKS1	S6-3	255/35R18 AS	60.5	60.7	60.6	110.2	46.4	840
RC 300 AWD	2GR-FSE/FKS1	S6-3	P235/45R18 AS	62.2	62.9	62.6	107.6	46.8	1867
RC 350	2GR-FSE/FKS1	S8-3	P235/45R18 AS	62.1	62.9	62.5	107.6	46.7	3099
RC 350 AWD	2GR-FSE/FKS1	S6-3	P235/45R18 AS	62.2	62.9	62.6	107.6	46.8	1145
GS 350	2GR-FSE/FKS2	S8-3	235/45R18 SM	62.0	62.6	62.3	112.2	48.5	1534

TABLE 4: [REDACTED] Information (Non-domestically produced passenger automobiles)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
GS 350 AWD	2GR-FSE/FKS2	S6-3	P235/45R18 AS	62.0	62.6	62.3	112.2	48.5	2643
GS 350 F SPORT	2GR-FSE/FKS3	S8-3	265/35R19 SM	62.0	61.4	61.7	112.2	48.1	2951
RX 350	2GR-FSE/FKS4	S8-3	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	43433
GS 450h	2GR-FXE/FXS1	S8-3 SS	225/50R17 SM	62.0	62.6	62.3	112.2	48.5	66
LS 460	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.8	63.7	116.9	51.7	2969
LS 460 AWD	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.6	63.6	116.9	51.6	1457
LS 460 L	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.8	63.7	121.7	53.8	393
LS 460 L AWD	1UR-FSE	S8-3	P235/50R18 AS	63.6	63.6	63.6	121.7	53.8	154
GS F	2UR-GSE	S8-3	275/35R19 SM	61.4	61.2	61.3	112.2	47.8	371
RC F	2UR-GSE	S8-3	275/35ZR19 SM	61.2	61.4	61.3	107.6	45.8	979

TABLE 5 MODEL TYPE FUEL ECONOMY (NON-DOMESTICALLY PRODUCED PASSENGER AUTOMOBILES)

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED SALES
1	MIRAI	FCV	AV-1	640.2	2505
2	YARIS	1.5/FI/FFS	L4-1	43.8	9286
3	YARIS	1.5/FI/FFS	M5	45.0	190
4	PRIUS c	1.5/FI/FFS	AV-2 SS	66.5	7710
5	YARIS	1.5/FI/FFS	M6	47.5	433
6	YARIS	1.5/FI/FFS	S6-2	49.4	3904
7	COROLLA	1.8/FI/FFS	AV-1	43.1	192884
8	COROLLA	1.8/FI/FFS	M6	41.3	2690
9	COROLLA	1.8/FI/FFS	S7-2	42.2	127645
10	COROLLA LE ECO	1.8/FI/FFS	AV-1	47.0	3332
11	COROLLA LE ECO	1.8/FI/FFS	AV-2	44.9	1021
12	COROLLA iM	1.8/FI/FFS	M6	40.4	1684
13	COROLLA IM	1.8/FI/FFS	S7-2	42.7	18520
14	CT 200h	1.8/FI/FFS	AV-3 SS	57.5	6402
15	PRIUS v	1.8/FI/FFS	AV-3 SS	58.8	18464
16	PRIUS	1.8/FI/FFS	AV-3 SS	74.2	68192
17	PRIUS Eco	1.8/FI/FFS	AV-3 SS	80.8	4772
18	PRIUS PRIME	1.8/FI/FFS	AV-3 SS	146.6	26155
19	86	2.0/FI/FFS	M6	31.4	2025
20	86	2.0/FI/FFS	S6-2	36.2	3689
21	NX 200t	2.0/FI/FFS	S6-3	32.6	46718
22	NX 200t AWD F SPORT	2.0/FI/FFS	S6-3	31.5	23464
23	GS 200t	2.0/FI/FFS	S8-3	34.3	442
24	IS 200t	2.0/FI/FFS	S8-3	34.3	22342
25	RC 200t	2.0/FI/FFS	S8-3	34.3	2948
26	GS 200t F SPORT	2.0/FI/FFS	S8-3	31.7	202
27	RAV4	2.5/FI/FFS	S6-3	33.9	26686
28	RAV4 LE/XLE	2.5/FI/FFS	S6-3	34.9	131788
29	AVALON HYBRID	2.5/FI/FFS	S6-3 SS	55.2	4475
30	CAMRY HYBRID LE	2.5/FI/FFS	AV-2 SS	57.4	8031
31	ES 300h	2.5/FI/FFS	S6-3 SS	55.2	7725
32	CAMRY HYBRID XLE/SE	2.5/FI/FFS	AV-2 SS	54.8	12782
33	ES 350	3.5/FI/FFS	S6-3	32.0	50173
34	IS 300 AWD	3.5/FI/FFS	S6-3	27.9	9415
35	IS 350	3.5/FI/FFS	S8-3	29.0	1370
36	IS 350 AWD	3.5/FI/FFS	S6-3	27.9	840
37	RC 300 AWD	3.5/FI/FFS	S6-3	27.9	1867
38	RC 350	3.5/FI/FFS	S8-3	29.0	3099
39	RC 350 AWD	3.5/FI/FFS	S6-3	27.9	1145
40	GS 350	3.5/FI/FFS	S8-3	30.0	1534
41	GS 350 AWD	3.5/FI/FFS	S6-3	28.2	2643
42	GS 350 F SPORT	3.5/FI/FFS	S8-3	28.6	2951
43	RX 350	3.5/FI/FFS	S8-3	29.8	43433
44	GS 450h	3.5/FI/FFS	S8-3 SS	41.6	66
45	LS 460	4.6/FI/FFS	S8-3	24.8	2969
46	LS 460 AWD	4.6/FI/FFS	S8-3	23.5	1457
47	LS 460 L	4.6/FI/FFS	S8-3	24.8	393
48	LS 460 L AWD	4.6/FI/FFS	S8-3	23.5	154
49	GS F	5.0/FI/FFS	S8-3	23.8	371
50	RC F	5.0/FI/FFS	S8-3	25.3	979

\*1 : SPECIAL DESCRIPTION

\*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE 6 : Technical Information (Non-domestically produced passenger automobiles)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	INT VOL	BDY STY	FRNT AREA	ROAD LOAD	OPT
1	4375	4250	NA	NA	01	FCV	NA	AV	NA	0.0	8.78	640.2180	2505	94.7	D	25.8	11.7	A
2	2635	2625	1.5	106	04	FI	E1	L4-1	YES	43.4, 43.7	4.24	43.7586	9286	100.4	B	23.5, 23.6	10.4, 10.8	A
3	2615	2625	1.5	106	02	FI	E1	M5	YES	44.3, 44.6	3.72	45.0355	190	100.4	B	23.5, 23.6	10.0, 10.5	A
4	2830	2875	1.5	72	01	FI	E8	AV-2 SS	YES	27.8, 28.0	3.19	66.4812	7710	104.5	B	22.8	9.9, 10.3	A
5	2685	2750	1.5	106	6P5V3AAB	FI	E15	M6	YES	31.8, 32.2	4.11	47.6119	433	99.4	D	23.2	9.3 -9.5	A
6	2716	2750	1.5	106	7P5VSAAA	FI	E15	S6-2	YES	31.8, 32.2	3.82	49.2837	3904	99.4	D	23.2	9.3, 9.5	A
7	3140, 3170	3125	1.8	132	05	FI	E1	AV-1	YES	26.4	4.76	43.1256	192884	110.5	D	23.5, 23.6	10.3, 11.1	A
8	3130, 3150	3125	1.8	132	02	FI	E1	M6	YES	36.5, 36.6	4.21	41.3469	2690	110.5	D	23.5	9.7 -23.7	A
9	3185	3125	1.8	132	06	FI	E1	S7-2	YES	26.4, 26.5	4.76	42.1932	127645	110.5	D	23.6, 23.7	11.0, 11.5	A
10	3150	3125	1.8	140	03	FI	E1	AV-1	YES	26.4	4.76	47.0380	3332	110.5	D	23.5	10.1	A
11	3185	3125	1.8	140	04	FI	E1	AV-2	YES	26.4	4.76	44.8909	1021	110.5	D	23.6	11.1	A
12	3320	3375	1.8	137	01	FI	E1	M6	YES	41.0	4.21	40.3735	1684	111.3	B	24.0	11.4	A
13	3345	3375	1.8	137	02	FI	E1	S7-2	YES	27.8	5.05	42.6986	18520	111.3	B	24.0	11.6	A
14	3505	3500	1.8	98	02	FI	E8	AV-3 SS	YES	26.8, 26.9	3.27	57.4981	6402	100.4	B	23.6, 23.7	10.8, 11.1	A
14	3505	3500	1.8	98	03	FI	E8	AV-3 SS	YES	26.8, 26.9	3.27	----	0	100.4	B	23.6, 23.7	10.8, 11.1	A
15	3640	3625	1.8	98	01	FI	E8	AV-3 SS	YES	28.9	3.70	58.8314	18464	131.5	W	26.1, 26.2	10.8, 11.5	A
16	3375	3375	1.8	96	01	FI	E8	AV-3 SS	YES	20.0	2.83	76.6960	27655	118.9	B	24.5, 24.6	9.0, 11.2	A
16	3350, 3380	3375	1.8	96	01	FI	E8	AV-3 SS	YES	20.0, 20.1	2.83	72.5162	40537	118.9	B	24.5, 24.6	9.0, 10.2	A
17	3310	3250	1.8	96	01	FI	E8	AV-3 SS	YES	20.0	2.83	80.8472	4772	118.9	B	24.5	8.8	A
18	3665, 3675	3625	1.8	96	01	FI	E8	AV-3 SS	YES	19.9	3.22	146.6110	26155	111.3	B	24.3	9.3	A
19	3078	3125	2.0	205	H2.0CMC	FI	E3	M6	YES	46.3	4.30	31.3545	2025	83.4	C	21.4	11.9	A
20	3119	3125	2.0	205	H2.0CAC	FI	E3	S6-2	YES	33.5	4.10	36.1919	3689	83.4	C	21.4	11.7	A
21	4240	4250	2.0	235	02	FI	E5	S6-3	YES	30.9	4.15	32.6217	46718	121.0	S	27.9	13.9	A

TABLE 6 : Technical Information (Non-domestically produced passenger automobiles)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	INT VOL	BDY STY	FRNT AREA	ROAD LOAD	OPT
22	4350	4250	2.0	235	01	FI	E5	S6-3	YES	32.8	4.40	31.4693	23464	121.0	S	27.9	14.6,	A
										-33.4							14.8	
23	4105	4000	2.0	241	01	FI	E5	S8-3	YES	28.2,	3.13	----	442	113.4	D	24.7	12.4	A
										28.8							-13.2	
24	4060	4000	2.0	241	02	FI	E5	S8-3	YES	27.8,	2.94	34.3007	22342	101.0	D	23.8,	12.5	A
										28.0						24.0	-13.6	
25	4110	4000	2.0	241	03	FI	E5	S8-3	YES	28.1,	3.13	----	2948	94.2	C	23.8,	12.9	A
										28.2						23.9	-13.8	
26	4160	4250	2.0	241	01	FI	E5	S8-3	YES	28.1	3.13	31.7452	202	113.4	D	24.7,	14.0	A
																24.8		
27	3820	3875	2.5	176	02	FI	E1	S6-3	YES	28.7,	3.82	33.9441	26686	140.3	S	27.9,	12.9	A
										29.0						28.0	-13.6	
28	3755,	3750	2.5	176	02	FI	E1	S6-3	YES	28.7	3.82	34.9149	131788	140.3	S	27.9	13.1	A
	3785																	
29	3985,	4000	2.5	156	02	FI	E8	S6-3 SS	YES	24.4	3.54	----	4475	117.6	D	24.7	10.5	A
	4020																	
30	3785	3750	2.5	154	01	FI	E8	AV-2 SS	YES	24.2	3.54	57.4438	8031	115.9	D	24.6	10.2	A
31	4020	4000	2.5	154	03	FI	E8	S6-3 SS	YES	24.4	3.54	55.2009	7725	112.2	D	24.5	10.5	A
32	3865,	3875	2.5	154	01	FI	E8	AV-2 SS	YES	24.2	3.54	54.7690	12782	115.9	D	24.6,	10.3,	A
	3885															24.7	10.7	
33	3910	3875	3.5	268	02	FI	E2	S6-3	YES	28.1	3.46	31.9700	50173	115.3	D	24.5	10.5,	A
																	10.9	
34	4210	4250	3.5	255	05	FI	E13	S6-3	YES	30.5,	3.77	27.9324	9415	101.0	D	23.9,	13.9	A
										30.7						24.0	-14.9	
35	4065	4000	3.5	306	02	FI	E13	S8-3	YES	29.6	3.13	29.0058	1370	101.0	D	24.0	12.4,	A
																	13.5	
36	4210	4250	3.5	306	05	FI	E13	S6-3	YES	30.5	3.77	27.9324	840	101.0	D	24.0	14.0,	A
																	14.9	
37	4265	4250	3.5	255	06	FI	E13	S6-3	YES	28.9,	3.77	----	1867	94.2	C	23.8	14.0	A
										29.0							-14.7	
38	4115	4000	3.5	307	07	FI	E13	S8-3	YES	28.1,	3.13	----	3099	94.2	C	23.8,	12.3	A
										28.2						23.9	-13.3	
39	4265	4250	3.5	307	06	FI	E13	S6-3	YES	28.9,	3.77	----	1145	94.2	C	23.8	14.0	A
										29.0							-14.7	
40	4095	4000	3.5	311	02	FI	E13	S8-3	YES	26.4	2.94	30.0059	1534	113.4	D	24.7	13.0	A
																	-13.9	
41	4305	4250	3.5	311	01	FI	E13	S6-3	YES	28.9,	3.77	28.1661	2643	113.8	D	24.8	14.9,	A
										29.0							15.7	



TABLE 6 : Technical Information (Non-domestically produced passenger automobiles)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	INT VOL	BDY STY	FRNT AREA	ROAD LOAD	OPT
42	4150	4250	3.5	311	02	FI	E13	S8-3	YES	26.4	2.94	28.5768	2951	113.4	D	24.7, 24.8	14.0, 14.1	A
43	4620	4500	3.5	295	02	FI	E7	S8-3	YES	26.1, 26.3	3.33	29.7809	43433	138.2	S	29.5	14.9, 15.1	A
44	4535	4500	3.5	286	01	FI	E13	S8-3 SS	YES	17.9 -18.3	3.27	41.6347	66	112.4	D	24.7, 24.8	12.8 -14.1	A
45	4685	4750	4.6	386	01	FI	E13	S8-3	YES	25.2, 25.9	2.94	24.7961	2969	116.6	D	25.8	13.8 -14.3	A
46	4995	5000	4.6	360	03	FI	E13	S8-3	YES	26.8, 27.6	3.13	23.4972	1457	116.6	D	25.8	15.9, 16.0	A
47	4775	4750	4.6	386	01	FI	E13	S8-3	YES	25.2, 25.9	2.94	24.7961	393	115.5	D	25.8	13.8 -14.3	A
48	5085	5000	4.6	360	03	FI	E13	S8-3	YES	26.8, 27.6	3.13	23.4972	154	115.5	D	25.8	15.9, 16.0	A
49	4390	4500	5.0	467	02	FI	E13	S8-3	YES	26.2	2.94	23.8378	371	104.9	D	24.9	15.7	A
50	4320	4250	5.0	467	01	FI	E13	S8-3	YES	26.2	2.94	25.3158	979	89.5	C	23.8	14.4	A

TABLE 7: [REDACTED] m tion (Light Truck)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
HIGHLANDER	1AR-FE1	S6-1	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	6360
TACOMA 2WD	2TR-FE	S6-2	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	24792
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/55R19 AS	64.3	64.1	64.2	109.8	49.0	13171
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	26389
HIGHLANDER LE/XLE/SE/LTD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	7887
SIENNA	2GR-FSE/FKS4	S8-2	P235/60R17 AS	67.7	67.5	67.6	119.3	56.0	99078
SIENNA	2GR-FSE/FKS4	S8-2	P235/50R19 AS	67.7	67.5	67.6	119.3	56.0	14691
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	50379
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	127.4	56.1	3123
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	140.6	61.9	0
TACOMA 2WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	140.6	61.9	7767
HIGHLANDER	2GR-FSE/FKS6	S8-2	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	4039
4RUNNER 2WD	1GR-FE1	S5-1	P265/70R17 AS	63.2	63.2	63.2	109.8	48.2	16615
TUNDRA 2WD	1UR-FE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	14529
TUNDRA 2WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	3648
TUNDRA 2WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	10960
TUNDRA 2WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	221
SEQUOIA 2WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	621
SEQUOIA 2WD	3UR-FE1	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	2027
TUNDRA 2WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	855
TUNDRA 2WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	3866
TUNDRA 2WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	157
NX 200t AWD	8AR-FTS1	S6-3	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	41289
RAV4 AWD	2AR-FE3	S6-3	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	159386
RAV4 Limited AWD/SE AWD	2AR-FE4	S6-3	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	57101
NX 300h AWD	2AR-FXE3	S6-3 SS	225/60R18 AS	62.2	62.2	62.2	104.7	45.2	4343
RAV4 HYBRID AWD	2AR-FXE3	S6-3 SS	235/55R18 AS	61.4	61.4	61.4	104.7	44.6	26482
RAV4 HYBRID AWD	2AR-FXE3	S6-3 SS	225/65R17 AS	61.8	61.8	61.8	104.7	44.9	24539
TACOMA 4WD	2TR-FE	M5	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	2243
TACOMA 4WD	2TR-FE	S6-2	P245/75R16 AS	63.0	63.2	63.1	127.4	55.8	7065
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	6595
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2 SS	245/55R19 AS	64.3	64.1	64.2	109.8	49.0	29192
HIGHLANDER AWD	2GR-FSE/FKS4	S8-2 SS	245/60R18 AS	64.3	64.1	64.2	109.8	49.0	62777
RX 350 AWD	2GR-FSE/FKS4	S8-3	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	62167
SIENNA AWD	2GR-FSE/FKS4	S8-2	235/55RF18 RF-AS	67.7	67.6	67.6	119.3	56.0	23017
SIENNA AWD	2GR-FSE/FKS4	S8-2	235/55RF18 RF-AS	67.7	67.6	67.6	119.2	56.0	7277
TACOMA 4WD	2GR-FSE/FKS4	M6	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	5881
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P265/60R18 AS	63.3	63.6	63.4	127.4	56.1	10068

TABLE 7: [REDACTED] m tion (Light Truck)

Carline	Basic Engine	Transmission Class	BaseTire	Front Track Width	Rear Track Width	Average Track Width	Wheelbase	Footprint	Footprint sales
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	127.4	56.1	111856
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P265/65R17 AS	63.0	63.2	63.1	140.6	61.6	0
TACOMA 4WD	2GR-FSE/FKS4	S6-2	P245/75R16 AS	63.3	63.6	63.4	140.6	61.9	26148
TACOMA 4WD D-CAB V6 MT OFF-ROAD	2GR-FSE/FKS5	M6	265/70R16 OFF	63.3	63.6	63.4	127.4	56.1	4053
HIGHLANDER AWD LE	2GR-FSE/FKS7	S8-2 SS	245/60R18 AS	64.3	64.0	64.2	109.8	49.0	9625
HIGHLANDER HYBRID AWD	2GR-FXE/FXS2	S6-2 SS	245/60R18 AS	64.3	63.9	64.1	109.8	48.9	2836
HIGHLANDER HYBRID AWD	2GR-FXE/FXS2	S6-2 SS	245/55R19 AS	64.4	63.9	64.2	109.8	49.0	10380
RX 450h AWD	2GR-FXE/FXS2	S6-3 SS	235/65R18 AS	64.6	64.6	64.6	109.8	49.3	9228
HIGHLANDER HYBRID AWD LE Plus	2GR-FXE/FXS3	S6-2 SS	245/60R18 AS	64.3	63.9	64.1	109.8	48.9	261
4RUNNER 4WD	1GR-FE1	S5-1	P265/70R17 AS	63.2	63.2	63.2	109.8	48.2	55507
GX 460	1UR-FE	S6-1	P265/60R18 AS	62.3	62.4	62.4	109.8	47.6	30735
TUNDRA 4WD	1UR-FE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	5246
SEQUOIA 4WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	1396
SEQUOIA 4WD FFV	3UR-FBE	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	2260
TUNDRA 4WD FFV	3UR-FBE	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	16972
TUNDRA 4WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	34757
TUNDRA 4WD FFV	3UR-FBE	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	443
LAND CRUISER WAGON 4WD	3UR-FE1	S8-2	285/60R18 AS	64.9	64.7	64.8	112.2	50.5	3130
LX 570	3UR-FE1	S8-2	285/50R20 AS	64.8	64.6	64.7	112.2	50.4	6617
SEQUOIA 4WD	3UR-FE1	S6-1	P275/65R18 AS	67.9	69.1	68.5	122.0	58.0	2595
SEQUOIA 4WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	69.1	68.5	122.0	58.0	663
TUNDRA 4WD	3UR-FE1	S6-1	P275/55R20 AS	67.9	67.9	67.9	145.7	68.7	12564
TUNDRA 4WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	145.7	68.7	22537
TUNDRA 4WD	3UR-FE1	S6-1	P255/70R18 AS	67.9	67.9	67.9	164.6	77.6	627

TABLE 8 MODEL TYPE FUEL ECONOMY (LIGHT TRUCKS)

(1) 2WD

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED C
1	HIGHLANDER	2.7/FI/FFS	S6-1	30.1	6360
2	TACOMA 2WD	2.7/FI/FFS	S6-2	27.4	24792
3	HIGHLANDER LE/XLE/SE/LTD	3.5/FI/FFS	S8-2 SS	30.8	47447
4	SIENNA	3.5/FI/FFS	S8-2	28.4	113769
5	TACOMA 2WD	3.5/FI/FFS	S6-2	27.0	61269
6	HIGHLANDER	3.5/FI/FFS	S8-2	30.1	4039
7	4RUNNER 2WD	4.0/FI/FFS	S5-1	24.5	16615
8	TUNDRA 2WD	4.6/FI/FFS	S6-1	21.3	14529
9	TUNDRA 2WD FFV	5.7/FI/FFS	S6-1	32.3	14829
10	SEQUOIA 2WD	5.7/FI/FFS	S6-1	18.9	2648
11	TUNDRA 2WD	5.7/FI/FFS	S6-1	19.2	4878

\*1 : SPECIAL DESCRIPTION

\*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE 8 MODEL TYPE FUEL ECONOMY (LIGHT TRUCKS)

(2) 4WD

NO	CAR LINE	BASIC ENGINE LIT/FS/SD *1	TRANS CLASS *2	COMBINED F/E	PROJECTED
12	NX 200t AWD	2.0/FI/FFS	S6-3	32.4	41289
13	RAV4 AWD	2.5/FI/FFS	S6-3	32.9	159386
14	RAV4 LIMITED AWD/SE AWD	2.5/FI/FFS	S6-3	32.3	57101
15	NX 300h AWD	2.5/FI/FFS	S6-3 SS	43.4	4343
16	RAV4 HYBRID AWD	2.5/FI/FFS	S6-3 SS	44.7	51021
17	TACOMA 4WD	2.7/FI/FFS	M5	26.7	2243
18	TACOMA 4WD	2.7/FI/FFS	S6-2	26.2	7065
19	HIGHLANDER AWD	3.5/FI/FFS	S8-2	29.0	6595
20	HIGHLANDER AWD	3.5/FI/FFS	S8-2 SS	29.2	91969
21	RX 350 AWD	3.5/FI/FFS	S8-3	28.7	62167
22	SIENNA AWD	3.5/FI/FFS	S8-2	26.2	30294
23	TACOMA 4WD	3.5/FI/FFS	M6	24.0	5881
24	TACOMA 4WD	3.5/FI/FFS	S6-2	26.0	148072
25	TACOMA 4WD D-CAB V6 MT OFF-ROAD	3.5/FI/FFS	M6	23.8	4053
26	HIGHLANDER AWD LE	3.5/FI/FFS	S8-2 SS	29.9	9625
27	HIGHLANDER HYBRID AWD	3.5/FI/FFS	S6-2 SS	39.7	13216
28	RX 450h AWD	3.5/FI/FFS	S6-3 SS	40.9	9228
29	HIGHLANDER HYBRID AWD LE PLUS	3.5/FI/FFS	S6-2 SS	40.3	261
30	4RUNNER 4WD	4.0/FI/FFS	S5-1	23.9	55507
31	GX 460	4.6/FI/FFS	S6-1	21.3	30735
32	TUNDRA 4WD	4.6/FI/FFS	S6-1	20.3	5246
33	SEQUOIA 4WD FFV	5.7/FI/FFS	S6-1	30.7	3656
34	TUNDRA 4WD FFV	5.7/FI/FFS	S6-1	31.1	52172
35	LAND CRUISER WAGON 4WD	5.7/FI/FFS	S8-2	19.1	3130
36	LX 570	5.7/FI/FFS	S8-2	19.0	6617
37	SEQUOIA 4WD	5.7/FI/FFS	S6-1	18.3	3258
38	TUNDRA 4WD	5.7/FI/FFS	S6-1	18.3	35728

\*1 : SPECIAL DESCRIPTION

\*2 : THE NUMBER AFTER "-" INDICATES THE NUMBER OF TRANSMISSION MODE.

TABLE 9 : Technical Information (Light Truck)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	PASS VOL	CARGO VOL	FRNT AREA	ROAD LOAD	OPT
1	4465	4500	2.7	185	01	FI	E1	S6-1	YES	31.0	4.36	30.0963	6360	145.0	13.8	30.2	14.4	A
2	4280	4250	2.7	159	03	FI	E6	S6-2	YES	28.3	4.30	27.6861	14526	92.8	0.0	30.4	17.8,	A
2	4395	4500	2.7	159	03	FI	E6	S6-2	YES	28.3	4.30	26.9083	10266	92.8	0.0	30.6	18.1,	A
3	4670	4750	3.5	295	08	FI	E7	S8-2 SS	YES	23.5,	3.00	30.7699	47447	145.0	13.8	30.3	14.9	A
4	4480	4500,	3.5	295	04	FI	E7	S8-2	YES	23.6	3.00	28.9003	46344	164.4	39.1	32.8	15.0,	A
4	4890	4750	3.5	295	04	FI	E7	S8-2	YES	24.8	3.00	28.0117	67425	164.4	39.1	32.8	15.2	A
4	4890	5000	3.5	295	04	FI	E7	S8-2	YES	24.7	3.00	28.0117	67425	164.4	39.1	32.8	15.5	A
5	4380	4500	3.5	278	03	FI	E13	S6-2	YES	24.7	3.91	26.9726	61269	92.8	0.0	30.4	17.4	A
6	4670	4750	3.5	295	07	FI	E7	S8-2	YES	25.2	3.00	30.1043	4039	145.0	13.8	30.3	14.9	A
7	4700	4750	4.0	270	01	FI	E14	S5-1	YES	29.3	3.73	24.4807	16615	102.0	47.2	31.5	16.7,	A
8	5480,	5500	4.6	310	02	FI	E4	S6-1	YES	29.3	3.91	21.3053	14529	102.3	0.0	36.3,	17.3	A
9	5460	5500	5.7	381	03(FED)	FI	E12	S6-1	YES	24.9	4.10	----	0	102.3	0.0	36.4	19.8	A
(E0)*1	-5735									26.0,						36.4	-21.9	
9	5460	5500	5.7	381	03(FED)	FI	E12	S6-1	YES	26.2	4.10	----	0	102.3	0.0	36.3,	20.8	A
(E85)*2	-5735									26.2						36.4	-22.4	
9	5460	5500	5.7	381	03(FED)	FI	E12	S6-1	YES	27.3,	4.30	20.1797	3631	102.3	0.0	36.3,	20.8	A
(E0)*1	-5735									27.5						36.4	-22.4	
9	5460	5500	5.7	381	03(FED)	FI	E12	S6-1	YES	27.3,	4.30	14.1452	3631	102.3	0.0	36.3,	20.8	A
(E85)*2	-5735									27.5						36.4	-22.4	
9	5865	6000	5.7	381	03(FED)	FI	E12	S6-1	YES	26.0,	4.10	----	0	102.3	0.0	36.3,	21.2	A
(E0)*1	-5900									26.2						36.4	-22.6	
9	5865	6000	5.7	381	03(FED)	FI	E12	S6-1	YES	26.0,	4.10	----	0	102.3	0.0	36.3,	21.2	A
(E85)*2	-5900									26.2						36.4	-22.6	
9	5865	6000	5.7	381	03(FED)	FI	E12	S6-1	YES	27.3,	4.30	19.4040	11198	102.3	0.0	36.3,	21.2	A
(E0)*1	-5900									27.5						36.4	-22.6	
9	5865	6000	5.7	381	03(FED)	FI	E12	S6-1	YES	27.3,	4.30	13.5825	11198	102.3	0.0	36.3,	21.2	A
(E85)*2	-5900									27.5						36.4	-22.6	
10	6030,	6000	5.7	381	03	FI	E12	S6-1	YES	24.8,	3.91	----	0	172.8	18.9	35.8	20.4,	A
	6050									25.0							21.6	
10	6030,	6000	5.7	381	03	FI	E12	S6-1	YES	27.3,	4.30	19.0912	2648	172.8	18.9	35.8	20.4,	A
	6050									27.5							21.6	

TABLE 9 : Technical Information (Light Truck)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	PASS VOL	CARGO VOL	FRNT AREA	ROAD LOAD	OPT
11	5460	5500	5.7	381	01	FI	E12	S6-1	YES	26.0,	4.10	----	0	102.3	0.0	36.3,	20.8	A
	-5735									26.2						36.4	-22.4	
11	5460	5500	5.7	381	01	FI	E12	S6-1	YES	27.3,	4.30	19.6054	2163	102.3	0.0	36.3,	20.8	A
	-5735									27.5						36.4	-22.4	
11	5865	6000	5.7	381	01	FI	E12	S6-1	YES	26.0,	4.10	----	0	102.3	0.0	36.3,	21.2	A
	-5900									26.2						36.4	-22.6	
11	5865	6000	5.7	381	01	FI	E12	S6-1	YES	27.3,	4.30	18.7746	2715	102.3	0.0	36.3,	21.2	A
	-5900									27.5						36.4	-22.6	
12	4350	4250	2.0	235	01	FI	E5	S6-3	YES	30.9	4.15	32.3829	41289	95.5	25.5	27.9	14.2	A
										-31.2							-14.8	
13	3870,	3875	2.5	176	01	FI	E1	S6-3	YES	30.6	4.07	32.8549	159386	101.9	38.4	27.9	13.8	A
	3905																	
14	3930	3875	2.5	176	01	FI	E1	S6-3	YES	30.6,	4.07	32.2670	57101	101.9	38.4	27.9,	13.9,	A
										30.9						28.0	14.4	
15	4480	4500	2.5	112	01	FI	E8	S6-3 SS	YES	21.1,	3.54	43.3948	4343	95.5	25.5	28.1,	14.7	A
										21.2						28.2	-15.2	
16	4225,	4250	2.5	112	03	FI	E8	S6-3 SS	YES	22.7,	3.54	44.7274	51021	101.9	35.6	28.2,	14.7	A
	4250									22.9						28.3	-14.9	
17	4495	4500	2.7	159	01	FI	E6	M5	YES	35.0	3.91	26.7125	2243	92.8	0.0	30.4	18.6,	A
																	18.9	
18	4520	4500	2.7	159	02	FI	E6	S6-2	YES	28.3	4.30	26.2321	7065	92.8	0.0	30.4	18.9,	A
																	19.2	
19	4835	4750	3.5	295	05	FI	E7	S8-2	YES	23.6	3.00	29.0284	6595	145.0	13.8	30.3	15.8	A
20	4890,	5000	3.5	295	06	FI	E7	S8-2 SS	YES	23.5,	3.00	29.2313	91969	145.0	13.8	30.3	16.0	A
	4955									23.6								
21	4810	4750	3.5	295	01	FI	E7	S8-3	YES	26.1,	3.33	28.6566	62167	99.8	38.4	29.5	15.9	A
										26.3							-16.2	
22	4955,	5000	3.5	295	03	FI	E7	S8-2	YES	25.2	3.00	26.2333	30294	164.4	39.1	33.0	17.3	A
	5050																	
23	4630,	4750	3.5	278	01	FI	E13	M6	YES	34.8	4.30	24.0000	5881	92.8	0.0	30.4	19.7	A
	4745									-35.6						-30.7	-21.4	
24	4605	4500,	3.5	278	02	FI	E13	S6-2	YES	25.7	3.91	26.0079	148072	92.8	0.0	30.4	18.1	A
	-4835	4750								-26.3						-30.7	-20.2	
25	4745	4750	3.5	278	01	FI	E13	M6	YES	35.1	4.30	23.7888	4053	92.8	0.0	30.7	21.1,	A
																	21.3	
26	4835	4750	3.5	295	06	FI	E7	S8-2 SS	YES	23.6	3.00	29.9025	9625	145.0	13.8	30.3	15.8	A
27	5210,	5250	3.5	256	01	FI	E11	S6-2 SS	YES	18.9,	3.54	39.6796	13216	143.9	13.8	30.5	15.5,	A
	5265									19.0							15.6	

TABLE 9 : Technical Information (Light Truck)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	PASS VOL	CARGO VOL	FRNT AREA	ROAD LOAD	OPT
28	5100	5000	3.5	259	01	FI	E11	S6-3 SS	YES	21.2, 21.4	3.54	40.8632	9228	98.1	37.1	29.6	15.3	A
29	5125	5000	3.5	256	01	FI	E11	S6-2 SS	YES	19.0	3.54	40.3421	261	143.9	13.8	30.5	15.4	A
30	4975	5000	4.0	270	02	FI	E14	S5-1	YES	29.2, 29.3	3.73	23.8632	55507	102.0	47.2	31.5	18.3, 20.0	A
31	5605, 5660	5500	4.6	301	01	FI	E10	S6-1	YES	26.5	3.91	21.2524	30735	114.1	29.1	31.9	20.7	A
32	5790, 5945	6000	4.6	310	01	FI	E4	S6-1	YES	24.7, 24.9	3.91	20.3033	5246	102.3	0.0	36.5, 36.6	21.5	A
33	6285, 6300	6500	5.7	381	02(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	18.5472	3656	172.8	18.9	35.8	22.1, 22.6	A
(E0)*1	6285, 6300	6500	5.7	381	02(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	13.2940	3656	172.8	18.9	35.8	22.1, 22.6	A
(E85)*2	6300	6500	5.7	381	02(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	13.2940	3656	172.8	18.9	35.8	22.1, 22.6	A
34	5740	5500	5.7	381	01(FED)	FI	E12	S6-1	YES	26.0, 26.2	4.10	----	0	102.3	0.0	36.5, 36.6	22.4	A
(E0)*1	5740	5500	5.7	381	01(FED)	FI	E12	S6-1	YES	26.0, 26.2	4.10	----	0	102.3	0.0	36.5, 36.6	22.4	A
(E85)*2	5740	5500	5.7	381	01(FED)	FI	E12	S6-1	YES	26.0, 26.2	4.10	----	0	102.3	0.0	36.5, 36.6	22.4	A
34	5740	5500	5.7	381	01(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	19.3892	59	102.3	0.0	36.5, 36.6	22.4	A
(E0)*1	5740	5500	5.7	381	01(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	13.8447	59	102.3	0.0	36.5, 36.6	22.4	A
(E85)*2	5740	5500	5.7	381	01(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	13.8447	59	102.3	0.0	36.5, 36.6	22.4	A
34	6015	6000	5.7	381	01(FED)	FI	E12	S6-1	YES	26.0, 26.2	4.10	----	0	102.3	0.0	36.5, 36.6	22.7	A
(E0)*1	-6200	6000	5.7	381	01(FED)	FI	E12	S6-1	YES	26.0, 26.2	4.10	----	0	102.3	0.0	36.5, 36.6	22.7	A
(E85)*2	-6200	6000	5.7	381	01(FED)	FI	E12	S6-1	YES	26.0, 26.2	4.10	----	0	102.3	0.0	36.5, 36.6	22.7	A
34	6015	6000	5.7	381	01(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	18.8012	52113	102.3	0.0	36.5, 36.6	22.7	A
(E0)*1	-6200	6000	5.7	381	01(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	13.4033	52113	102.3	0.0	36.5, 36.6	22.7	A
(E85)*2	-6200	6000	5.7	381	01(FED)	FI	E12	S6-1	YES	27.3, 27.5	4.30	13.4033	52113	102.3	0.0	36.5, 36.6	22.7	A
35	6115	6000	5.7	381	01	FI	E12	S8-2	YES	25.0	3.31	19.0648	3130	141.7	16.1	34.2	22.5	A
36	6300	6500	5.7	383	01	FI	E12	S8-2	YES	24.4, 25.0	3.31	19.0266	6617	140.1	16.3	33.6	22.4, 22.6	A
37	6285, 6300	6500	5.7	381	04	FI	E12	S6-1	YES	24.8, 25.0	3.91	----	0	172.8	18.9	35.8	22.1, 22.6	A
37	6285, 6300	6500	5.7	381	04	FI	E12	S6-1	YES	27.3, 27.5	4.30	18.2734	3258	172.8	18.9	35.8	22.1, 22.6	A
38	5740	5500	5.7	381	02	FI	E12	S6-1	YES	26.0, 26.2	4.10	----	0	102.3	0.0	36.5, 36.6	22.4	A



TABLE 9 : Technical Information (Light Truck)

MODEL TYPE	LOAD WGT	ETW	LIT	SAE HP	ENGINE CODE	FS	ECS	TRANS N/G	OD	N/V	AXLE	COMBINED F/E	SALES	PASS VOL	CARGO VOL	FRNT AREA	ROAD LOAD	OPT
38	5740	5500	5.7	381	02	FI	E12	S6-1	YES	27.3, 27.5	4.30	18.9805	80	102.3	0.0	36.5, 36.6	22.4 -23.6	A
38	6015 -6200	6000	5.7	381	02	FI	E12	S6-1	YES	26.0, 26.2	4.10	-----	2	102.3	0.0	36.5, 36.6	22.7 -24.5	A
38	6015 -6200	6000	5.7	381	02	FI	E12	S6-1	YES	27.3, 27.5	4.30	18.3076	35646	102.3	0.0	36.5, 36.6	22.7 -24.5	A

\*1: Combined fuel economy tested by E0 fuel

\*2: Combined fuel economy tested by E85 fuel