

ENTIRE PAGE [REDACTED] BUSINESS INFORMATION

MC	ETW	Model Name	Body Style	Engine	MB Vehicle Code	Transm.	Transmission Class	GVWR	Approach Angle (°20°)	Breakover Angle (°14°)	Departure Angle (°20°)	Running Clearance (c200mm)	Front Axle Clearance (c180mm)	Rear Axle Clearance (c180mm)	Base Fuel (MPG)	E85 Fuel (MPG)	Proj. Model Sales
4000	3875	GLA 250 4MATIC (ULEV)	MPV	2.0L I-4 Turbo	X156E20DETC 4x4	AM-7 (4x4)	4 wd Auto 7 OD L/U	4442	18.7	20.6	30.8	204	224	247	35.1	25.6	7807
4000	3875	GLA 250 4MATIC (FFV)	MPV	2.0L I-4 Turbo	X156E20DETC 4x4 FFV	AM-7 (4x4)	4 wd Auto 7 OD L/U	4442	19.7	20.6	30.8	204	224	247	35.1	25.6	8125
4500	4500	GLC 300 4MATIC	MPV	2.0L I-4 Turbo	X253E20DETC 4x4 (LDT)	L-9 (4x4)	4 wd Auto 9 OD L/U	5214	28.8	18.6	21	202	202	245	31.3		32115
4500	4500	GLC 300 4MATIC (Air-Susp.)	MPV	2.0L I-4 Turbo	X253E20DETC 4x4 (LDT)	L-9 (4x4)	4 wd Auto 9 OD L/U	5214	29.3	18.7	21	207	207	245	31.3		161
5000	5000	GLE 350 e 4MATIC	MPV	2.0L I-4 Turbo	X253E20DETC P2-85 PH-Hybrid	L-7 (4x4)	4 wd Auto 7 OD L/U	5743	29.3	18.7	21	207	207	245	58.5		465
5000	5000	GLE 350 e 4MATIC (Air-Susp.)	MPV	2.0L I-4 Turbo	X253E20DETC P2-85 PH-Hybrid	L-7 (4x4)	4 wd Auto 7 OD L/U	5743	29.3	18.7	21	207	207	245	58.5		89
4500	4500	AMG GLE 43 4MATIC (Std. Air-Susp.)	MPV	3.0L V-8 Turbo	X253E30DETC 4x4 Sport AMG	L-9 (4x4)	4 wd Auto 9 OD L/U	5423	29.3	18.7	21	207	207	245	26.3		2501
4500	4500	AMG GLE 43 4MATIC (Std. Air-Susp.)	MPV	4.0L V-8 Turbo	X253E40DETC AMG	L-9 (4x4)	4 wd Auto 9 OD L/U	5688	29.3	18.7	21	207	207	245	23.9		303
4500	4500	GLE 300 4MATIC Coupe	MPV	2.0L I-4 Turbo	C253E20DETC 4x4 (LDT)	L-9 (4x4)	4 wd Auto 9 OD L/U	5291	28.8	18.6	21	202	202	245	31.5		4284
4500	4500	GLE 300 4MATIC Coupe (Air-Susp.)	MPV	2.0L I-4 Turbo	C253E20DETC 4x4 (LDT)	L-9 (4x4)	4 wd Auto 9 OD L/U	5291	29.3	18.7	21	207	207	245	31.5		43
4500	4500	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	MPV	3.0L V-8 Turbo	C253E30DETC 4x4 Sport AMG	L-9 (4x4)	4 wd Auto 9 OD L/U	5423	29.3	18.7	21	207	207	245	26.6		1075
4500	4500	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	MPV	4.0L V-8 Turbo	C253E40DETC AMG	L-9 (4x4)	4 wd Auto 9 OD L/U	5710	29.3	18.7	21	207	207	245	23.1		174
4500	4500	AMG GLE 63 S 4MATIC Coupe (Std. Air-Susp.)	MPV	4.0L V-8 Turbo	C253E40DETC AMG S	L-9 (4x4)	4 wd Auto 9 OD L/U	5710	29.3	18.7	21	207	207	245	23.0		216
5000	5000	GLE 350	MPV	3.5L V-6	W166E3SDEH 4x2	L-7	2 wd Auto 7 OD L/U	6173	23	17	20.2 - 25.7	210	210	233	25.4		18066
5000	5250	GLE 350 4MATIC (ULEV)	MPV	3.5L V-6	W166E3SDEH 4x4	L-7 (4x4)	4 wd Auto 7 OD L/U	6283	23	17	20.2 - 25.7	210	210	233	25.3		25465
5000	5250	GLE 350 4MATIC (ULEV) (Air-Susp.)	MPV	3.5L V-6	W166E3SDEH 4x4	L-7 (4x4)	4 wd Auto 7 OD L/U	6283	23	17	21.5 - 25.7	210	210	233	25.3		128
5000	5250	GLE 350 4MATIC (FFV)	MPV	3.5L V-6	W166E3SDEH 4x4 FFV	L-7 (4x4)	4 wd Auto 7 OD L/U	6283	23	17	20.2 - 25.7	210	210	233	25.3	18.9	257
5000	5250	GLE 350 4MATIC (FFV) (Air-Susp.)	MPV	3.5L V-6	W166E3SDEH 4x4 FFV	L-7 (4x4)	4 wd Auto 7 OD L/U	6283	23	17	21.5 - 25.7	210	210	233	25.3	18.9	1
5500	5500	AMG GLE 43 4MATIC	MPV	3.0L V-8 Turbo	W166E30DETC 4x4 Sport AMG	L-9 (4x4)	4 wd Auto 9 OD L/U	6480	23	17	20.2 - 25.7	210	210	233	25.3		2607
5500	5500	AMG GLE 43 4MATIC (Air-Susp.)	MPV	3.0L V-8 Turbo	W166E30DETC 4x4 Sport AMG	L-9 (4x4)	4 wd Auto 9 OD L/U	6480	23	17	21.5 - 25.7	210	210	233	25.3		290
6000	6000	GLE 550 e 4MATIC	MPV	3.0L V-8 Turbo	W166E30DETC P2-85 PH-Hybrid	L-7 (4x4)	4 wd Auto 7 OD L/U	6724	23	17	20.2 - 25.7	210	210	233	49.1		696
6000	6000	GLE 550 e 4MATIC (Air-Susp.)	MPV	3.0L V-8 Turbo	W166E30DETC P2-85 PH-Hybrid	L-7 (4x4)	4 wd Auto 7 OD L/U	6724	23	17	21.5 - 25.7	210	210	233	49.1		133
5500	5500	AMG GLE 63 (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	W166E55DETC 4x4 AMG	L-7 (4x4)	4 wd Auto 7 OD L/U	6480	21	19	24	231	232	230	19.5		161
5500	5500	AMG GLE 63 S (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	W166E55DETC 4x4 AMG S	L-7 (4x4)	4 wd Auto 7 OD L/U	6724	21	19	24	231	232	230	19.5		428
5500	5500	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	MPV	3.0L V-8 Turbo	C292E30DETC 4x4 Sport AMG	L-9 (4x4)	4 wd Auto 9 OD L/U	6393	23	17	20 - 25	211	211	211	25.1		4827
5500	5500	AMG GLE 63 S Coupe (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	C292E55DETC AMG S 4x4	L-7 (4x4)	4 wd Auto 7 OD L/U	6823	22	20	22 - 24	253	276	276	19.6		966
6000	6000	GLS 450 4MATIC (Std. Air-Susp.)	MPV	3.0L V-8 Turbo	X166E30DETC 4x4	L-9 (4x4)	4 wd Auto 9 OD L/U	7165	20 - 26	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	24.1		20668
6000	6000	GLS 550 4MATIC (Std. Air-Susp.)	MPV	4.7L V-8 Turbo	X166E46DETC 4x4	L-9 (4x4)	4 wd Auto 9 OD L/U	7165	20 - 26	15 - 22	21 - 26	200 - 285	195 - 285	195 - 285	20.5		3924
6000	6000	AMG GLS 63 (Std. Air-Susp.)	MPV	5.5L V-8 Turbo	X166E55DETC 4x4 AMG	L-7 (4x4)	4 wd Auto 7 OD L/U	7165	23	18.9	21.9	249	249	239	19.2		1258
6000	6000	G 550	MPV	4.0L V-8 Turbo	G463E40DETC 4x4	L-7 (4x4)	4 wd Auto 7 OD L/U	7055	36	24	29	205	205	205	17.8		822
7000	7000	G 550 (4M)*2	MPV	4.0L V-8 Turbo	G463E40DETC 4x4	L-7 (4x4)	4 wd Auto 7 OD L/U	7994	51.6	44.6-47.4	43.8	438	438	438	14.2		162
6000	6000	AMG G 63	MPV	5.5L V-8 Turbo	G463E55DETC 4x4 AMG	L-7 (4x4)	4 wd Auto 7 OD L/U	7055	28	24	30	229	224	233	16.7		2109
6000	6000	AMG G 65	MPV	6.0L V-12 Turbo	G483E60TC AMG	L-7 (4x4)	4 wd Auto 7 OD L/U	7055	28	24	30	229	224	233	15.0		95
4500	4500	Merits (Cargo Van)	Truck	2.0L I-4 Turbo	L447E20DELA (Cargo)	L-7	2 wd Auto 7 OD L/U	6724	18.6	18.6	18.9	176	213	212	29.7		3920
5000	5250	Merits (Passenger Van)	MPV	2.0L I-4 Turbo	L447E20DELA	L-7	2 wd Auto 7 OD L/U	6724	17.4	17.1	15.5	158	147	194	27.6		5977

LT Attribute				Projected Light Truck Sales: 150540			
Calculations:	Baseline	Dual Fuel	FFV/Dual Fuel Calculation:				
Total Sales:	150540	150540	Delta (FFV-Baseline):	0.4738			
Base Vol. / Base Comb:	5569.3491	5473.4031	Max. FFV Credit:	0.4000			
CAFE (unrounded unadjusted):	27.0301	27.5839	FFV Credit:	0.4000			
Final Calculation:							
CAFE (unrounded unadjusted):				27.4301			
CAFE (rounded):				27			

ENTIRE PAGE [REDACTED] BUSINESS INFORMATION

Model Name	Curb Weight [lbs]	SAE hp	SAE kW	Engine Code	N/V	Roadload HP	Axle Ratio	Proj. Model Sales	Passenger Volume [ft³]	Cargo Volume [ft³]	Interior Volume Index	3 rows of seats	Base Tire		Front Track Width [in]	Rear Track Width [in]	Avg. Track Width [in]	Wheelbase [in]	Footprint [ft²]
													Front Tire Size	Rear Tire Size					
GLA 250 4MATIC (ULEV)	3450	208	155	M270-20DETC	28.1	12.6	2.65	7807	89.079	41.838	130.9		235/45 R19	235/45 R19	61.8	61.4	61.6	106.3	45.5
GLA 250 4MATIC (FFV)	3450	208	155	M270-20DETC-F	28.1	12.6	2.65	8125	89.079	41.838	130.9		235/45 R19	235/45 R19	61.8	61.4	61.6	106.3	45.5
GLC 300 4MATIC	4001	241	180	M274-20DETC	23.3	14.7	3.27	32115	101.017	24.258	125.3		235/60 R18	235/60 R18	63.9	63.7	63.8	113.1	50.1
GLC 300 4MATIC (Air-Susp.)	4001	241	180	M274-20DETC	23.3	14.7	3.27	161	101.017	24.258	125.3		235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
GLC 350 e 4MATIC	4564	208	155	M274-20HP	28.2	15.6	3.27	465	101.017	24.258	125.3		235/60 R18	235/60 R18	63.5	63.1	63.3	113.1	49.7
GLC 350 e 4MATIC (Air-Susp.)	4564	208	155	M274-20HP	28.2	15.6	3.27	89	101.017	24.258	125.3		235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
AMG GLC 43 4MATIC (Std. Air-Susp.)	4145	362	270	M276-30DETC-S	26.5	15.8	3.69	2501	101.017	24.258	125.3		255/45 R20	285/40 R20	64.5	65.2	64.9	113.1	50.9
AMG GLC 63 4MATIC (Std. Air-Susp.)	4462	469	350	M177-40DETC	23.2	17.9	3.27	303	101.017	24.258	125.3		265/45 R20	295/40 R20	66.3	65.7	66.0	113.1	51.8
GLC 300 4MATIC Coupe	4045	241	180	M274-20DETC	23.3	14.7	3.27	4284	94.352	18.051	112.4		235/60 R18	235/60 R18	63.9	63.7	63.8	113.1	50.1
GLC 300 4MATIC Coupe (Air-Susp.)	4045	241	180	M274-20DETC	23.3	14.7	3.27	43	94.352	18.051	112.4		235/60 R18	235/60 R18	63.8	63.7	63.8	113.1	50.1
AMG GLC 43 4MATIC Coupe (Std. Air-Susp.)	4140	362	270	M276-30DETC-S	26.5	15.8	3.69	1075	94.352	18.051	112.4		255/45 R20	285/40 R20	64.5	65.2	64.9	113.1	50.9
AMG GLC 63 4MATIC Coupe (Std. Air-Susp.)	4475	469	350	M177-40DETC	23.2	17.9	3.27	174	94.352	18.051	112.4		265/45 R20	295/40 R20	66.3	65.7	66.0	113.1	51.8
AMG GLC 63 S 4MATIC Coupe (Std. Air-Susp.)	4511	503	375	M177-40DETC-S	23.2	17.9	3.27	216	94.352	18.051	112.4		265/45 R20	295/40 R20	65.4	64.9	65.2	113.1	51.2
GLE 350	4652	302	225	M276-35DEH	32.0	17.0	3.69	18066	103.176	44.527	147.7		255/50 R19	255/50 R19	64.9	65.2	65.1	114.8	51.8
GLE 350 4MATIC (ULEV)	4784	302	225	M276-35DEH	31.8	18.2	3.69	25465	103.176	44.527	147.7		255/50 R19	255/50 R19	64.9	65.2	65.1	114.8	51.8
GLE 350 4MATIC (ULEV) (Air-Susp.)	4784	302	225	M276-35DEH	31.8	18.2	3.69	128	103.176	44.527	147.7		255/50 R19	255/50 R19	65.2	65.9	65.6	114.8	52.3
GLE 350 4MATIC (FFV)	4784	302	225	M276-35F	31.8	18.2	3.69	257	103.176	44.527	147.7		255/50 R19	255/50 R19	64.9	65.2	65.1	114.8	51.8
GLE 350 4MATIC (FFV) (Air-Susp.)	4784	302	225	M276-35F	31.8	18.2	3.69	1	103.176	44.527	147.7		255/50 R19	255/50 R19	65.2	65.9	65.6	114.8	52.3
AMG GLE 43 4MATIC	4987	385	287	M276-30DETC-S	24.5	16.9	3.46	2607	103.176	44.527	147.7		265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
AMG GLE 43 4MATIC (Air-Susp.)	4987	385	287	M276-30DETC-S	24.5	16.9	3.46	290	103.176	44.527	147.7		265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
GLE 550 e 4MATIC	5490	436	325	M276-30HP	28.0	18.3	3.27	698	103.176	44.527	147.7		265/45 R20	265/45 R20	64.9	65.2	65.1	114.8	51.8
GLE 550 e 4MATIC (Air-Susp.)	5490	436	325	M276-30HP	28.0	18.3	3.27	133	103.176	44.527	147.7		265/45 R20	265/45 R20	65.1	65.9	65.5	114.8	52.2
AMG GLE 63 (Std. Air-Susp)	5203	550	410	M157-55DETC	30.0	21.1	3.47	161	103.176	44.527	147.7		295/35 R21	295/35 R21	66.4	67.1	66.8	114.8	53.3
AMG GLE 63 S (Std. Air-Susp)	5225	577	430	M157-55DETC	30.0	21.1	3.47	428	103.176	44.527	147.7		295/35 R21	295/35 R21	65.9	66.7	66.3	114.8	52.9
AMG GLE 43 4MATIC Coupe (Std. Air-Susp)	4960	385	287	M276-30DETC-S	24.8	17.4	3.69	4827	101.406	37.517	138.9		275/45 R21	315/40 R21	65.1	65.9	65.5	114.8	52.2
AMG GLE 63 S Coupe (Std. Air-Susp)	5379	577	430	M157-55DETC	30.0	19.1	3.69	966	101.406	37.517	138.9		285/40 R22	325/35 R22	65.2	67.1	66.2	114.8	52.8
GLS 450 4MATIC (Std. Air-Susp)	5379	362	270	M276-30DETC-S	22.1	18.7	3.27	20868	144.024	16.150	160.2		275/50 R20	275/50 R20	65.2	65.9	65.6	121.1	55.2
GLS 550 4MATIC (Std. Air-Susp)	5622	449	335	M278-46DETC	22.4	20.1	3.27	3924	144.024	16.150	160.2		295/40 R21	295/40 R21	64.8	65.6	65.2	121.1	54.8
AMG GLS 63 (Std. Air-Susp)	5754	577	430	M157-55DETC	28.8	20.8	3.47	1258	144.024	16.150	160.2		295/40 R21	295/40 R21	66.0	66.8	66.4	121.1	55.8
G 550	5820	416	310	M176-E40DETC	33.5	29.5	3.58	822	94.260	38.560	132.8		275/55 R19	275/55 R19	59.6	59.6	59.6	112.2	46.4
G 550 (4x4)^2	6691	416	310	M176-E40DETC	37.5	38.6	5.38	182	94.260	34.262	NA		325/55 R22	325/55 R22	69.4	70.0	69.7	112.2	54.3
AMG G 63	5833	563	420	M157-55DETC	29.7	26.1	3.58	2109	94.260	38.560	132.8		275/50 R20	275/50 R20	59.1	59.1	59.1	112.2	46.0
AMG G 65	5924	621	463	M279-60TC	29.7	26.0	3.6	95	94.260	38.560	132.8		295/40 R21	295/40 R21	59.1	59.1	59.1	112.2	46.0
Metris (Cargo Van)	4222	208	155	M274-20DETC-C	32.6	16.8	3.5	3920	49.087	186.000	NA		225/55 R17	225/55 R17	65.6	64.8	65.2	126.0	57.0
Metris (Passenger Van)	4851	208	155	M274-20DETC-C	32.6	17.4	3.5	5977	NA	38.000	NA	Yes	225/55 R17	225/55 R17	65.6	64.8	65.2	126.0	57.0

LT Attribute

ENTIRE PAGE [REDACTED] BUSINESS INFORMATION

Model Year **2018**
Compliance Category **LT**

MT Index	Carline Mfr Cd	Division	Carline Code	Carline Name	Drive System	Engine Name / Description	Transmission Class	Footprint Index	Footprint Description	Data Used in Calculations						Calculation Values					
										Width - Inch (1)	Inch (1)	Wheelbase (1)	D / FE	ProdVol Y/N	TLAAS Y/N	ProdVol GHG	Footprint SqFt	Target FE	Target GHG	Weighted FE	Weighted GHG
505	MBX	1	505	GLA 250 4MATIC (ULEV)	4	M276-20DET	AM7	1		61.8	61.4	106.3	1	7,807	N	7,807	45.5	34.27	248.2	227,80858	1937697.4
35	MBX	1	506	GLA 250 4MATIC (PFV)	4	M276-20DET-P	AM7	1		61.8	61.4	106.3	1	8,125	N	8,125	45.5	34.27	248.2	237,08783	20192625.0
112	MBX	1	112	GLC 300 4MATIC	4	M274-20DET	L-9	1		63.9	63.7	113.1	1	32,115	N	32,115	50.1	31.60	270.1	1016,20747	8874261.9
112	MBX	1	112	GLC 300 4MATIC (Air-Susp.)	4	M274-20DET	L-9	1		63.8	63.7	113.1	1	161	N	161	50.1	31.60	270.1	5,09494	43486.1
101	MBX	1	101	GLE 350 e 4MATIC	4	M274-20HP	L-7	1		63.5	63.1	113.1	1	465	N	465	49.7	31.82	288.2	14,61345	124713.0
101	MBX	1	101	GLE 350 e 4MATIC (Air-Susp.)	4	M274-20HP	L-7	1		63.8	63.7	113.1	1	89	N	89	50.1	31.60	270.1	2,81646	24038.9
310	MBX	1	310	AMG GLE 63 4MATIC (Std. Air-Susp.)	4	M276-30DET-S	L-9	1		64.6	65.2	114.8	1	1,075	N	2,501	50.9	31.18	273.9	80,21167	689923.9
511	MBX	1	511	AMG GLE 63 4MATIC (Std. Air-Susp.)	4	M177-40DET	L-9	1		66.3	65.7	113.1	1	303	N	303	51.8	30.72	278.2	9,96328	84294.6
130	MBX	1	130	GLC 300 4MATIC Coupe	4	M274-20DET	L-9	1		63.9	63.7	113.1	1	4,284	N	4,284	50.1	31.60	270.1	135,56962	1157108.4
130	MBX	1	130	GLC 300 4MATIC Coupe (Air-Susp.)	4	M274-20DET	L-9	1		63.8	63.7	113.1	1	43	N	43	50.1	31.60	270.1	1,38078	11614.3
311	MBX	1	311	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	4	M276-30DET-S	L-9	1		64.6	65.2	113.1	1	1,075	N	1,075	50.9	31.18	273.9	34,47723	294442.5
512	MBX	1	512	AMG GLE 63 4MATIC Coupe (Std. Air-Susp.)	4	M177-40DET	L-9	1		66.3	65.7	113.1	1	174	N	174	51.8	30.72	278.2	5,66406	48406.8
513	MBX	1	513	AMG GLE 63 4MATIC Coupe (Std. Air-Susp.)	4	M177-40DET-S	L-9	1		65.4	64.9	113.1	1	218	N	218	51.2	31.03	278.3	6,96101	59464.8
401	MBX	1	401	GLE 350	R	M276-35DEH	L-7	1		64.9	65.2	114.8	1	18,056	N	18,056	51.8	30.72	278.2	588,08594	5023961.2
402	MBX	1	402	GLE 350 4MATIC (ULEV)	4	M276-35DEH	L-7	1		64.9	65.2	114.8	1	25,465	N	25,465	51.8	30.72	278.2	828,93860	7084363.0
402	MBX	1	402	GLE 350 4MATIC (ULEV) (Air-Susp.)	4	M276-35DEH	L-7	1		65.2	65.9	114.8	1	128	N	128	52.3	30.47	280.5	4,20085	35904.0
821	MBX	1	402	GLE 350 4MATIC (PFV)	4	M276-35F	L-7	1		64.9	65.2	114.8	1	257	N	257	51.8	30.72	278.2	8,36589	71497.4
821	MBX	1	402	GLE 350 4MATIC (PFV) (Air-Susp.)	4	M276-35F	L-7	1		65.2	65.9	114.8	1	1	N	1	52.3	30.47	280.5	0,03282	280.5
270	MBX	1	270	AMG GLE 43 4MATIC	4	M276-30DET-S	L-9	1		65.1	65.9	114.8	1	2,607	N	2,607	52.2	30.52	280.1	85,41949	730220.7
270	MBX	1	270	AMG GLE 43 4MATIC (Air-Susp.)	4	M276-30DET-S	L-9	1		65.1	65.9	114.8	1	290	N	290	52.2	30.52	280.1	9,50197	81220.0
333	MBX	1	333	GLE 550 e 4MATIC	4	M276-30HP	L-7	1		64.9	65.2	114.8	1	698	N	698	51.8	30.72	278.2	22,72135	194183.6
333	MBX	1	333	GLE 550 e 4MATIC (Air-Susp.)	4	M276-30HP	L-7	1		65.1	65.9	114.8	1	133	N	133	52.2	30.52	280.1	4,35780	37253.3
406	MBX	1	406	AMG GLE 63 (Std. Air-Susp.)	4	M157-55DET	L-7	1		66.4	67.1	114.8	1	161	N	161	53.3	29.98	285.3	5,37025	45933.3
272	MBX	1	272	AMG GLE 63 S (Std. Air-Susp.)	4	M157-55DET	L-7	1		65.9	66.7	114.8	1	428	N	428	52.9	30.17	283.4	14,18628	121295.2
271	MBX	1	271	AMG GLE 43 4MATIC Coupe (Std. Air-Susp.)	4	M276-30DET-S	L-9	1		65.1	65.9	114.8	1	4,827	N	4,827	52.2	30.52	280.1	158,15858	1352042.7
274	MBX	1	274	AMG GLE 63 S Coupe (Std. Air-Susp.)	4	M157-55DET	L-7	1		65.2	67.1	114.8	1	966	N	966	52.8	30.22	282.9	31,96559	273281.4
421	MBX	1	421	GLS 450 4MATIC (Std. Air-Susp.)	4	M276-30DET-S	L-9	1		65.2	65.9	121.1	1	20,868	N	20,868	55.2	29.09	294.4	717,35962	6143539.2
423	MBX	1	423	GLS 550 4MATIC (Std. Air-Susp.)	4	M278-40DET	L-9	1		64.8	65.5	121.1	1	3,924	N	3,924	54.8	29.27	292.4	134,06218	1147371.6
424	MBX	1	424	AMG GLS 63 (Std. Air-Susp.)	4	M157-55DET	L-7	1		66.0	66.8	121.1	1	1,258	N	1,258	55.8	28.82	297.2	43,65024	373871.6
436	MBX	1	436	G 550	4	M176-E40DET	L-7	1		59.6	59.6	112.2	1	822	N	822	46.4	33.72	292.5	24,37722	207555.0
436	MBX	1	436	G 550 4M4*2	4	M176-E40DET	L-7	1		69.4	70.0	112.2	1	182	N	182	54.3	29.51	290.1	6,16740	52798.2
440	MBX	1	440	AMG G 63	4	M157-55DET	L-7	1		59.1	59.1	112.2	1	2,109	N	2,109	46.0	33.96	293.6	62,10247	528515.4
441	MBX	1	441	AMG G 65	4	M279-90TC	L-7	1		59.1	59.1	112.2	1	95	N	95	46.0	33.96	293.6	2,79741	23807.0
411	MBX	1	411	Meris (Cargo Van)	R	M274-20DET-C	L-7	1		65.6	64.8	126.0	1	3,520	N	3,520	57.0	28.30	302.9	138,51590	1187368.0
410	MBX	1	410	Meris (Passenger Van)	R	M274-20DET-C	L-7	1		65.6	64.8	126.0	1	5,977	N	5,977	57.0	28.30	302.9	211,20141	1810433.3

Model Year	2018
Comp Cat	LT
Prod Vol	-
Weighted	-
UnRnd Wgt Avg	-
Rnd Wgt Avg	-
Min PV Dom	-
Rnd Std	-
Prod Vol	-
Weighted	-
UnRnd Std	-
Rnd Std	-
Prod Vol	150,540
Weighted	4,4879,366024
UnRnd Std	130,85236878
Rnd Std	36.9
Prod Vol	150,540
Weighted	4,1689893.8
UnRnd Std	276,935667
Rnd Std	277
Prod Vol	0
Weighted	0
UnRnd Wgt Avg	-
Rnd Wgt Avg	-
x 1.25	-
Rnd Std	-