BMW CAFE Pre-Model Year Report 2019

prepared by

BMW of North America, LLC

Submitted by Johnson Wong December 31, 2018



Estimated footprint-based CAFE standard

With the enclosed footprint data and sales figures we calculated the following BMW CAFE standards:

Passenger Cars: 41.1 MPG

<u>Light Trucks:</u> 29.9 MPG

BMW Corporate Average Fuel Economy

With the enclosed fuel economy data and sales figures we calculated the following BMW fuel economy average values:

	<u>unadjusted</u>	<u>adjusted</u>	<u>incl. credits</u> (A/C-efficiency, offcycle)
Passenger Cars:	36.2 MPG	36.4 MPG	37.9 MPG
Light Trucks:	29.3 MPG		31.2 MPG

Calculation of footprint-based fleet average CAFE standard (required Fuel Economy) Pre-Model Year 2019

Passenger	MDC = 4	/MIN(MAX(c*FP+	d 4/a) 4/b)		Light	MPG = MAX(*	I/MIN(MAX(c	*FP+d,1/a),1/b)),1/MIN(MAX(g*	FP+h,1/e),1/
Car		FP = Footprint (fi	200 00000000000000000000000000000000000		Truck	a	b	С	d	
(PC)		rP = rootprint (i	٠,		(LT)	38.16	25.25	0.005265	0.004623	
	a	b	C	d		е	f	g	h	
	46.87	35.07	0.0004783	0.001729	ļ.	35.41	25.25	0.0004546	0.009603	
Projected Production	on PC-Fleet	1	271 400		Projected P	roduction LT-FI	eet		133 340	
Required Fuel Ecor	nomy PC-Fleet		41.1 MPG		Required Fo	uel Economy LT	-Fleet		29.9 MPG	

del	Туре		PC/LT	Projected	Star	dard	Wheel-	100	Track width		Footprint	CA
			Fleet	Production	Tire Dir		base	front	rear	average	(S)	19
				[#]	front	rear	inch	inch	inch	inch	[ft²]	[mp
MINI	230i Convertible	STD	PV	114	225/40R18	245/35R18	105.9	59.5	60.3	59.9	44.1	43.
MINI	230i Convertible	V1	PV	91	225/40R18	225/40R18	105.9	59.5	60.9	60.2	44.3	43.
MINI	230i Convertible	V2	PV	220	205/50R17	205/50R17	105.9	59.6	61	60.3	44.3	43
MINI	230i Coupe	STD	PV	131	225/40R18	245/35R18	105.9	59.5	60.3	59.9	44.1	43
MINI	230i Coupe	V1	PV	64	225/40R18	225/40R18	105.9	59.5	60.9	60.2	44.3	43
MINI	230i Coupe	V2	PV	231	205/50R17	205/50R17	105.9	59.6	61	60.3	44.3	43
MINI	230i xDrive Convertible	STD	PV	21	225/40R18	245/35R18	105.9	59.5	60.3	59.9	44.1	43
MINI	230i xDrive Convertible	V1	PV	220	225/40R18	225/40R18	105.9	59.5	60.9	60.2	44.3	43
MINI	230i xDrive Convertible	V2	PV	166	205/50R17	205/50R17	105.9	59.7	61	60.4	44.4	43
MINI	230i xDrive Coupe	STD	PV	23	225/40R18	245/35R18	105.9	59.5	60.3	59.9	44.1	43
MINI	230i xDrive Coupe	V1	PV	155	225/40R18	225/40R18	105.9	59.5	60.9	60.2	44.3	43
MINI	230i xDrive Coupe	V2	PV	127	205/50R17	205/50R17	105.9	59.7	61	60.4	44.4	43
MINI	330i Sedan	STD	PV	8288	225/40R19	255/35R19	112.2	62.2	61.8	62	48.3	40
MINI	330i Sedan	V1	PV	7479	225/40R19	225/40R19	112.2	62.2	61.8	62	48.3	40
MINI	330i xDrive Gran Turismo	STD	PV	4	225/45R19	255/40R19	115	61	61.7	61.4	49.0	39
MINI	330i xDrive Gran Turismo	V1	PV	16	225/45R19	225/45R19	115	61	62.8	61.9	49.4	39
MINI	330i xDrive Gran Turismo	V2	PV	133	225/50R18	225/50R18	115	60.7	62.4	61.6	49.2	39
MINI	330i xDrive Gran Turismo	V3	PV	11	225/50R18	255/45R18	115	60.7	61.7	61.2	48.9	39
MINI	330i xDrive Sedan	STD	PV	3861	225/40R19	255/35R19	112.2	62.2	61.7	62	48.3	40
MINI	330i xDrive Sedan	V1	PV	7726	225/40R19	225/40R19	112.2	62.2	61.7	62	48.3	40
MINI	330i xDrive Sports Wagon	STD	PV	36	225/45R18	255/40R18	110.6	60.5	61.1	60.8	46.7	4
MINI	330i xDrive Sports Wagon	V1	PV	143	225/45R18	225/45R18	110.6	60.5	62.1	61.3	47.1	4
MINI	330i xDrive Sports Wagon	V2	PV	99	225/50R17	225/50R17	110.6	60.3	61.8	61	46.9	4
MINI	340i xDrive Gran Turismo	STD	PV	6	225/45R19	255/40R19	115	61	61.7	61.4	49.0	3
MINI	340i xDrive Gran Turismo	V1	PV	8	225/45R19	225/45R19	115	61	62.8	61.9	49.4	39
MINI	340i xDrive Gran Turismo	V2	PV	43	225/50R18	225/50R18	115	60.7	62.4	61.6	49.2	39
MINI	340i xDrive Gran Turismo	V3	PV	2	225/50R18	255/45R18	115	60.7	61.7	61.2	48.9	39
MINI	430i Convertible	STD	PV	610	225/40R19	255/35R19	110.6	60.9	61.9	61.4	47.2	41
MINI	430i Convertible	V1	PV	241	225/40R19	225/40R19	110.6	60.9	62.8	61.8	47.5	4
MINI	430i Convertible	V2	PV	143	225/45R18	255/40R18	110.6	61	61.9	61.4	47.2	4
MINI	430i Convertible	V3	PV	1770	225/45R18	225/45R18	110.6	61	63	62	47.6	40
MINI	430i Coupe	STD	PV	894	225/40R19	255/35R19	110.6	61	61.9	61.4	47.2	4
MINI	430i Coupe	V1	PV	278	225/40R19	225/40R19	110.6	61	62.8	61.9	47.5	4
MINI	430i Coupe	V2	PV	329	225/45R18	255/40R18	110.6	61.1	61.9	61.5	47.2	4
MINI	430i Coupe	V3	PV	1157	225/45R18	225/45R18	110.6	61.1	63	62	47.6	40
MINI	430i Gran Coupe	STD	PV	1792	225/40R19	255/35R19	110.6	60.9	61.9	61.4	47.2	4
MINI	430i Gran Coupe	V1	PV	762	225/40R19	225/40R19	110.6	60.9	62.8	61.8	47.5	4
MINI	430i Gran Coupe	V2	PV	667	225/45R18	255/40R18	110.6	61.1	61.9	61.5	47.2	41
MINI	430i Gran Coupe	V3	PV	6218	225/45R18	225/45R18	110.6	61.1	62.9	62	47.6	40
MINI	430i xDrive Convertible	STD	PV	61	225/40R19	255/35R19	110.6	60.8	61.9	61.4	47.2	4
MINI	430i xDrive Convertible	V1	PV	262	225/40R19	225/40R19	110.6	60.8	62.8	61.8	47.5	4
MINI	430i xDrive Convertible	V2	PV	1	225/45R18	255/40R18	110.6	61	61.9	61.4	47.2	4
MINI	430i xDrive Convertible	V3	PV	2150	225/45R18	225/45R18	110.6	61	63	62	47.6	40
MINI	430i xDrive Coupe	STD	PV	156	225/40R19	255/35R19	110.6	60.8	61.8	61.3	47.1	4
MINI	430i xDrive Coupe	V1	PV	163	225/40R19	225/40R19	110.6	60.8	62.6	61.7	47.4	40
MINI	430i xDrive Coupe	V2	PV	9	225/45R18	255/40R18	110.6	61	61.8	61.4	47.2	4
MINI	430i xDrive Coupe	V3	PV	999	225/45R18	225/45R18	110.6	61	62.8	61.9	47.5	4
MINI	430i xDrive Gran Coupe	STD	PV	400	225/40R19	255/35R19	110.6	60.8	61.9	61.4	47.2	4
MINI	430i xDrive Gran Coupe	V1	PV	606	225/40R19	225/40R19	110.6	60.8	62.8	61.8	47.5	4
MINI	430i xDrive Gran Coupe	V2	PV	29	225/45R18	255/40R18	110.6	61	61.9	61.4	47.2	4
MINI	430i xDrive Gran Coupe	V3	PV	4162	225/45R18	225/45R18	110.6	61	62.9	62	47.6	4
MINI	440i Convertible	STD	PV	423	225/40R19	255/35R19	110.6	60.9	61.9	61.4	47.2	4
Is-Royce	440i Convertible	V1	PV	67	225/40R19	225/40R19	110.6	60.9	62.8	61.8	47.5	4
Is-Royce	440i Convertible	V2	PV	102	225/45R18	255/40R18	110.6	61	61.9	61.4	47.2	4
lls-Royce	440i Convertible	V3	PV	251	225/45R18	225/45R18	110.6	61	63	62	47.6	4
Is-Royce	440i Coupe	STD	PV	761	225/40R19	255/35R19	110.6	61	61.9	61.4	47.2	4
Is-Royce	440i Coupe	V1	PV	61	225/40R19	225/40R19	110.6	61	62.8	61.9	47.5	4
Is-Royce	440i Coupe	V2	PV	254	225/45R18	255/40R18	110.6	61.1	61.9	61.5	47.2	4
Is-Royce	440i Coupe	V3	PV	276	225/45R18	225/45R18	110.6	61.1	63	62	47.6	4
BMW	440i Gran Coupe	STD	PV	1345	225/40R19	255/35R19	110.6	60.9	61.9	61.4	47.2	4
BMW	440i Gran Coupe	V1	PV	156	225/40R19	225/40R19	110.6	60.9	62.8	61.8	47.5	4
BMW	440i Gran Coupe	V2	PV	314	225/45R18	255/40R18	110.6	61.1	61.9	61.5	47.2	4
BMW	440i Gran Coupe	V3	PV	625	225/45R18	225/45R18	110.6	61.1	62.9	62	47.6	4
BMW	440i xDrive Convertible	STD	PV	174	225/40R19	255/35R19	110.6	60.8	61.9	61.4	47.2	4
BMW	440i xDrive Convertible	V1	PV	82	225/40R19	225/40R19	110.6	60.8	62.8	61.8	47.5	4
BMW	440i xDrive Convertible	V2	PV	3	225/45R18	255/40R18	110.6	61	61.9	61.4	47.2	4
BMW	440i xDrive Convertible	V3	PV	614	225/45R18	225/45R18	110.6	61	63	62	47.6	40
BMW	440i xDrive Coupe	STD	PV	210	225/40R19	255/35R19	110.6	60.8	61.8	61.3	47.1	41
BMW	440i xDrive Coupe	V1	PV	72	225/40R19	225/40R19	110.6	60.8	62.6	61.7	47.4	40
BMW	440i xDrive Coupe	V2	PV	40	225/45R18	255/40R18	110.6	61	61.8	61.4	47.2	41
BMW	440i xDrive Coupe	V3	PV	692	225/45R18	225/45R18	110.6	61	62.8	61.9	47.5	4

odel	Туре		PC/LT	Projected	5.60	dard	Wheel-		Track width		Footprint	CA
			Fleet	Production	Tire Dir	nension	base	front	rear	average		
				[#]	front	rear	inch	inch	inch	inch	[ft²]	[m
BMW	440i xDrive Gran Coupe	STD	PV	381	225/40R19	255/35R19	110.6	60.8	61.9	61.4	47.2	41.
BMW	440i xDrive Gran Coupe	V1	PV	196	225/40R19	225/40R19	110.6	60.8	62.8	61.8	47.5	40
BMW	440i xDrive Gran Coupe	V2	PV	65	225/45R18	255/40R18	110.6	61	61.9	61.4	47.2	41.
BMW	440i xDrive Gran Coupe	V3	PV	1297	225/45R18	225/45R18	110.6	61	62.9	62	47.6	40
BMW	530e Sedan	STD	PV	3964	245/40R19	275/35R19	117.1	62.9	62.9	62.9	51.1	38
BMW	530e Sedan	V1	PV	1901	245/40R19	245/40R19	117.1	62.9	64	63.4	51.6	37
BMW	530e Sedan	V2	PV	4136	245/45R18	245/45R18	117.1	62.9	64	63.4	51.6	3
BMW	530e xDrive Sedan	STD	PV	45	245/40R19	275/35R19	117.1	62.9	62.9	62.9	51.1	3
BMW	530e xDrive Sedan	V1	PV	1868	245/40R19	245/40R19	117.1	62.9	64	63.4	51.6	3
BMW	530e xDrive Sedan	V2	PV	2206	245/45R18	245/45R18	117.1	62.9	64	63.4	51.6	3
BMW	530i Sedan	STD	PV	1094	245/40R19	275/35R19	117.1	63	62.8	62.9	51.1	3
BMW	530i Sedan	V1	PV	658	245/40R19	245/40R19	117.1	63	63.9	63.4	51.6	3
BMW	530i Sedan	V2	PV	2572	245/45R18	245/45R18	117.1	63	63.9	63.4	51.6	3
BMW	530i xDrive Sedan	STD	PV	12	245/40R19	275/35R19	117.1	63	62.8	62.9	51.1	3
BMW	530i xDrive Sedan	V1	PV	1884	245/40R19	245/40R19	117.1	63	63.9	63.4	51.6	3
BMW	530i xDrive Sedan	V2	PV	3634	245/45R18	245/45R18	117.1	63	63.9	63.4	51.6	3
BMW	540i Sedan	STD	PV	750	245/40R19	275/35R19	117.1	63	62.8	62.9	51.1	3
BMW	540i Sedan	V1	PV	1748	245/40R19	245/40R19	117.1	63	63.9	63.4	51.6	3
BMW	540i Sedan	V2	PV	1756	245/45R18	245/45R18	117.1	63	63.9	63.4	51.6	3
BMW	540i Sedan	V3	PV	1807	245/45R18 245/35R20	275/30R20	117.1	63	62.8	62.9	51.1	3
	540i xDrive Sedan				17.00						1	
BMW		STD	PV	83	245/40R19	275/35R19	117.1	63	62.8	62.9	51.1	3
BMW	540i xDrive Sedan	V1	PV	3829	245/40R19	245/40R19	117.1	63	63.9	63.4	51.6	3
BMW	540i xDrive Sedan	V2	PV	3100	245/45R18	245/45R18	117.1	63	63.9	63.4	51.6	3
BMW	540i xDrive Sedan	V3	PV	310	245/35R20	275/30R20	117.1	63	62.8	62.9	51.1	3
BMW	640i Gran Coupe	STD	PV	38	245/35R20	275/30R20	116.9	62.8	64.4	63.6	51.6	3
BMW	640i Gran Coupe	V1	PV	5	245/40R19	275/35R19	116.9	62.8	65.3	64	52.0	3
BMW	640i Gran Coupe	V2	PV	3	245/45R18	245/45R18	116.9	63	65.6	64.3	52.2	3
BMW	640i xDrive Gran Coupe	STD	PV	5	245/35R20	275/30R20	116.9	62.8	64.4	63.6	51.6	3
BMW	640i xDrive Gran Coupe	V1	PV	4	245/45R18	245/45R18	116.9	63	65.6	64.3	52.2	3
BMW	640i xDrive Gran Coupe	V2	PV	27	245/40R19	275/35R19	116.9	62.8	65.3	64	52.0	3
BMW	640i xDrive Gran Turismo	STD	PV	350	245/45R19	275/40R19	120.9	63.7	63.9	63.8	53.6	3
BMW	640i xDrive Gran Turismo	V1	PV	1490	245/45R19	245/45R19	120.9	63.7	65	64.4	54.1	3
BMW	640i xDrive Gran Turismo	V2	PV	751	245/40R20	275/35R20	120.9	63.7	63.7	63.7	53.5	3
BMW	650i Gran Coupe	STD	PV	55	245/35R20	275/30R20	116.9	62.8	64.4	63.6	51.6	3
BMW	650i Gran Coupe	V1	PV	7	245/40R19	275/35R19	116.9	62.8	65.3	64	52.0	3
BMW	650i xDrive Gran Coupe	STD	PV	32	245/35R20	275/30R20	116.9	62.8	64.4	63.6	51.6	3
BMW	650i xDrive Gran Coupe	V1	PV	17	245/40R19	275/35R19	116.9	62.8	65.3	64	52.0	3
BMW	740e xDrive Sedan	STD	PV	58	245/50R18	245/50R18	126.4	63.4	64.6	64	56.2	3
BMW	740e xDrive Sedan	V1	PV	14	245/45R19	275/40R19	126.4	63.8	63.9	63.8	56.0	3
BMW	740e xDrive Sedan	V2	PV	157	245/45R19	245/45R19	126.4	63.8	65	64.4	56.5	3
BMW	740i Sedan	STD	PV	607	245/50R18	245/50R18	126.4	63.5	64.6	64	56.2	3
BMW	740i Sedan	V1	PV	1293	245/40R20	275/35R20	126.4	63.9	63.7	63.8	56.0	3
BMW	740i Sedan	V2	PV	233	245/45R19	275/40R19	126.4	63.9	63.9	63.9	56.1	3
BMW	740i Sedan	V3	PV	804	245/45R19	245/45R19	126.4	63.9	65	64.4	56.5	3
BMW	740i xDrive Sedan	STD	PV	591	245/50R18	245/50R18	126.4	63.4	64.6	64	56.2	3
BMW	740i xDrive Sedan	V1	PV	101	245/40R20	275/35R20	126.4	63.8	63.7	63.8	56.0	3
				2002	3.77.17.20.20.20.20.20.20.20.20.20.20.20.20.20.	Name of the Party	0.000.000			State of the last	E 200 C 200	
BMW BMW	740i xDrive Sedan	V2 V3	PV PV	3 597	245/45R19 245/45R19	275/40R19	126.4	63.8 63.8	63.9 65	63.8	56.0 56.5	3
	740i xDrive Sedan			7.75	DATE OF SHARE	245/45R19	126.4		9-A-25-A	64.4	ENGELS	3
BMW	750i Sedan	STD	PV	42	245/50R18	245/50R18	126.4	63.5	64.6	64	56.2	3
BMW	750i Sedan	V1	PV	1546	245/40R20	275/35R20	126.4	63.9	63.7	63.8	56.0	3
BMW	750i Sedan	V2	PV	186	245/45R19	275/40R19	126.4	63.9	63.9	63.9	56.1	3
BMW	750i Sedan	V3	PV	432	245/45R19	245/45R19	126.4	63.9	65	64.4	56.5	3
BMW	750i xDrive Sedan	STD	PV	91	245/50R18	245/50R18	126.4	63.4	64.6	64	56.2	3
BMW	750i xDrive Sedan	V1	PV	546	245/40R20	275/35R20	126.4	63.8	63.7	63.8	56.0	3
BMW	750i xDrive Sedan	V2	PV	44	245/45R19	275/40R19	126.4	63.8	63.9	63.8	56.0	3
BMW	750i xDrive Sedan	V3	PV	1352	245/45R19	245/45R19	126.4	63.8	65	64.4	56.5	3
BMW	ALPINA B6 xDrive Gran Coupe	STD	PV	6	255/35R20	295/30R20	116.9	62.8	63.9	63.4	51.5	3
BMW	ALPINA B6 xDrive Gran Coupe	V1	PV	12	255/35R20	285/30R20	116.9	62.8	63.9	63.4	51.5	3
BMW	ALPINA B7 xDrive	STD	PV	222	255/35R21	295/30R21	126.4	63.9	63.7	63.8	56.0	3
BMW	ALPINA B7 xDrive	V1	PV	118	255/40R20	295/35R20	126.4	63.9	63.7	63.8	56.0	3
BMW	COOPER CLUBMAN	STD	PV	65	225/40R18	225/40R18	105.1	61.1	61.2	61.2	44.7	4
BMW	COOPER CLUBMAN	V1	PV	1085	225/45R17	225/45R17	105.1	61.4	61.5	61.4	44.8	4
BMW	COOPER CLUBMAN	V2	PV	570	205/55R16	205/55R16	105.1	61.5	61.6	61.6	45.0	4
BMW	COOPER CLUBMAN ALL4	STD	PV	39	225/40R18	225/40R18	105.1	61.1	61.2	61.2	44.7	4
BMW	COOPER CLUBMAN ALL4	V1	PV	701	225/45R17	225/45R17	105.1	61.4	61.5	61.4	44.8	4
BMW	COOPER CLUBMAN ALL4	V2	PV	478	205/55R16	205/55R16	105.1	61.5	61.6	61.6	45.0	4
BMW	COOPER CONVERTIBLE	STD	PV	825	205/45R17	205/45R17	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER CONVERTIBLE	V1	PV	19	205/40R18	205/40R18	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER CONVERTIBLE	V2	PV	1245	195/55R16	195/55R16	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER CONVERTIBLE	V3	PV	2170	175/65R15	175/65R15	98.2	59.1	59.1	59.1	40.3	4
BMW	COOPER COUNTRYMAN	STD	PV	2327	225/55R17	225/55R17	105.1	61.5	61.6	61.6	45.0	4
BMW	COOPER COUNTRYMAN	V1	PV	2930	225/55R17 225/50R18	225/50R18	105.1	61.6	61.7	61.6	45.0	4
		V1 V2	PV						V.500/25AX	62		
BMW	COOPER COUNTRYMAN			148	225/45R19	225/45R19	105.1	61.9	62	10000000	45.3	4
BMW	COOPER COUNTRYMAN ALL4	STD	PV	633	225/55R17	225/55R17	105.1	61.5	61.6	61.6	45.0	4
BMW	COOPER COUNTRYMAN ALL4	V1	PV	2446	225/50R18	225/50R18	105.1	61.6	61.7	61.6	45.0	4
BMW	COOPER COUNTRYMAN ALL4	V2	PV	37	225/45R19	225/45R19	105.1	61.9	62	62	45.3	4
BMW	COOPER HARDTOP 2 DOOR	STD	PV	3863	195/55R16	195/55R16	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER HARDTOP 2 DOOR	V1	PV	954	205/45R17	205/45R17	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER HARDTOP 2 DOOR	V2	PV	23	205/40R18	205/40R18	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER HARDTOP 2 DOOR	V3	PV	2512	175/65R15	175/65R15	98.2	59.1	59.1	59.1	40.3	4
BMW	COOPER HARDTOP 4 DOOR	STD	PV	2932	195/55R16	195/55R16	101.1	58.5	58.5	58.5	41.1	4
BMW	COOPER HARDTOP 4 DOOR	V1	PV	742	205/45R17	205/45R17	101.1	58.5	58.5	58.5	41.1	4
BMW	COOPER HARDTOP 4 DOOR	V2	PV	33	205/40R18	205/40R18	101.1	58.5	58.5	58.5	41.1	4
	COOPER HARDTOP 4 DOOR	V3	PV	1632	175/65R15	175/65R15	101.1	59.1	59.1	59.1	41.5	4

BMW BMW BMW			Fleet	Production		nension	base	front	rear	average		
BMW BMW												
BMW BMW				[#]	front	rear	inch	inch	inch	inch	[ft²]	[m
BMW BMW	COOPER S CLUBMAN	STD	PV	10	225/35R19	225/35R19	105.1	61.1	61.2	61.2	44.7	43.
BMW	COOPER S CLUBMAN	V1	PV	538	225/40R18	225/40R18	105.1	61.1	61.2	61.2	44.7	43.
	COOPER S CLUBMAN	V2	PV	1629	225/45R17	225/45R17	105.1	61.4	61.5	61.4	44.8	43
	COOPER'S CLUBMAN ALL4	STD	PV	8	225/35R19	225/35R19	105.1	61.1	61.2	61.2	44.7	43
BMW	COOPER'S CLUBMAN ALL4	V1	PV	225	225/40R18	225/40R18	105.1	61.1	61.2	61.2	44.7	43
BMW	COOPER'S CLUBMAN ALL4	V2	PV	2502	225/45R17	225/45R17	105.1	61.4	61.5	61.4	44.8	43
BMW	COOPER'S CONVERTIBLE	STD	PV	2756	205/45R17	205/45R17	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER'S CONVERTIBLE	V1	PV	245	205/40R18	205/40R18	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER'S CONVERTIBLE	V2	PV	1037	195/55R16	195/55R16	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER'S COUNTRYMAN	STD	PV	5142	225/50R18	225/50R18	105.1	61.6	61.7	61.6	45.0	4
BMW	COOPER S COUNTRYMAN	V1	PV	741	225/45R19	225/45R19	105.1	61.9	62	62	45.3	4
BMW	COOPER'S COUNTRYMAN ALL4	STD	PV	8381	225/50R18	225/50R18	105.1	61.6	61.7	61.6	45.0	4
BMW	COOPER'S COUNTRYMAN ALL4	V1	PV	539	225/45R19	225/45R19	105.1	61.9	62	62	45.3	4
BMW	COOPER'S E COUNTRYMAN ALL4	STD	PV	2419	225/50R18	225/50R18	105.1	61.6	61.7	61.6	45.0	4
BMW	COOPER S HARDTOP 2 DOOR	STD	PV	2087	195/55R16	195/55R16	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER S HARDTOP 2 DOOR	V1	PV	4831	205/45R17	205/45R17	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER'S HARDTOP 2 DOOR	V2	PV	234	205/40R18	205/40R18	98.2	58.5	58.5	58.5	39.9	4
BMW	COOPER S HARDTOP 4 DOOR	STD	PV	1560	195/55R16	195/55R16	101.1	58.5	58.5	58.5	41.1	4
BMW	COOPER S HARDTOP 4 DOOR	V1	PV	4122	205/45R17	205/45R17	101.1	58.5	58.5	58.5	41.1	4
BMW	COOPER S HARDTOP 4 DOOR	V2	PV	168	205/40R18	205/40R18	101.1	58.5	58.5	58.5	41.1	4
BMW	Cullinan	STD	PV	631	255/50R21	285/45R21	129.7	65.9	67	66.4	59.8	3
BMW	Dawn	STD	PV	335	255/45R20	285/40R20	122.5	63.7	65.6	64.6	55.0	3
BMW	Ghost	STD	PV	165	255/40R21	285/35R21	129.7	63.7	64.6	64.2	57.8	3
BMW	Ghost Extended Wheelbase	STD	PV	25	255/45R20	285/40R20	136.4	63.7	65.2	64.4	61.0	3
BMW	i3	STD	PV	70	155/70R19	155/70R19	101.2	61.9	62	62	43.6	4
BMW	i3	V1	PV	986	155/70R19	175/60R19	101.2	61.9	61.3	61.6	43.3	4
BMW	i3	V2	PV	266	155/60R20	175/55R20	101.2	61.9	61.3	61.6	43.3	4
BMW	i3	V3	PV	175	175/55R20	195/50R20	101.2	62.7	62.1	62.4	43.9	
BMW	i3 with Range Extender	STD	PV	3635	155/70R19	175/60R19	101.2	61.9	61.3	61.6	43.3	4
BMW	i3 with Range Extender	V1	PV	949	155/60R20	175/55R20	101.2	61.9	61.3	61.6	43.3	4
BMW	i3 with Range Extender	V2	PV	793	175/55R20	195/50R20	101.2	62.7	62.1	62.4	43.9	
BMW	i3s	STD	PV	396	175/55R20	195/50R20	101.2	62.7	62.1	62.4	43.9	
BMW	i3s with Range Extender	STD	PV	1410	175/55R20	195/50R20	101.2	62.7	62.1	62.4	43.9	
BMW	i8 Coupe	STD	PV	294	215/45R20	245/40R20	110.2	64.4	67	65.7	50.3	3
BMW	i8 Roadster	STD	PV	1938	215/45R20	245/40R20	110.2	64.4	67	65.7	50.3	3
BMW	JCW COUNTRYMAN ALL4	STD	PV	687	225/50R18	225/50R18	105.1	61.6	61.7	61.6	45.0	4
BMW	JCW COUNTRYMAN ALL4	V1	PV	515	225/45R19	225/45R19	105.1	61.9	62	62	45.3	4
BMW	OHN COOPER WORKS CLUBMAN ALL	STD	PV	133	225/35R19	225/35R19	105.1	61.1	61.2	61.2	44.7	4
BMW	OHN COOPER WORKS CLUBMAN ALL	V1	PV	385	225/40R18	225/40R18	105.1	61.1	61.2	61.2	44.7	4
BMW	OHN COOPER WORKS CONVERTIBLE	STD	PV	262	205/45R17	205/45R17	98.2	58.5	58.5	58.5	39.9	4
BMW	OHN COOPER WORKS CONVERTIBLE	V1	PV	178	205/40R18	205/40R18	98.2	58.5	58.5	58.5	39.9	4
BMW	JOHN COOPER WORKS HARDTOP	STD	PV	967	205/45R17	205/45R17	98.2	58.5	58.5	58.5	39.9	4
BMW	JOHN COOPER WORKS HARDTOP	V1	PV	459	205/40R18	205/40R18	98.2	58.5	58.5	58.5	39.9	4
BMW	M2 Competition	STD	PV	1362	245/35R19	265/35R19	106	62.2	63	62.6	46.1	4
BMW	M240i Convertible	STD	PV	323	225/40R18	245/35R18	105.9	59.7	60.4	60	44.1	4
BMW	M240i Convertible	V1	PV	147	225/40R18	225/40R18	105.9	59.7	61	60.4	44.4	4
BMW	M240i Coupe	STD	PV	278	225/40R18	245/35R18	105.9	59.7	60.4	60	44.1	4
BMW	M240i Coupe	V1	PV	109	225/40R18	225/40R18	105.9	59.7	61	60.4	44.4	4
BMW	M240i Coupe	V2	PV	57	225/35R19	245/30R19	105.9	59.7	60.4	60	44.1	4
BMW	M240i xDrive Convertible	STD	PV	189	225/40R18	245/35R18	105.9	59.7	60.4	60	44.1	4
BMW	M240i xDrive Convertible	V1	PV	316	225/40R18	225/40R18	105.9	59.7	61	60.4	44.4	4
BMW	M240i xDrive Coupe	STD	PV	136	225/40R18	245/35R18	105.9	59.7	60.4	60	44.1	4
BMW	M240i xDrive Coupe	V1	PV	205	225/40R18	225/40R18	105.9	59.7	61	60.4	44.4	4
BMW	M4 Convertible	STD	PV	216	265/30R20	285/30R20	110.7	62.2	63.1	62.6	48.1	4
BMW	M4 Convertible	V1	PV	33	255/40R18	275/40R18	110.7	62.2	63.1	62.6	48.1	4
BMW	M4 Convertible	V2	PV	107	255/35R19	275/35R19	110.7	62.2	63.1	62.6	48.1	4
BMW	M4 Coupe	STD	PV	463	265/30R20	285/30R20	110.7	62.2	63.1	62.6	48.1	4
BMW	M4 Coupe	V1	PV	59	255/40R18	275/40R18	110.7	62.2	63.1	62.6	48.1	4
BMW	M4 Coupe	V2	PV	191	255/35R19	275/35R19	110.7	62.2	63.1	62.6	48.1	4
BMW	M4 CS	STD	PV	866	265/35R19	285/30R20	110.7	62.2	63.1	62.6	48.1	4
BMW	M5 Competition	STD	PV	29	275/35R20	285/35R20	117.4	64	64	64	52.2	3
BMW	M5 Sedan	STD	PV	2857	275/35R20	285/35R20	117.4	63.9	63.9	63.9	52.1	3
BMW	M5 Sedan	V1	PV	319	275/40R19	285/40R19	117.4	64	64	64	52.2	3
BMW	M550i xDrive Sedan	STD	PV	724	245/40R19	275/35R19	117.1	63	62.9	63	51.2	3
BMW	M550i xDrive Sedan	V1	PV	484	245/40R19	245/40R19	117.1	63	64	63.5	51.6	3
BMW	M550i xDrive Sedan	V2	PV	1537	245/35R20	275/30R20	117.1	63	62.9	63	51.2	3
BMW	M6 Gran Coupe	STD	PV	116	265/35R20	295/30R20	116.7	64.2	63.5	63.8	51.7	;
BMW	M760i xDrive Sedan	STD	PV	281	245/40R20	275/35R20	126.4	63.8	63.7	63.8	56.0	3
BMW	M760i xDrive Sedan	V1	PV	14	245/45R19	245/45R19	126.4	63.8	65	64.4	56.5	3
BMW	M850i xDrive Convertible	STD	PV	1012	245/45R19 245/35R20	275/30R20	111.1	64.1	64.6	64.4	49.7	3
BMW	M850i xDrive Convertible	V1	PV	864	245/35R20 245/40R19	275/35R19	111.1	64.1	64.6	64.4	49.7	3
BMW		STD	PV	1594	245/40R19 245/35R20	275/35R19 275/30R20	111.1	64.1	64.6	64.4	49.7	3
BMW	M850i xDrive Coupe	STD	PV	135		2/5/30R20 285/45R21	139.8	66.3	65.9	2,500,000,000	E-750 (5-6-4)	3
	Phantom Phantom Extended Wheelbare			080399	255/50R21		10000000000		250000	66.1	64.2	
BMW	Phantom Extended Wheelbase	STD	PV	20	255/50R21	285/45R21	148.5	66.3	65.9	66.1	68.2	3
BMW	Wraith	STD	PV	200	255/40R21	285/35R21	122.5	63.7	65.6	64.6	55.0	3
BMW	X1 sDrive28i	STD	PV	6867	225/50R18	225/50R18	105.1	61.5	61.6	61.6	45.0	4
BMW	X1 sDrive28i	V1	PV	596	225/45R19	225/45R19	105.1	61.9	61.9	61.9	45.2	4
BMW	X1 xDrive28i	STD	PV	13727	225/50R18	225/50R18	105.1	61.5	61.6	61.6	45.0	4
BMW	X1 xDrive28i	V1	PV	378	225/45R19	225/45R19	105.1	61.9	61.9	61.9	45.2	4.
BMW	X2 M35i	STD	PV	801	225/40R20	225/40R20	105.1	61.7	61.7	61.7	45.0	4
BMW	X2 M35i	V1	PV	600	225/45R19	225/45R19	105.1	62	61.9	62	45.3	4
BMW	X2 sDrive28i	STD	PV	521	225/40R20	225/40R20	105.1	61.7	61.7	61.7	45.0	4
BMW	X2 sDrive28i	V1	PV	1896	225/50R18	225/50R18	105.1	61.6	61.6	61.6	45.0	4

/lodel	Type			PC/LT	Projected	Stan	dard	Wheel-		Track width	l)	Footprint	CAFE
				Fleet	Production	Tire Dir	nension	base	front	rear	average	terral transfer	
					[#]	front	rear	inch	inch	inch	inch	[ft²]	[mpg]
BMW		X2 xDrive28i	STD	PV	823	225/40R20	225/40R20	105.1	61.7	61.7	61.7	45.0	43.01
BMW		X2 xDrive28i	V1	PV	3116	225/50R18	225/50R18	105.1	61.6	61.6	61.6	45.0	43.01
BMW		X2 xDrive28i	V2	PV	3623	225/45R19	225/45R19	105.1	61.9	61.9	61.9	45.2	42.83
BMW		X3 sDrive30i	STD	PV	916	245/45R20	275/40R20	112.8	63.4	62.8	63.1	49.4	39.44
BMW		X3 sDrive30i	V1	PV	20508	245/50R19	245/50R19	112.8	63	63.6	63.3	49.6	39.29
BMW		X3 sDrive30i	V2	PV	4641	225/60R18	225/60R18	112.8	63.8	64.4	64.1	50.2	38.85
BMW		Z4 sDrive30i	STD	PV	260	225/45R18	255/40R18	97.2	63.7	63.5	63.6	42.9	44.95
BMW		Z4 sDrive30i	V1	PV	908	255/35R19	275/35R19	97.2	62.8	62.6	62.7	42.3	45.54
BMW		Z4 sDrive30i	V2	PV	14	255/40R18	275/40R18	97.2	62.8	62.6	62.7	42.3	45.54
	Total BN	AW PC fleet			271 400								41.1

lodel	Туре		PC/LT	Projected	Stan	ndard	Wheel-		Track width		Footprint	CAFE
			Fleet	Production	Tire Dir	mension	base	front	rear	average	In the second second	
				[#]	front	rear	inch	inch	inch	inch	[ft²]	[mpg]
BMW	X3 M40i	STD	LT	7046	245/50R19	245/50R19	112.8	63.2	63.6	63.4	49.7	31.06
BMW	X3 M40i	V1	LT	3068	245/40R21	275/35R21	112.8	63.3	62.8	63	49.4	31.19
BMW	X3 M40i	V2	LT	2686	245/45R20	275/40R20	112.8	63.6	62.8	63.2	49.5	31.15
BMW	X3 xDrive30i	STD	LT	29530	245/50R19	245/50R19	112.8	63	63.6	63.3	49.6	31.1
BMW	X3 xDrive30i	V1	LT	1	245/40R21	275/35R21	112.8	63.1	62.8	63	49.4	31.19
BMW	X3 xDrive30i	V2	LT	1434	245/45R20	275/40R20	112.8	63.4	62.8	63.1	49.4	31.19
BMW	X3 xDrive30i	V3	LT	6331	225/60R18	225/60R18	112.8	63.8	64.4	64.1	50.2	30.8
BMW	X4 M40i	STD	LT	415	245/40R21	275/35R21	112.8	63.3	63.9	63.6	49.8	31.0
BMW	X4 M40i	V1	LT	365	245/45R20	275/40R20	112.8	63.6	63.9	63.8	50.0	30.9
BMW	X4 M40i	V2	LT	828	245/50R19	245/50R19	112.8	63.2	64.8	64	50.1	30.8
BMW	X4 xDrive30i	STD	LT	863	245/40R21	275/35R21	112.8	63.1	63.9	63.5	49.7	31.0
BMW	X4 xDrive30i	V1	LT	393	245/45R20	275/40R20	112.8	63.4	63.9	63.6	49.8	31.0
BMW	X4 xDrive30i	V2	LT	4264	245/50R19	245/50R19	112.8	63	64.8	63.9	50.1	30.8
BMW	X5 xDrive40i	STD	LT	2990	265/50R19	265/50R19	117.1	66.1	66.9	66.5	54.1	29.2
BMW	X5 xDrive40i	V1	LT	6584	275/40R21	315/35R21	117.1	66.1	66.5	66.3	53.9	29.3
BMW	X5 xDrive40i	V2	LT	890	275/35R22	315/30R22	117.1	66.1	66.5	66.3	53.9	29.3
BMW	X5 xDrive40i	V3	LT	34181	275/45R20	275/45R20	117.1	66.3	67.1	66.7	54.2	29.
BMW	X5 xDrive40i	V4	LT	373	265/50R19	265/50R19	117.1	66.1	66.8	66.4	54.0	29.2
BMW	X5 xDrive40i	V5	LT	1063	275/40R21	315/35R21	117.1	66.1	66.4	66.2	53.8	29.3
BMW	X5 xDrive40i	V6	LT	106	275/35R22	315/30R22	117.1	66.1	66.4	66.2	53.8	29.3
BMW	X5 xDrive40i	V7	LT	3482	275/45R20	275/45R20	117.1	66.3	67	66.6	54.2	29.
BMW	X5 xDrive50i	STD	LT	375	265/50R19	265/50R19	117.1	66.1	66.8	66.4	54.0	29.2
BMW	X5 xDrive50i	V1	LT	1581	275/40R21	315/35R21	117.1	66.1	66.4	66.2	53.8	29.3
BMW	X5 xDrive50i	V2	LT	137	275/35R22	315/30R22	117.1	66.1	66.5	66.3	53.9	29.3
BMW	X5 xDrive50i	V3	LT	2022	275/45R20	275/45R20	117.1	66.3	67	66.6	54.2	29.
BMW	X5 xDrive50i	V4	LT	39	265/50R19	265/50R19	117.1	66.1	66.9	66.5	54.1	29.2
BMW	X5 xDrive50i	V5	LT	164	275/40R21	315/35R21	117.1	66.1	66.5	66.3	53.9	29.3
BMW	X5 xDrive50i	V6	LT	13	275/35R22	315/30R22	117.1	66.1	66.4	66.2	53.8	29.3
BMW	X5 xDrive50i	V7	LT	210	275/45R20	275/45R20	117.1	66.3	67.1	66.7	54.2	29.
BMW	X6 M	STD	LT	204	285/35R21	325/30R21	115.5	65.6	65.6	65.6	52.6	29.8
BMW	X6 M	V1	LT	22	285/40R20	325/35R20	115.5	65.6	65.6	65.6	52.6	29.8
BMW	X6 sDrive35i	STD	LT	1078	275/40R20	315/35R20	115.5	65.2	65.7	65.4	52.5	29.8
BMW	X6 sDrive35i	V1	LT	510	255/50R19	255/50R19	115.5	64.6	67.2	65.9	52.9	29.7
BMW	X6 xDrive35i	STD	LT	389	285/35R21	325/30R21	115.5	65.2	65.5	65.4	52.5	29.8
BMW	X6 xDrive35i	V1	LT	1572	275/40R20	315/35R20	115.5	65.2	65.7	65.4	52.5	29.8
BMW	X6 xDrive35i	V2	LT	2233	255/50R19	255/50R19	115.5	64.6	67.2	65.9	52.9	29.7
BMW	X6 xDrive50i	STD	LT	160	285/35R21	325/30R21	115.5	65.2	65.5	65.4	52.5	29.
BMW	X6 xDrive50i	V1	LT	325	275/40R20	315/35R20	115.5	65.2	65.7	65.4	52.5	29.
BMW	X6 xDrive50i	V2	LT	310	255/50R19	255/50R19	115.5	64.6	67.2	65.9	52.9	29.7
BMW	X7 xDrive40i	STD	LT	10456	285/45R21	285/45R21	122.2	66.2	67	66.6	56.5	28.3
BMW	X7 xDrive40i	V1	LT	1613	275/40R22	315/35R22	122.2	66.5	66.5	66.5	56.4	28.3
BMW	X7 xDrive50i	STD	LT	2011	285/45R21	285/45R21	122.2	66.2	67	66.6	56.5	28.3
BMW	X7 xDrive50i	V1	LT	1023	275/40R22	315/35R22	122.2	66.5	66.5	66.5	56.4	28.3
	Total BMW LT fleet			133 340			All		7798			29.9
	Total fleet production volumes			404 740	1							

1. Passenger Cars	otal	[#]	[mpg]			AC effi	ic. credits	į.	[Mg]	[gal/mi]	Offcycle-credits	[Mg]	[gal/mi]	Total Incl.	credits,	adjusted		[mpg]							-O	7
	PC	271 400	38 2	(unadjuste	_	Track WI	44	- 1 - 1	261180	0 000666		244 887	0 000620		100		· ·	379				-	-			
Model Type		Proj.	Combined	Wheel	Front		Aver.	Footprint	Interior	Body	Base Tire	Loaded	Equiv est Weight	Dispi	No	HP SAE	Engine	Fuel System	Emission Control System	Class	No of	Over	Otal	Axie	Frontal	Road Load
		-	(mpg)	(inch)	(Inch)			(n²)	Tolding	- Cigio		(lbs)	(lbs)	(cu inch)	Cyl	net	Code	System	Conduit System	Ciaba	Gears	dille	Ratio	reacto	(ft²)	Power
230i Convertible	A	722	35 9	105 9	69 8	810	60 30	443	91 6	convertible	205/50R17	3 980	4 000	121 9	5043	248	2.0-B 6-F23	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	17	1140	Name of	24 8	2 813	22 83	12 3
230i Coune	ů.	426	33.0	105 9	69 6	810	80 30	443	99.8	sedan	205/50R17	3 880	3 626	121 9	4	248	2.0-B 6-F22	DFI	WU-TWC, TWC, WR-HO28, HO28, DFI, TC, CAC			yes	38.6	2 909	23 04	11.6
230l Coupe	A	377	37 4	106 9	68 8	81	80 30	44 3	99 6	sedan	205/50R17	3 686	3 626	121 9	4	248	2.0-B 6-F22	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24 8	3 91	23 04	12 3
2301 xDrive Convertible	A	407	35 8	105 9	69 7	81	60 40	44 4	91 6	convertible	205/50R17	4 121	4 000	121 9	4	248	2.0-B 6-F23X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24 8	2 81	22 83	13
230l xDrive Coupe 330l Sedan	A	306	38 6	106 9	69 7 82 2	61 0 61 8	80 40 82 00	44 4	107 6	sedan	205/50R17 225/ 0R19	3 812	3 760	121 9	4	248	2.0-B 6-F22X B 62001-G20-8	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24 8	2813	23 04	12 3
330i sedan 330i xDrive Gran urismo	A	16787	34 8	116 0	82 2	62 4	81 80	48 3	127 0	hatchback	225/ UR19 225/SDR18	4 3 17	4 260	121 9	4	248	20-8 6-F3 X	DFI	WILTWC, TWC, WR-HO28, HO28, DELTC, CAC			yes	24 1	2 813	24 87	12 1
330i xDrive Sedan	A	11687	37 1	112 2	822	817	82 00	48 3	107 6	sedan	225/ OR19	4 072	4 000	121 8	4	266	B 62001-G20-X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	Ĩ.	8	yes	24	2 81	23 8	13 6
3301 xDrive Sports Wagon	A	278	34 1	110 8	803	618	61 00	48 9	124 35	sm. stat on	225/50R17	4 167	4 2 6 0	121 9	4	248	2.0-B 6-F31X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24 1	2 81	23 68	13
340l xDrive Gran urlsmo	A	69	32 1	116 0	80 7	62 4	61 60	49 2	127	sedan	225/50R18	4 403	4 600	182 9	8	322	3.0-858-F3 X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 1	2 282	24 87	12 6
430I Convertible 430I Coupe	^	2784 2677	38 2	110 8	81 0 81 1	63	82 00 82 00	47 8	101 1	convertible	225/ 5R18 225/ 5R18	4 337 3 874	4 260 3 876	121 9	*	248	2.0-B 6-F33 2.0-B 6-F32	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC		8	yes	24 1	2 81	23 26 23 26	11 8
430l Coupe		81	33 6	110 6	811	83	82 00	47 8	101 1	sedan sedan	225/ 5R18	3 841	3 876	121 9	4	248	2.0-B 6-F32	DFI	WU-TWC, TWC, WR-HO28, HO28, DFI, TC, CAC	M	8	yes	35 3	3 91	23 26	11 3
430l Gran Coupe	A	9439	38 1	110 6	811	82 9	82 00	47 6	104 2	sedan	225/ 5R18	3 980	4 000	121 9	4	248	2.0-B 6-F36	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24 1	2 81	23 26	11 3
430l xDrive Convertible	A	2474	34 8	110 8	810	63 0	82 00	47 8	88	convertible	225/ 5R18	4 489	4 600	121 9	4	248	2.0-B 6-F33X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24 1	2 81	23 26	12 6
430l xDrive Coupe	A	1327	36 3	110 8	81 0	62 8	61 80	47 6	101 1	sedan	225/ 5R18	3 997	4 000	121 8	4	248	2.0-B 6-F32X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes.	24 1	2 81	23 26	12 1
4301 xDrive Gran Coupe 4401 Convertible	A	6197	35 6	110 8	81 0 81 0	62 9 63 0	82 00 82 00	47 8 47 8	104 2	sedan	225/ 5R18 225/ 5R18	4 114	4 000	121 9 182 9	4	248 322	2.0-B 6-F36X 3.0-B58-F33	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC TWC, WR-H028, H028, DFI, TC, CAC	-	8	yes	24 1	2 81	23 26 23 26	12
440I Coupe	A	843 1288	33 0	110 8	811	63 0	82 00 82 00	47 8	101 1	sedan	225/ 5R18	4 004	4 000	182 9	8	322	3.0-858-F32	DFI	TWC, WR-H028, H028, DFI, TC, CAC	Ĺ	8	yes	28 8	2 813	23 26	11 6
440l Coupe	M	88	28 4	110 8	811	63 0	82 00	47 8	101 1	sedan	225/ 5R18	3 971	4 000	182 9	8	322	3.0-858-F32	DFI	TWC, WR-H028, H028, DFI, TC, CAC	м	8	yes	38 2	3 23	23 26	11 8
440l Gran Coupe	A	2440	33 2	110 8	811	62 9	82 00	47 8	104 2	sedan	225/ 5R18	4 081	4 000	182 9	8	322	3.0-B58-F36	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	23 8	2 81	23 26	11 4
440l xDrive Convertible	A	873	31 0	110 8	81	63	82 00	47 8	88	convertible	225/ 5R18	4 628	4 760	182 9	8	322	3.0-858-F33X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	23 8	2 81	23 26	12 8
440l xDrive Coupe 440l xDrive Coupe	A.	829 185	31 7 28 0	110 6	810	62 8 62 8	61 80 61 90	47 6	101 1	sedan	225/ 5R18 225/ 5R18	4 127	4 260	182 9 182 9	8	322 322	3.0-858-F32X 3.0-858-F32X	DFI	TWC, WR-H028, H028, DFI, TC, CAC TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24	2 813	23 26 23 26	12 4
4401 xDrive Coupe	Ā	1839	32 3	110 6	810	62 8	82 00	47 8	104 2	sedan	225/ 5R18	4 222	4 260	182 9	8	322	3.0-858-F36X	DFI	TWC. WR-HO28, HO28, DFI, TC, CAC		8	yes	23 8	2 813	23 26	12 3
630e Sedan	A	10001	87 6	117 1	82 8	84	63 40	61 8	108 9	sedan	2 5/ 5R18	4 707	4 500	121 9	4	180	2.0-B 6-G3E	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 8	3 231	26 3	13 6
630e xDrive Sedan	A	4119	85 9	117 1	82 8	84	63 40	61 8	108 9	sedan	2 5/ 5R18	4 587	4760	121 9	4	180	2.0-B 6-G3XE	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 8	3 231	26 3	12 8
630I Sedan	A	4324	37 €	117.1	63	63 9	63 40	61 8	112 9	sedan	2 5/ 5R18	4 090	4 000	121 9	4	248	2.0-B 6-G30	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes.	26 6	2 829	26 3	11 6
6301 xDrive Sedan 6401 Sedan	A	6630	38 6	117 1	63 O	63 9	83 40 83 40	61 8 61 8	112 9	sedan	2 5/ 5R18	4 228 4 203	4 260	121 9	4	248 335	2.0-B 6-G30X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC TWC, WR-H028, H028, DFI, TC, CAC		8	yes	26 6	2 929	26 3 26 30	12 2
6401 xDrive Sedan	A	6081 7322	31 0	117 1	83 0	63 9	63 40	61 8	112 9	sedan	2 5/ 5R18	4 373	4 260	182 9	8	335	3.0-858-G30X	DFI	TWC, WR-HO28, HO28, DFI, TC, CAC	Ľ	8	yes	24 3	2 929	26 30	12.2
640l Gran Coupe	A	48	31 1	118 9	83 0	858	64 30	62 2	109 4	sedan	2 5/ 5R18	4 486	4 600	181 8	8	316	3.0-N55-F13	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28	3 231	24 11	12 2
640i xDrive Gran Coupe	A	38	29 4	118 9	83 0	858	64 30	62 2	109 36	sedan	2 5/ 5R18	4 630	4760	181 8	8	316	3.0-N55-F13X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 9	3 231	24 11	13 1
640l xDrive Gran urlemo	A	2691	30 0	120 9	83 7	66.0	84 40	64 1	138 8	sedan	2 5/ 5R19	4 786	4760	181 8	8	336	3.0-858-G32X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes.	24 6	3 077	27 34	14 1
860l Gran Coupe 860l xDrive Gran Coupe	A	82 46	26 1	116 9	62 8 62 8	64 4	63 60 63 40	61 B	109 4	sedan	2 5/35 275/30R20 255/35 295/30R20	4 720	4 760 6 000	268 2	8	443	N63T-F13 N63T-X13	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC 2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	-	8	yes	23 6	2 813	24 11	13 6
740e xDrive Sedan	A	229	81 9	128 4	63 4	64 6	64 00	68 2	1243	sedan	2 5/50R18	6 040	6 000	121 8	4	266	2.0-B 8-G12E	DFI	TWC, WR-H028, H028, DFI, TC, CAC	ī	8	yes	28 9	3 231	28 06	14 1
740i Sedan	A	2937	31 4	128 4	63.6	84 8	64 00	68 2	128 3	sedan	2 5/50R18	4 486	4 600	182 9	8	322	3.D-858-G12	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L.	8	yes	24 6	3 077	28 06	127
7401 xDrive Sedan	A	1292	29 7	128 4	83 4	84 8	84 00	68 2	128 3	sedan	2 5/50R18	4 881	4760	182 9	8	322	3.0-858-G12X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	24 8	3 077	28 06	13 9
760i Sedan	A	2208	27 0	128 4	83.6	848	84 00	68 2	128 3	sedan	2 5/50R18	4 802	4760	268 2	8	443	N63-G12	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC 2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	<u>-</u>	8	yes	22 4	2813	28 06 28 06	13 8
760l xOrive Sedan ALPINA B8 xOrive Gran Coupe	A	2034	28 1	118 9	62 8	63 9	83 40	68 2 61 6	109 36	sedan	2 5/50R18 255/35 295/30R20	4 923 6 080	6 000	268 2 268 2	8	443 591	N63-G12X B6X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC 2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	į.	8	yes	22 4	2813	28 06	14 3
ALPINA B7 xDrive	A	339	23 7	128 4	83 4	84 8	84 00	68 2	128 3	sedan	2 5/SOR18	6 120	6 000	268 2	8	689	N63-B7	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	į.	8	yes	22 6	2 813	28 37	18 1
Cooper Clubman	A	1633	37 6	106 1	81 6	81 8	81 60	46	110	hatchback	205/55R16	3 612	3 600	81 6	3	134	1.5-B36-F5	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	34 0	3 683	23 79	12 2
Cooper Clubman		87	37 6	105 1	81 6	81 8	81 80	46 0	110	hatchback	205/55R16	3 437	3 376	91 6	3	134	1.5-B36-F5	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M	8	AGE	43 8	3 882	23 79	118
Cooper Clubman ALL4	A	1096	34 8	106 1	81 6	61 6	61 60	46	110	hatchback	205/55R16	3 704	3 760	81 6	3	134	1.5-B36-F5	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	34 7 37 5	3 76 4 069	23 79	13 2
Cooper Clubman ALL4 Cooper Convert ble	A	4018	34 1 40 0	88 2	61 6	61 6	61 60 69 10	40 3	110 81 6	hatchback	205/55R16 175/65R15	3 871	3 626	91 6 91 6	3	134	1.5-B36-F5 1.5-B36-F57	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M	8	yes	36 1	3 683	23 79 22 28	128
Cooper Convert ble		243	413	88 2	68 1	69 1	69 10	40 3	816	convertible	175/65R15	3 168	3 126	91.6	3	134	1.5-B36-F57	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M		vec	39 9	3 421	22 28	11 3
Cooper Countryman	A	6229	38 3	106 1	81 6	818	81 60	46	1146	hatchback	225/55R17	3 680	3 626	91 6	3	134	1.5-B36-F60	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L		yes	35 1	4 103	25 84	128
Cooper Countryman		178	37 2	106 1	81 6	81 8	81 60	46	1146	hatchback	225/55R17	3 838	3 826	81 6	3	134	1.5-B36-F60	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M	8	yes	43 1	4 118	26 84	12 8
Cooper Countryman ALL4 Cooper Countryman ALL4	A M	2860	34 0	105 1	81 5 81 5	61 B	81 80 81 80	45	1146	hatchback hatchback	225/55R17 225/55R17	3 878	3 876	91 6 91 6	3	134	1.5-B36-F60 1.5-B36-F60	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC		8	yes	32 1 34 R	3 76	26 84 26 84	13 6
Cooper Countryman ALL4 Cooper Hardtop 2 Door	A	266	41 1	106 1 88 2	61 6	61 6	61 60 68 10	40 3	114 6	hatchback	175/65R15	3 810	3 626	91 6	3	134	1.5-836-F55	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC		8	yes	34 8	3 683	26 84	13 6
Cooper Hardtop 2 Door	M	684	43 0	88 2	69 1	69 1	68 10	40 3	88 9	hatchback	175/65R15	2 979	2 876	81 6	3	134	1.5-B36-F55	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M	8	yes	40 1	3 421	22 28	10 6
Cooper Hardtop 4 Door	A	4871	40 2	101 1	68 1	69 1	69 10	41 6	92 9	hatchback	175/65R15	3 148	3 126	81 6	3	134	1.5-B36-F55	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L		yes	35 4	3 683	22 28	10 9
Cooper Hardtop 4 Door		368	43 9	101 1	69 1	69 1	68 10	41 6	82 8	hatchback	175/65R15	3 093	3 000	81 6	3	134	1.5-B36-F55	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M	8	yes	40 1	3 421	22 28	10 7
Cooper 8 Clubman	A M	2012	38 0	105 1	81 4 81 4	81 6 81 6	81 40 81 40	448	110 0	hatchback	225/ 5R17 225/ 5R17	3 627	3 626	121 8	4	189	2.0-B 6-F5 2.0-B 6-F5	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	Ľ	8	yes	33 4	3 2 3 588	23 9	12 8
Cooper 8 Clubman ALL4	A	186 2381	34 1	106 1	814	81 6	81 40	448	110 0	hatchback	225/ 5R17	3 562	3 760	121 8	4	189	2.0-B 6-F5	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	33 4	3 688	23 90	12 3
Cooper 8 Clubman ALL4		364	31 9	105 1	814	816	81 40	44 8	110	halchback	225/ 5R17	3 748	3 760	121 8	4	189	2.0-B 6-F5	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M	8	yes	41 1	4 068	23 9	13
Cooper 8 Convertible	A	3612	38 2	88 2	68 6	68 6	68 60	39 9	81 6	convertible	205/ 5R17	3 331	3 260	121 8	4	189	2.0-B 6-F5X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	33 4	3 602	22 38	11 6
Cooper 8 Convertible	•	628	33 2	88 2	68 6	68 6	68 60	39 9	81 6	convertible	205/ 5R17	3 298	3 260	121 8	4	189	2.0-B 6-F5X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	м	8	Aee	41 1	3 688	22 39	11 4
Cooper 8 Countryman Cooper 8 Countryman ALL4	A	6883	36 6	106 1	81 8 81 8	817 817	81 80 81 80	45 0 45 0	1146	hatchback hatchback	225/50R18 225/50R18	3 810	3 760 4 000	121 8	4	189	2.0-B 6-F60 2.0-B 6-F60	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	27 4	32	26 84 26 84	12 7
Cooper 8 Countryman ALL4 Cooper 8 Countryman ALL4	<u>_</u>	7764 1188	32 2	106 1	818	817	81 60	45 0	1146	hatchback	225/50R18	3 920	4 000	121 8	4	189	2.0-8 6-F60 2.0-8 6-F60	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC		8	yes	34 8	4 069	25 84	13 6
Cooper 8 E Countryman ALL4	A	2419	61 3	105 1	81 8	817	81 80	46 0	112 6	hatchback	225/50R18	4 248	4 260	81 6	3	134	1.5-B38-F6H	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	34 1	3 844	26 94	13 6
Cooper 8 Hardtop 2 Door	A	6728	38 2	88 2	68 6	68 6	68 60	39 9	88 9	hatchback	195/55R16	3 131	3 126	121 8	4	189	2.0-B 6-F5X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	33 4	3 602	22 60	12
Cooper 8 Hardtop 2 Door	M	1423	38 4	88 2	68 6	68 6	68 60	39 9	88 9	hatchback	195/55R16	3 093	3 000	121 8	4	189	2.0-B 6-F5X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M	8	yes	41 1	3 688	22 60	11 9
Cooper 8 Hardtop 4 Door	A	6148 704	37 9	101 1	68 6	68 6	68 60	41 1	92 9	hatchback hatchback	195/55R16	3 262	3 260	121 8	4	189	2.0-B 6-F5X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	33 4	3 502	22 50	12 1
Cooper 8 Hardtop 4 Door Cullinan	- M	704 631	35 1 16 8	101 1	68 6 86 8	68 6 87	68 60 68 40	41 1 59 8	133 6	hatchback sedan	195/55R16 255/50 285/ 5R21	3 206 6 389	3 126 8 600	121 8	12	189	2.0-B 6-F5X N7 B68U2-RR31-X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC 2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC		6	yes	41 1 20 1	2 813	22 60 33 06	12 0
				1000										100	100					<u></u>	•	100	100			1000
Dawn	A	336	17 8	122 6	83 7	85 8	84 80	65 0	108 8	convertible	255/ 5 285/ OR20	6 135	8 000	402 3	12	683	6.6-N7 -BB	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	Yes	21 6	2813	27 45	16 2

Model Type		1000	Combined	Wheel	I	rack Wi	otth	Footprint	Interior	Body	Base Tire	Loaded	Equiv	Displ	No	HP	Engine	Fuel	Emission	ransm	No of	Over	otal	Axle	Frontal	Ro
		Sales	FE	base	Front	Rear	Aver.		Volume	Style	Size	Weight	est Weight		of	SAE	Code	System	Control System	Class	Gears	drive	Drive	Ratio	Area	Lo
			(mpg)	(Inch)	(inch)	(Inch)	(Inch)	(ft²)				(lbs)	(lbs)	(cu inch)	Cyl	net							Ratio		(ft²)	Po
nost Extended Wheelbase	A	26	17 7	138 4	63 7	85 2	84 40	61 0	131 2	sedan	255/ 5 285/ OR20	6 986	6 000	402 3	12	683	6.6-N7 -RR0X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	yes	21 6	2 813	27 99	1
	A	1497	409 4	101 2	81 9	82 0	82 00	43 8	98 6	hatchback	155/70R19	3 272	3 260			168	_		<u>=</u>	na	1	n a	120 9	9 686	26 62	
with Range Extender	A	6377	231 6	101 2	618	613	81 80	43 3	988	hatchback	155/70 175/60R19	3 678	3 626	38 6	2	168	XB 121MD-8-1	SFI	TWC, WR-H028, H028, SFI	na	1	n a	122 6	9 686	26 82	
	A	398	409 4	101 2	827	82 1	82 40	43 9	88 6	hatchback	175/55 195/50R20	3 340	3 376			181	=			na	1	na	120 9	8 686	25 84	
s with Range Extender	A	1410	231 6	101 2	827	62 1	82 40	43 9	98 6	hatchback	175/55 195/50R20	3 608	3 626	38 6	2	181	XB 121M0-S	8FI	TWC, WR-H028, H028, 8FI	na	1	na	122 8	8 686	26 84	
Coupe	A	294	63 4	110 2	84.4	87	86 70	60 3	85 8	hatchback	215/ 5 2 5/ OR20	3 801	3 760	81 6	3	228	B38K15T0-H2-X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	Vec	31	3 683	23 14	
Roadster	A	1838	63 4	110 2	84.4	87	86 70	60 3	67	convertible	215/ 5 2 5/ OR20	3 971	4 000	81 6	3	228	B38K15T0-H5-X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	31	3 683	23 14	
CW Countryman ALL4	A	897	33 6	106 1	818	817	81 80	45 0	114 6	hatchback	225/50R18	4 0 17	4 000	121 8	4	228	2.0-B 8-JCW	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	Ves	27 7	32	26 84	
CW Countryman ALL4		306	31 3	106 1	81 6	817	81 80	45 0	114 6	hatchback	225/50R18	3 931	3 876	121 8	4	228	2.0-B 8-JCW	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	M		VDE	41 2	4 068	26 84	
ohn Cooper Works Clubman ALL4	Δ.	383	34 9	105 1	811	812	81 20	44.7	110	hatchback	225/35R19	3 788	3 760	121 8		228	2.0-B 8-JCW	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC		8	VME	29 4	32	23.9	
ohn Cooper Works Clubman ALL4		135	32.0	105 1	811	812	91 20	44.7	110	hatchback	225/35R19	3 781	3 760	121 8		228	2.0-B 8-JCW	DEL	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC			war	37 3	4 068	23 8	
ohn Cooper Works Convertible	_	316	38 3	88 2	58.5	58.5	59 50	29.9	81.6	convertible	205/ SR17	3 397	3 376	121 8		228	2.0-B 8-JCW	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	7		yes	33 1	3 502	22 38	
ohn Cooper Works Convertible	2		33 1	88 2	68.6	68.6	C0 CC	39.9	816	convertible	205/ 5R17	3 384	3 376	121 8		228	2.0-B 8-JCW	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	<u>.</u>		,,,,,	44.2	3 824	22 38	
	_	124	38 7	88 2	68 6 68 6	68 6	60 60	39 9	88.8	hatrihack	205/ 5R17	3 184	3 126	121 8		228		DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	7		yes	33 3	3 502	22 38	
ohn Cooper Works Hardtop ohn Cooper Works Hardtop	2	788	33.9	88 2	686	686	66 60	00 0	88 9	THE PERSON NAMED IN COLUMN	205/ 5R17	3 184	3 126	121 8		228	2.0-B 8-JCW 2.0-B 8-JCW	DFI				yes	44 5	3 824	22 6	
	-	638	1000		-86	08.6	ed 60	20 8	103.4	hatchback						228			WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC 2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, CAC	5	•	1100		1		
2 Competition	A	721	26 2	108	82 2	63	82 80	48 1		sedan	2 5/35 265/35R19	3 955	4 000	181 8	8	406	855B30T0-F87-8	DFI		8	7	yes	30 6	3 482	23 79	
2 Competition		841	26 4	108	82 2	63	82 80	48 1	103 4	sedan	2 5/35 265/35R19	3 900	4 000	181 8	8	406	855B30T0-F87-8	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, CAC	M	8	AGE	38 6	3 482	23 79	
240i Convertible	A	404	32 1	106 9	68 7	60 4	80 00	44 1	91 6	convertible	225/ 0 2 5/35R18	4 158	4 000	182 9	8	335	3.0-858-F23	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes.	26 2	2 813	22 83	
240I Convertible		68	28 1	105 9	68 7	60 4	80 00	44 1	81 6	convertible	225/ 0 2 5/35R18	4 088	4 000	182 9	8	336	3.0-B58-F23	DFI	TWC, WR-H028, H028, DFI, TC, CAC	M	8	Aee	29 1	3 077	22 83	
240I Coupe	A	288	32 6	106 9	69 7	60 4	60 00	44 1	89 8	sedan	225/ 0 2 5/35R18	3 819	3 876	182 9	8	335	3.0-B58-F22	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	Ase	26 2	2 813	23 04	
240l Coupe	M	146	28 9	105 9	68 7	80 4	80 00	44 1	88 6	sedan	225/ 0 2 5/35R18	3 854	3 760	182 9	8	335	3.0-B58-F22	DFI	TWC, WR-H028, H028, DFI, TC, CAC	M	8	yes	29 1	3 077	23 04	
240I xDrive Convertible	A	606	31 6	105 9	69 7	80 4	80 00	44 1	818	convertible	225/ 0 2 5/35R18	4 244	4 260	182 9	8	335	3.0-B58-F23X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 2	2 813	22 83	
240l xDrive Coupe	A	341	32 4	105 9	697	60 4	80 00	44 1	88 8	sedan	225/ 0 2 5/35R18	3 962	4 000	182 8	8	335	3.0-858-F22X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 2	2 813	23 04	
4 Convertible	A	306	23 9	110 7	82 2	63 1	82 80	48 1	88 8	convertible	265/30 285/30R20	4 486	4 500	181 8	8	425	3.0-855	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, CAC	8	7	yes	30 2	3 482	24 01	
4 Convertible	M	60	26 8	110 7	82 2	63 1	82 80	48 1	99 8	convertible	265/30 285/30R20	4 410	4 500	1818	8	425	3.0-855	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, CAC	M	8	yes	38 3	3 482	24 01	
4 Coupe	A	558	26 7	110 7	82 2	63 1	82 80	48 1	101 1	sedan	265/30 285/30R20	3 986	4 000	181 8	8	425	3.0-855	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, CAC	8	7	yes	30 2	3 482	24 01	
4 Coupe	M	167	28 4	110 7	82 2	83 1	82 80	48 1	101 1	sedan	265/30 285/30R20	3 926	3 876	181 8	8	425	3.0-855	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, CAC	M	8	yes	38 3	3 482	24 01	
4 C8	A	888	24 0	110 7	82 2	83 1	82 80	48 1	101 1	sedan	265/35R19 285/30R20	3 920	3 876	181 8	8	453	3.0-855-C8	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, CAC	8	7	yes	30 2	3 482	24 22	
5 Competition	A	29	21 9	117 4	84.0	840	84.00	F2 2	112 9	sedan	275/35 285/35R20	4.870	4.750	288 2		817	8638 T -F90-X-1	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	i i	R	VMC	26	3 154	28 27	
6 Sedan	A	3178	21 9	117 4	84.0	84	84.00	F2 2	112 9	sedan	275/35 285/35R20	4 870	4760	268 2		800	863-F90	DFI	2WU-TWC, 2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	Ĩ.	8	VME	26	3 154	28 27	
660l xDrive Sedan	A	2746	28 1	117 1	83.0	82 8	92.00	61.2	112 9	sedan	2 5/ 0 275/35R19	4 372	4.750	268 2	8	ACO	N63-G30X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC			Vec	23 3	2 813	25.3	
8 Gran Coupe	A	110	20 6	118 7	04.2	83.5	00 00	61.7	109 35	sedan	265/35 295/30R20	4730	4760	268 2	8	663	963-D	DFI	2TWC 2WR-H028 2H028 DFI 2TC 2CAC		7	you	35 1	3 164	24 78	
8 Gran Coupe	-		21 9	118 7	842	83.5	00 00		109 35	sedan	265/35 295/30R20	4 896	4760	288 2	8	550	963-M	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC			you	27	3 164	24 78	
780I xDrive Sedan	A	8 285	19 9	128 4	83.8	83.7	03 80	61 /	128 3	sedan	2 5/ 0 275/35R20	5 428	5 500	402 3	12	801	6.6-N7 -G12X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC			Yes	22 8	2 813	28 06	
		1000			63.6		63 80	86 0		convertible	2 5/35 275/30R20						N63-G1 X		2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC 2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	_		2.5				
860l xDrive Convertible	A	1876	26 2	111 1	841	84 8	84 40	49 7	93 7			6 038	4 760	268 2	8	623		DFI		-	8	yes	23 6	2 813	23 9	
860l xDrive Coupe	A	1684	26 7	111 1	84 1	84 8	84 40		96	sedan	2 5/35 275/30R20	4778		268 2	8	are	N63-G15X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	-	8	yes	23 6	2 813	23 9	
antom	A	135	18 0	139 8	683	66.9	88 10	84 2	130 9	sedan	255/50 285/ 5R21	6 306	8 600	411 8	12	683	6.7-N7 -RR1X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	_	8	yes.	20 1	2 813	30 26	
antom Extended Wheelbase	A	20	18 0	122 6	83 7	85.8	84 60	66 0	141 7	sedan	255/50 285/45R21	8 433	6 600	411 8	12	683	6.7-N7 -RR1X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	yes.	20 1	2 813	30 48	
raith	A	200	18 1	122 6	83 7	65.6	84 60	66 0	112 1	sedan	255/ 0 285/35R21	6 680	6 600	402 3	12	824	6.6-N7 -RR0X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	Aee	21 6	2 813	27 34	
sDrive28I	A	7483	35 6	106 1	81 6	81 8	81 60	45 0	128 2	hatchback	225/50R18	3 843	3 876	121 8	4	228	2.0-B 6-F 8	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	27 8	32	28 48	
xDrive28I	A	14106	33 7	106 1	81 6	61 6	81 60	46 0	128 2	hatchback	225/50R18	3 997	4 000	121 8	4	228	2.0-B 6-F 8	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	27 8	32	28 48	
M36I	A	1401	34 8	105 1	82	618	82 00	45 3	1167	hatchback	225/ 5R19	4 021	4 000	121 8	4	302	B 8A20T1-F39-X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	27 8	32	26 61	
sDrive28I	A	4208	34 8	105 1	81 6	61 6	61 60	45 0	1167	hatchback	225/50R18	3 799	3 760	121 8	4	228	2.0-B 6-F398	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 3	32	26 61	
xDrive28i	A	7682	32 9	106 1	61 6	61 6	81 80	45 0	1167	hatchback	225/50R18	3 962	4 000	121 9	4	228	2.0-B 6-F39X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 3	32	26 61	
sDrive301	A	26065	34 8	1128	83 8	844	84 10	60 2	130 1	SUV	225/60R18	4 348	4 260	121 9	4	248	2.0-B 6-G01S	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 3	3 386	28 63	
4 sDrtve30(A	1182	37.7	972	828	62 8	82 70	42 3	68 2	convertible	255/35 275/35R19	3 687	3 626	121 9	4	266	B 62001-G29-S	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 9	3 164	22 28	

Model Type		Proj.	Combined	Wheel	1	rack Wid	dth	Footprint	Interior	Body	Base Tire	Loaded	Equiv	Dispi	No	HP	Engine	Fuel	Emission	ransm	No of	Over	otal	Axle	Frontal	Road
		Sales	FE	base	Front	Rear	Aver.		Volume	Style	Size	Weight	est Weight		of	SAE	Code	System	Control System	Class	Gears	drive	Drive	Ratio	Area	Loa
			(mpg)	(Inch)	(Inch)	(Inch)	(Inch)	(112)		0.00		(lbs)	(lbs)	(cu Inch)	CVI	net		200000000	ENGTHER ST. P. (1985)				Ratio		(ft ²)	Powe
2. Light Trucks	otal	[#]	[mpg]	100	100	AC effic	c. credits	0.000	[Mg]	[gal/mi]	Offcycle-credits	[Mg]	[gal/mi]	Total Incl.	credits			[mpg]								
	L	133 340	28 3						214169	0 000800		334 089	0 001248					31.2								
todel Type		Proj.		Wheel	1	rack Wid	dth	Footprint	Interior	Body	Base Tire	Loaded	Equiv	Dispi	No	HP	Engine	Fuel	Emission	ranem	No of	Over	otal	Axle	Frontal	Roa
		Sales		base	Front	Rear	Aver.		Volume	Style	Size	Weight	est Weight		of	SAE net	Code	System	Control System	Class	Gears	drive	Drive	Ratio	Area	Loa
		200000		(Inch)	(Inch)	(Inch)	(Inch)	(ft²)	THE RESERVE	v (=30504)	275,000	(lbs)	(lbs)	(cu inch)	Cyl	10/13/12/20	Moste	0.0250000	States Sept. And States Sept.	1000000	200000	CHESTER	Ratio	0403900	(ft²)	Powe
3 xDrive30I	A	37296	32 8	1128	63.8	844	84 10	60 2	130 1	SUV	225/60R18	4 487	4 600	121 9	4	248	2.0-B 6-G01X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 3	3 386	28 63	14 1
3 M401	A	12800	29 9	1128	83 2	63 6	83 40	49 7	na	SUV	2 5/SOR19	4 818	4 600	182 9	8	355	3.0-858-G01X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 1	3 386	28 63	16 1
64 M40I	A	1608	29 8	1128	63.2	848	64 00	60 1	na	SUV	2 S/SDR19	4 623	4 500	182 9	8	355	3.0-B58-G02X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 1	3 386	27 88	14 9
(4 xDrive30)	A	6620	32 2	1128	63 0	848	63 90	60 1	na	SUV	2 5/50R19	4 447	4 600	121 9	4	248	2.0-B 6-G02X	DFI	WU-TWC, TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 3	3 386	27 88	14 1
(6 xDrive40)	A	49889	28	117 1	88 1	88 9	88 50	64 1	n a	SUV	265/50R19	6 113	6 000	182 9	8	335	3.0-B58-G05X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	25 3	3 386	31 22	16 1
(6 xDrive60)	A	4541	22 6	117 1	88 1	888	68 40	64 0	na	SUV	265/50R19	6 470	6 600	268 2	8	458	N63-G05X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	yes	23 6	3 164	31 22	17 1
(8 M	A	228	20 7	116 6	86 8	85 8	86 80	62 8	na	SUV	285/35 325/30R21	6 486	6 600	268 2	8	687	F8X-863	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	yes	24 1	3 164	31 11	20 3
(8 cDrive36)	A	1688	28 7	116 6	84 8	87 2	86 90	62 9	na	SUV	255/50R19	4 886	6 000	181 8	8	302	3.0-N55-F16	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 0	3 164	30 48	17 1
(8 xDrtve36)	A	4184	28 4	116 6	84 8	87 2	86 90	62 9	n a	SUV	255/50R19	6 006	6 000	181 8	8	302	3.0-N55-F16X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	26 0	3 164	30 48	17 6
8 xDrtve601	A	786	22 2	116 6	84 8	872	86 80	62 8	na	SUV	255/50R19	6 380	6 600	288 2	8	443	N63-F16	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	yes	24 1	3 164	30 48	18 2
(7 xDrive40)	A	12089	27 2	122 2	88 2	87 0	88 60	68 6	na	SUV	285/ 5R21	6 870	6 000	182 9	8	335	3.0-858-G07X	DFI	TWC, WR-H028, H028, DFI, TC, CAC	L	8	yes	28 1	3 638	32 29	17 3
(7 xDrtve60)	A	3034	22	122 2	88 2	870	68 80	68 6	n a	SUV	285/ 5R21	6 9 17	6 500	268 2	8	458	N63-G07X	DFI	2TWC, 2WR-H028, 2H028, DFI, 2TC, 2CAC	L	8	yes	24 2	3 386	32 29	18 1

Off-highway-operation capability 49 CFR Part 537.7 (C) (5) (ii)





eatures for qualifying as off-road	(A)	(B)			(0)		Light Truc
n accordance with 523.5 (b) ight Truck (non passenger car): (A) <u>or</u> (B) nd at least four characteristics out of (C)	4-wheel drive	gross vehicle weight > 6,000 pounds	(1) Approach angle ≥ 28°	(2) Breakover angle ≥ 14°	(3) Departure angle ≥ 20°	(5) Running clearance ≥ 20 cm	(4) min. Front & Rear Axle clearance ≥ 18 cm	qualification
odel Types				N. 276200-0	2 (1800-200 A)	×	(40.00 40.00 50.00	
BMW X3 xDrive30i	Yes	5258	23.1	17.4	21.4	20.4	18.2	Yes
BMW X3 M40i	Yes	5412	22.6	17.4	21.4	20.4	18.2	Yes
BMW X4 xDrive30i	Yes	5225	22.5	17.4	20	20.4	18.2	Yes
BMW X4 M40i	Yes	5401	22.5	17.4	20	20.4	18.2	Yes
BMW X5 xDrive40i	Yes	6162	23.9	19.1	21.6	21.1	18.7	Yes
BMW X5 xDrive50i	Yes	6460	23.9	19.1	21.6	21.1	18.7	Yes
BMW X6 sDrive35i	No	6010	22.4	16.9	20.7	21.2	18.5	Yes
BMW X6 xDrive35i	Yes	6100	22.4	16.9	20.7	21.2	18.5	Yes
BMW X6 xDrive50i	Yes	6400	22.4	16.9	20.7	21.2	18.5	Yes
BMW X6 M	Yes	6505	18.3	16.9	20.3	20.5	18.5	Yes
BMW X7 xDrive40i	Yes	6989	23.1	17.1	20.5	22.8	20.4	Yes
BMW X7 xDrive50i	Yes	7253	23.1	17.1	20.5	22.8	20.4	Yes

	- i							-	VC Efficienc	<u> </u>							Off	fcycle Cr	redits		
Veh. Fleet	Model	Trans.	Prod. Vol.	I. Reduc'd Reheat with variable displ compressor	fixed displ or	Recirc with feedback	L. Default to Recirc without feedback sensor	M. Efficient Blower Motor Controls	N. Internal Heat Exchanger	O. Improved Condensor and/or Evaporator	P. Oil Separator	Q. Total Menu-base Credits	R. Cap- Limited Credits [Q-capped ed at 5.0/7.2 max]	Total	Engine idle start-	Thermal Control	Active Aero Dynamics	Effic.	Active Engine warm up	Total	Total
	30000000			1.5/2.2 gpm	1.0/1.4 gpm	1.5/2.2 gpm	1.0/1.4 gpm	0.8/1.0 gpm	1.0/1.4 gpm	1.1 gpm	0.5/0.7 gpm	gpm	gpm	MG	g/mi	g/mi	g/mi	g/mi	g/mi	g/mi	MG
PV	Cooper Clubman	AT	1633	1.5		9784	1.0	0.8	1.0	-	0.5	4.8	4.8	1531	0	2.1	0	0.2	0	2.3	733
PV	Cooper Clubman	MT	87	1.5			1.0	0.8	1.0		0.5	4.8	4.8	82	0	2.1	0	0.2	0	2.3	39
PV	Cooper Clubman ALL4	AT	1095	1.5			1.0	0.8	1.0		0.5	4.8	4.8	1026	0	2.1	0	0.2	0	2.3	492
PV	Cooper Clubman ALL4	MT	123	1.5			1.0	0.8	1.0		0.5	4.8	4.8	115	0	2.1	0	0.2	0	2.3	55
PV	Cooper Convertible	AT	4016	1.5			1.0	0.8	1.0		0.5	4.8	4.8	3764	0	2.1	0	0.1	0	2.2	1725
PV	Cooper Convertible	MT	243	1.5			1.0	0.8	1.0		0.5	4.8	4.8	228	0	2.1	0	0.1	0	2.2	104
PV	Cooper Countryman	AT	5229	1.5			1.0	0.8	1.0		0.5	4.8	4.8	4901	0	2.1	0	0.1	0	2.2	2246
PV	Cooper Countryman	MT	176	1.5			1.0	0.8	1.0		0.5	4.8	4.8	165	0	2.1	0	0.1	0	2.2	76
PV	Cooper Countryman ALL4	AT	2850	1.5			1.0	0.8	1.0		0.5	4.8	4.8	2671	0	2.1	0	0.1	0	2.2	1224
PV	Cooper Countryman ALL4	MT	266	1.5			1.0	0.8	1.0		0.5	4.8	4.8	249	0	2.1	0	0.1	0	2.2	114
PV	Cooper Hardtop 2 Door	AT	6668	1.5			1.0	0.8	1.0		0.5	4.8	4.8	6250	0	2.1	0	0.4	0	2.5	3255 334
PV	Cooper Hardtop 2 Door Cooper Hardtop 4 Door	AT	684 4971	1.5 1.5			1.0	0.8	1.0		0.5	4.8	4.8 4.8	641 4659	0	2.1	0	0.4	0	2.5	2135
PV	Cooper Hardtop 4 Door	MT	368	1.5			1.0	0.8	1.0		0.5	4.8	4.8	345	0	2.1	0	0.1	0	2.2	158
PV	Cooper S Clubman	AT	2012	1.5			1.0	0.8	1.0		0.5	4.8	4.8	1886	0	2.1	0	0.2	0	2.3	904
PV	Cooper S Clubman	MT	185	1.5			1.0	0.8	1.0		0.5	4.8	4.8	155	0	2.1	0	0.2	0	2.3	74
PV	Cooper S Clubman ALL4	AT	2381	1.5			1.0	0.8	1.0		0.5	4.8	4.8	2232	0	2.1	0	0.1	0	2.2	1023
PV	Cooper S Clubman ALL4	MT	354	1.5			1.0	0.8	1.0		0.5	4.8	4.8	332	0	2.1	0	0.1	0	2.2	152
PV	Cooper S Convertible	AT	3512	1.5			1.0	0.8	1.0		0.5	4.8	4.8	3292	0	2.1	0	0.1	0	2.2	1509
PV	Cooper S Convertible	MT	526	1.5			1.0	0.8	1.0		0.5	4.8	4.8	493	0	2.1	0	0.1	0	2.2	226
PV	Cooper S Countryman	AT	5883	1.5			1.0	0.8	1.0		0.5	4.8	4.8	5514	0	2.1	0	0.4	0	2.5	2872
PV	Cooper S Countryman ALL4	AT	7754	1.5			1.0	0.8	1.0		0.5	4.8	4.8	7268	0	2.1	0	0.4	0	2.5	3785
PV	Cooper S Countryman ALL4	MT	1166	1.5			1.0	0.8	1.0		0.5	4.8	4.8	1093	0	2.1	0	0.1	0	2.2	501
PV	Cooper S E Countryman ALL4	AT	2419	1.5			1.0	0.8	1.0		0.5	4.8	4.8	2267	0	2.1	0	0.1	0	2.2	1039
PV	Cooper S Hardtop 2 Door	AT	5729	1.5			1.0	0.8	1.0		0.5	4.8	4.8	5370	0	2.1	0	0.1	0	2.2	2461
PV	Cooper S Hardtop 2 Door	MT	1423	1.5			1.0	0.8	1.0		0.5	4.8	4.8	1334	0	2.1	0	0.1	0	2.2	611
PV	Cooper S Hardtop 4 Door	AT	5146	1.5			1.0	0.8	1.0		0.5	4.8	4.8	4823	0	2.1	0	0.2	0	2.3	2311
PV	Cooper S Hardtop 4 Door	МТ	704	1.5			1.0	0.8	1.0		0.5	4.8	4.8	660	0	2.1	0	0.2	0	2.3	316
PV	JCW Countryman ALL4	MT	897	1.5			1.0	0.8	1.0		0.5	4.8	4.8	841	0	2.1	0	0.2	0	2.3	403 137
PV	JCW Countryman ALL4 John Cooper Works Clubman ALL4	AT	305 383	1.5 1.5			1.0	0.8	1.0		0.5	4.8	4.8	286 359	0	2.1	0	0.2	0	2.3	165
PV	John Cooper Works Clubman ALL4	MT	135	1.5			1.0	0.8	1.0		0.5	4.8	4.8	127	0	2.1	0	0.1	0	2.2	58
PV	John Cooper Works Convertible	AT	316	1.5			1.0	0.8	1.0		0.5	4.8	4.8	296	0	2.1	0	0.8	0	2.9	179
PV	John Cooper Works Convertible	MT	124	1.5			1.0	0.8	1.0		0.5	4.8	4.8	116	0	2.1	0	0.1	0	2.2	53
PV	John Cooper Works Hardtop	AT	788	1.5			1.0	0.8	1.0		0.5	4.8	4.8	739	0	2.1	0	0.1	0	2.2	339
PV	John Cooper Works Hardtop	MT	638	1.5			1.0	0.8	1.0		0.5	4.8	4.8	598	0	2.1	0	0.1	0	2.2	274
PV	Dawn	AT	335	1.5		1.5		0.8				3.8	3.8	249	0	1.2	0	0	0	1.2	78
PV	Ghost	AT	165	1.5		1.5		0.8				3.8	3.8	122	0	1.2	0	0	0	1.2	39
PV	Ghost Extended Wheelbase	AT	25	1.5		1.5		0.8				3.8	3.8	19	0	1.2	0	0	0	1.2	6
PV	Wraith	AT	200	1.5		1.5		0.8	No. of the last of		200	3.8	3.8	148	0	1.2	0	0	0	1.2	47
PV	Phantom	AT	135	1.5		1.5		0.8	1.0		0.5	5	5	132	0	1.2	0	1	0	2.2	58
PV	Phantom Extended Wheelbase	AT	20	1.5		1.5		0.8	1.0		0.5	5	5	20	0	1.2	0	1	0	2.2	9
PV	Cullinan	AT	631	1.5		1.5		0.8	1.0		0.5	5	5	616	0	1.2	0	1	0	2.2	271
PV	230i Convertible 230i Coupe	MT	425 49	1.5 1.5		1.5		0.8	1.0		0.5	5	5	415	0	2.1	0	1	0	3.1	257 30
PV	230i Coupe	AT	377	1.5		1.5		0.8	1.0		0.5	5	5	368	0	2.1	0	1	0	3.1	228
PV	230i coupe 230i xDrive Convertible	AT	407	1.5		1.5		0.8	1.0		0.5	5	5	397	0	2.1	0	1	0	3.1	246
PV	230i xDrive Coupe	AT	305	1.5		1.5		0.8	1.0		0.5	5	5	298	0	2.1	0	1	0	3.1	185
PV	330i Sedan	AT	15767	1.5		1.5		0.8	1.0		0.5	5	5	15394	2.5	2.1	0	1	1.5	7.1	21859
PV	330i xDrive Gran Turismo	AT	164	1.5		1.5		0.8	1.0		0.5	5	5	160	0	2.1	0	1	0	3.1	99
PV	330i xDrive Sedan	AT	11587	1.5		1.5		0.8	1.0		0.5	5	5	11313	2.5	2.1	0	1	1.5	7.1	16064
PV	330i xDrive Sports Wagon	AT	278	1.5		1.5		0.8	1.0		0.5	5	5	271	0	2.1	0	1	0	3.1	168
PV	340i xDrive Gran Turismo	AT	59	1.5		1.5		0.8	1.0		0.5	5	5	58	0	2.1	0	1	0	3.1	36
PV	430i Convertible	AT	2764	1.5		1.5		0.8	1.0		0.5	5	5	2699	0	2.1	0	1	0	3.1	1673
PV	430i Coupe	AT	2577	1.5		1.5		0.8	1.0		0.5	5	5	2516	0	2.1	0	1	0	3.1	1560
	430i Coupe	MT	81	1.5		1.5		0.8	1.0		0.5	5	5	79	0	2.1	0		0	3.1	49

FV Add Afform Computable AT 3217 1.5 1.5 0.8 1.0 0.5 5 5 2418 0 2.1 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 2418 0 2.1 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 2418 0 2.1 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 2418 0 2.1 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 2418 0 2.1 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 2.2 0 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 2.2 0 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 5 2.2 0 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 2.2 0 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 5 5 5 2.2 0 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5 0.5 5 5 2.2 0 0 1 0 3.1 1.5 1.5 0.8 1.0 0.5										_	_				_				
PY ASSISTANCE Corpor AT 127 1.5 1.5 0.5 1.5 0.5 0.5 0.7	PV	430i Gran Coupe	AT	9439	1.5	1.5	0.8	1.0	0.5	5	5	9215	0	2.1	0	1	0	3.1	5714
PY				2750700								7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	157		730				1498
PV Add Cope													100 E			1			803 3146
PV 4486 Corps	27,27				52.00					100	1	1.60	_		-		-		510
PY 448 Couple MT 88 15 15 0.8 1.0 0.0 5 5 84 0 2.1 0 1 0 3.1 1 1 1 1 1 1 1 1 1	200			100000000	37375					200	1	1000000000	100			1000	-		766
PV 4486 febre covertible 15											4.7.1		0.00		-		-		52
PV 4404 Abhre Competible AT 173 15 15 15 15 10 10 05 5 803 0 2.1 0 1 0 3.1				35/30	2.100000					1	100	200	107		7	2.0			1477
PV A480 inflience cope										1000	1	1000000	100		7.3		100		528
PV 4486 Affine Cope													157		57	200			502
PV Side Selection										5		(C)	0		0	1	0		112
PV Sile Selean AT 10001 1.5 1.5 0.8 1.0 0.5 5 5 57844 2.5 2.1 1.7 1 0 7.3 1.5 7.3 1.5 7.3 1.5 7.3 1.5 7.3 1.5 7.3 1.5 7.3 1.5 7.3 1.5 7.3 1.5 7.3 1.5 7.3 7.	PV			The second second						5		1893	0		0	1	0		1174
PV S38 Stafer 45 Am AT 419 15 15 0.8 1.0 0.5 5 5 4071 2.5 2.1 1.7 1 0 7.3 9.7	PV		AT	10001	1.5	1.5	0.8	1.0	0.5	5	5	9764	2.5	2.1	1.7	1	0	7.3	14256
PV Side athrie Sedan	PV	530e xDrive Sedan	AT	4119	1.5	1.5	0.8	1.0	0.5	5	5	4021	2.5	2.1	1.7	1	0	7.3	5871
PV 3468 Schedar AT 2009 1.5 1.5 0.8 1.0 0.5 5 5 5917 2.5 1.9 1.7 0.9 0 7 1.9 PV 3468 Chrise Sedan AT 7222 1.5 1.5 0.8 1.0 0.5 5 5 7449 2.5 1.9 1.7 0.9 0 7 1.5 PV 4648 Chrise Gear Coupe AT 46 1.5 1.5 0.8 1.0 0.5 3.8 3.8 3.8 3.4 0 1 0 1 1.5 3.5 PV 4648 Chrise Sedan AT 222 1.5 1.5 0.8 1.0 0.5 1.8 3	PV	530i Sedan	AT	4324	1.5	1.5	0.8	1.0	0.5	5	5	4222	2.5	2.3	1.7	0.9	0	7.4	6248
PV Side Schrier-Schale AT 7322 1.5 1.5 0.8 1.0 0.5 5 5 7149 2.5 1.9 1.7 0.9 0 7 7 1.5 1.5 0.8 0.8	PV	530i xDrive Sedan	AT	5530	1.5	1.5	0.8	1.0	0.5	5	5	5399	2.5	2.3	1.7	0.9	0	7.4	7991
PV 6484 60cm Cloups												0.000				200	-		8284
PV Start Michigan Course	7000							1.0	0.5								100000000000000000000000000000000000000		10008
PV Cash Schrier Cara Turismo					F 1 (2007)							14-74-70	100		78				31
PV Soli Gran Coupe									199						7				25
PV Value Solve Sedan								1.0	0.5	25 4	1	100 A				•	7.5		3542
PV 746 schrive Sedan AT 220 1.5 1.5 0.8 1.0 0.5 5 5 224 0 1.2 1.6 1 0 3.8 PV 740 schrive Sedan AT 1202 1.5 1.5 0.8 1.0 0.5 5 5 5 287 0 1.4 1.6 1 0 4 4 PV 740 schrive Sedan AT 1202 1.5 1.5 0.8 1.0 0.5 5 5 5 287 0 1.4 1.6 1 0 4 4 PV 736 schrive AT 720 1.5 1.5 0.8 1.0 0.5 5 5 5 287 0 1.1 1.6 1 0 4 PV 738 schrive Sedan AT 2004 1.5 1.5 0.8 1.0 0.5 5 5 5 281 PV 738 schrive Sedan AT 2004 1.5 1.5 0.8 1.0 0.5 5 5 281 PV 748 schrive Sedan AT 2004 1.5 1.5 0.8 1.0 0.5 5 5 281 PV ALPA Schrive Sedan AT 2004 1.5 1.5 0.8 1.0 0.5 5 5 281 PV ALPA Schrive Sedan AT 2004 1.5 1.5 0.8 0.0 0.0 0.5 0.5 0.8 PV MAGO Convertible AT 404 1.5 1.5 0.8 0.8 0.0 0.5 5 5 284 0.0 2.1 0.0 0.8 0.2 PV M240 Convertible AT 2004 1.5 1.5 0.8 0.8 0.0 0.5 5 5 284 0.0 2.1 0.0 0.8 0.2 PV M240 Convertible AT 200 AT	2000				27.37.3							10000	107		7	1000			42
PV 746 Sedan	50.00							1.0	0.5				100						31 170
PV 746 Ethrie Sedan					123836							272.000	13			32	100		2294
PV T508 sedan	7000												10.00			10000	(T)		1009
PV ALPINA BR Schrier Gan Cauge AT 2054 1.5 1.5 0.8 1.0 0.5 5 5 1986 0 1 1.6 1 1.5 5.1 2 2 2 1.5 1.5 0.8 1.0 0.5 5 5 334 0 2.1 1.0 1 1.5 5.1 2 2 2 2 2 2 2 2 2				3000 BUS -	0.000000					27		N. 10 C. 10	100					120	2240
PV ALPINA Bis Other Gran Coupe PV ALPINA Bis Other Gran Coupe PV ALPINA Bis Other Gran Coupe PV ALPINA Bis Other AT 33 1.5 1.5 0.8 1.0 0.5 5 5 331 0 2.1 1.6 1 1.5 0.8 1.0 0.5 5 5 331 0 2.1 1.6 1 1.5 0.8 0												No. of the last of							2026
PV M2 Competition AT AT AT AT AT AT AT A								200	N. C. C.	2 2		100000000000000000000000000000000000000	0	2.1		1			20
PV MZ Competition MT M2 Competition MT M3 M2 Competition MT M3 M3 M3 M3 M3 M3 M3	PV							1.0	0.5			200	0			1			410
PV M240 Convertible AT 404 1.5 1.5 0.8 1.0 0.5 5 5 394 0 2.1 0 1 0 3.1	PV	M2 Competition	AT	721			0.8			3.8	3.8	535	0	2.1		0.8			408
PV MZ401 Couper MT 200 1.5 1.5 0.8 1.0 0.5 5 5 5 64 0 2.1 0 1 0 3.1	PV	M2 Competition	MT	641	1.5	1.5	0.8			3.8	3.8	476	0	2.1	0	0.8	0	2.9	363
PV M260 (Coupe AT 200 1.5 1.5 0.8 1.0 0.5 5 5 292 0 2.1 0 1 0 3.1	PV	M240i Convertible	AT	404	1.5	1.5	0.8	1.0	0.5	5	5	394	0	2.1	0	1	0	3.1	245
PV M240i Drive Convertible AT 505 15 15 15 0.8 1.0 0.5 5 5 142 0 2.1 0 1 0 3.1										100	10.7		1 T		0	1			40
PV M260i xDrive Convertible AT 361 15 15 0.8 1.0 0.5 5 5 433 0 2.1 0 1 0 3.1 1.7 PV M260i xDrive Coupe AT 341 15 1.5 0.8 1.0 0.5 5 5 5 333 0 2.1 0 1 0 3.1 1.7 PV M4 Convertible AT 306 1.5 1.5 0.8 3.8 3.8 3.8 227 0 2.1 0 1 0 3.1 1.7 PV M4 Convertible AT 506 1.5 1.5 0.8 3.8 3.8 3.8 3.8 227 0 2.1 0 1 0 3.1 1.7 PV M4 Coupe AT 556 1.5 1.5 0.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3				53000	27.00					-	1	2000000		100000	77		-		181
PV M24ii 2Drive Coupe AT 34i 1.5 1.5 0.8 1.0 0.5 5 5 333 0 0 2.1 0 1 0 3.1 PV M4 Convertible AT 306 1.5 1.5 0.8 3.8 3.8 3.8 327 0 2.1 0 1 0 3.1 PV M4 Convertible MT 50 1.5 1.5 0.8 3.8 3.8 3.8 3.8 3.8 3.7 0 2.1 0 1 0 3.1 PV M4 Coupe AT 556 1.5 1.5 0.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3				0.000000	27.37.3					200	100	1,000	87		7	1000	-		88
PV M4 Convertible MT 50 1.5 1.5 0.8 3.8 3.8 227 0 2.1 0 1 0 3.1 PV M4 Convertible MT 50 1.5 1.5 0.8 3.8 3.8 3.8 37 0 2.1 0 1 0 3.1 PV M4 Coupe MT 556 1.5 1.5 0.8 3.8 3.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 PV M4 Coupe MT 157 1.5 1.5 0.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 PV M4 Coupe MT 157 1.5 1.5 0.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 PV M5 Competition AT 20 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 30 1.5 1.5 0.8 1.0 0.5 5 5 5 380 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 380 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 380 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 0.9 0 3.9 PV M5 Competition AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 3 0 1 1.5 7.5 4.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 2.5 2.5 0 1 1 1.5 7.5 4.5 1.5 0.8 1.0 0.5 5 5 5 2.8 0 2.5 2.5 0 1 1 1.5 7.5 4.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.2 0.2 0.2 2.3 1.0 0.1 1.5 8 2.2 1.0 0.4 1.0 0.2 0.2 2.3 1.0 0.4 1.5 8.2 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.4 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.2 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5 0.2 1.0 0.4 1.5 1.5 0.8 1.0 0.5 5 5 5 1.8 1.5	5 7 5 7									2000			0.5						306
PV M4 Coupe AT 50 1.5 1.5 0.8 3.8 3.8 3.7 0 2.1 0 1 0 3.1 PV M4 Coupe AT 560 1.5 1.5 0.8 3.8 3.8 3.8 413 0 2.1 0 1 0 3.1 PV M4 Coupe AT 560 1.5 1.5 0.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 PV M4 Coupe AT 560 1.5 1.5 0.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 PV M4 CS AT 800 1.5 1.5 0.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 PV M5 Competition AT 20 1.5 1.5 0.8 1.0 0.5 5 5 28 0 3 0 0.9 0 3.9 PV M5 Competition AT 20 1.5 1.5 0.8 1.0 0.5 5 5 28 0 3 0 0.9 0 3.9 PV M5 Competition AT 20 1.5 1.5 0.8 1.0 0.5 5 5 28 0 3 0 0.9 0 3.9 PV M5 Competition AT 20 1.5 1.5 0.8 1.0 0.5 5 5 28 0 2.5 2.5 0 1 1.5 7.5 4 1.5 1.5 1.5 0.8 1.0 0.5 5 5 5 28 0 2.5 2.5 0 1 1.5 7.5 4 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5					2.000			1.0	0.5	2.7		C-12	95		7	2.0			206 185
PV M4 Coupe MT 157 1.5 1.5 0.8 3.8 3.8 413 0 2.1 0 1 0 3.1 2 PV M4 Coupe MT 157 1.5 1.5 0.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 2 PV M4 Coupe MT 157 1.5 1.5 0.8 3.8 3.8 3.8 116 0 2.1 0 1 0 3.1 2 PV M5 Competition AT 29 1.5 1.5 0.8 1.0 0.5 5 5 2 PV M5 Competition AT 317 1.5 1.5 0.8 1.0 0.5 5 5 5 28 0 3 0 0.9 0 3.9 2 PV M5 Sedan AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 3101 0 3 0 0.9 0 3.9 2 PV M6 Gran Coupe AT 110 1.5 1.5 0.8 1.0 0.5 5 5 5 2 PV M6 Gran Coupe AT 110 1.5 1.5 0.8 1.0 0.5 5 5 5 2 PV M6 Gran Coupe AT 110 1.5 1.5 0.8 1.0 0.8 1.0 0.5 5 5 5 2 PV M760 ixDrive Sedan AT 285 1.5 1.5 0.8 1.0 0.8 1.0 0.5 5 5 5 2 PV M760 ixDrive Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV M760 ixDrive Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV M850 ixDrive Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV M850 ixDrive Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV M850 ixDrive Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV M850 ixDrive Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV M850 ixDrive Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X t x Drive28i AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV X x Drive28i AT 150 1.5 0.8 1.0 0.5 5 5 5 1 PV	200												163		70	2 17 16	100		30
PV M4 Coupe MT NT												100	100		56	200			337
PV MS Competition AT 29 1.5 1.5 0.8 1.0 0.5 5 5 28 0 3 0 0.9 0 3.9 2 PV MS Gedan AT 3170 1.5 1.5 0.8 1.0 0.5 5 5 5 3101 0 3 0 0.9 0 3.9 2 PV MS Sedan AT 2745 1.5 1.5 0.8 1.0 0.5 5 5 5 3101 0 3 0 0.9 0 3.9 2 PV MS Gran Coupe AT 110 1.5 1.5 0.8 1.0 0.5 5 5 5 288 2.5 2.5 0 1 1 1.5 7.5 4.8 1.9 1.5 1.5 0.8 1.0 0.5 5 5 5 288 2.5 2.5 0 1 1 0 3.1 1.5 1.5 0.8 1.0 0.5 1.5 0.8 1.0 0.5 5 5 5 288 2.5 3 1.6 1 0 3.1 PV MS Gran Coupe MT 0 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 1.6 1 0 3.1 PV MS Gran Coupe AT 150 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1 1.5 8 2 PV MS Gran Coupe AT 1504 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1 1.5 8 2 PV MS Gran Coupe AT 1504 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1 1.5 8 2 PV MS Gran Coupe AT 1504 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1 1.5 8 2 PV MS Gran Coupe AT 1504 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1 1.5 8 2 PV X1 s Drive 28i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.2 0 2.3 6 PV X2 MS Gran Coupe AT 1400 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.2 0 2.3 6 PV X2 MS Gran Coupe AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.4 0.5 5 4 PV X2 MS Gran Coupe AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.4 0.5 5 4 PV X2 MS Gran Coupe AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.4 0.5 5 4 PV X2 MS Gran Coupe AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.4 0.5 5 4 PV X2 MS Gran Coupe AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 4 PV X2 MS Gran Coupe AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 4 PV X2 MS Gran Coupe AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 4 PV X3 S Drive 28i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 4 PV X3 S Drive 28i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 4 PV X3 S Drive 28i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 4 PV X3 S Drive 28i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 4 PV X3 S Drive 28i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 5 1387 0 2.1 0 1 1 0 3.1 1 0 0 0.3 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													13			33			95
PV MS Sedan AT 3770 1.5 1.5 0.8 1.0 0.5 5 5 28 0 3 0 0.9 0 3.9 PV MS Sedan AT 3770 1.5 1.5 0.8 1.0 0.5 5 5 3101 0 3 0 0.9 0 3.9 PV MS Sedan AT 3770 1.5 1.5 0.8 1.0 0.5 5 5 3101 0 3 0 0.9 0 3.9 PV MS Sedan AT 2745 1.5 1.5 0.8 1.0 0.5 5 5 5 2880 2.5 2.5 0 1 1.5 7.5 4 PV MS Gran Coupe AT 110 1.5 1.5 0.8 1.0 0.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3				3999999	27.00							F ()	100		77	33	-		524
PV MSSedan AT 3179 1.5 1.5 0.8 1.0 0.5 5 5 3101 0 3 0 0.9 0 3.9 2 PV MSS0ix Drive Sedan AT 2745 1.5 1.5 0.8 1.0 0.5 5 5 5 2680 2.5 2.5 0 1 1.5 7.5 4 PV M6 Gran Coupe AT 110 1.5 1.5 0.8 1.0 0.5 5 5 5 2680 2.5 2.5 0 1 1.5 7.5 4 PV M6 Gran Coupe MT 6 1.5 1.5 0.8 3.8 3.8 3.8 4 0 2.1 0 1 0 3.1 PV M6 Gran Coupe MT 6 1.5 1.5 0.8 3.8 3.8 3.8 4 0 2.1 0 1 0 3.1 PV M760i xDrive Sedan AT 295 1.5 1.5 0.8 1.0 0.5 5 5 5 288 2.5 3 1.6 1 0 3.1 PV M850i xDrive Convertible AT 1876 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 1.6 1 0 3.1 PV M850i xDrive Convertible AT 1876 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1.5 8 2 PV M850i xDrive Convertible AT 1694 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1.5 8 2 PV X1 xDrive28i AT 1405 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 3 0 1 1.5 8 2 PV X2 xDrive28i AT 1401 1.5 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1 PV X2 xDrive28i AT 4008 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 1 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 7 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 7 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 0.1 1.5 0.8 1.0 0.5 5 7 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 5 1368 2.5 2.1 0 0 0.4 1.5 0.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 5 1368 2.5 2.1 0 0 0.2 1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 5 1368 2.5 2.1 0 0 0.2 1 0 1 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 5 1368 2.5 2.1 0 0 0.2 1 0 1 0 3.1 1.5 0.8 1.0 0.5 5 5 5 5 1368 2.5 2.1 0 0 0.2 1 0 1 1 0 3.1								1.0	0.5			- Contract	10.00		780	100 100 100			22
PV M6 Gran Coupe MT 6 1.5 1.5 0.8 3.8 3.8 82 0 2.1 0 1 0 3.1 PV M6 Gran Coupe MT 6 1.5 1.5 0.8 3.8 3.8 3.8 4 0 2.1 0 1 0 3.1 PV M760 ixDrive Sedan AT 295 1.5 1.5 0.8 1.0 0.5 5 5 288 2.5 3 1.6 1 0 3.1 PV M850 ixDrive Convertible AT 1870 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1.5 8 2 PV M850 ixDrive Coupe AT 1594 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1.5 8 2 PV X1 sDrive28i AT 14105 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 0.2 1 0 0.2 0 2.3 3 PV X2 M35i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 0.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 4 PV X2 M35i AT 1401 1.5 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 4 PV X2 M35i AT 2608 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 4 PV X2 SDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X2 SDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 sDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 sDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 0.4 0 5 7 PV X3 sDrive30i AT 26085 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1.5 4.6 1 PV 3 swith Range Extender AT 3677 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV 3 swith Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 3.1 0 PV 3 swith Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 3.1 0 PV 3 swith Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 3.1 0 PV 3 swith Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 3.1 0 PV 3 swith Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 3.1 0 0.5 1 0 0.5 5 5 5 387 0 2.1 0 1 0 0.3 1 0 0.5 0.5 0.5 5 5 387 0 2.1 0 1 0 0.3 1 0 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0	PV			3176					0.5	5	5	3101	0	3	0	0.9	0	3.9	2419
PV M6 Gran Coupe MT 6 1.5 1.5 0.8 3.8 3.8 4 0 2.1 0 1 0 3.1 PV M760i xDrive Sedan AT 295 1.5 1.5 0.8 1.0 0.5 5 5 288 2.5 3 1.6 1 0 8.1 0 8.1 PV M850i xDrive Convertible AT 1876 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 1.6 1 0 8.1 0 8.1 PV M850i xDrive Coupe AT 1594 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1.5 8 2 PV X1 xDrive28i AT 7463 1.5 1.5 0.8 1.0 0.5 5 5 5 1556 2.5 3 0 1 1.5 8 2 PV X1 xDrive28i AT 14105 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.2 0 2.3 3 PV X2 M35i AT 14105 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 7 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 0.5 5 7 PV X3 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.2 2.0 0.4 0 5 7 PV X3 xDrive30i AT 2605 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.2 2.6 0.8 0 8.1 PV X3 xDrive30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.2 2.6 0.8 0 8.1 PV X3 xDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.2 2.6 0.8 0 8.1 PV X3 xDrive30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.2 2.6 0.8 0 8.1 PV X3 xDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.2 2.6 0.8 0 8.1 A PV 3 xDrive30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.1 0 1 1 1.5 4.6 1 PV 3 xDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.1 0 1 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 3.1 0 3.1 3 DV 3 xDrive30i AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 5 387 0 2.1 0 1 0 0 1	PV	M550i xDrive Sedan	AT	2745	1.5	1.5	0.8	1.0	0.5	5	5	2680	2.5	2.5	0	1	1.5	7.5	4020
PV M760i xDrive Sedan AT 295 1.5 1.5 0.8 1.0 0.5 5 5 288 2.5 3 1.6 1 0 8.1 4 1.5 PV M850i xDrive Convertible AT 1870 1.5 1.5 0.8 1.0 0.5 5 5 1832 2.5 3 0 1 1.5 8 2 PV M850i xDrive Coupe AT 1894 1.5 1.5 0.8 1.0 0.5 5 5 5 1832 2.5 3 0 1 1.5 8 2 PV X1 sDrive 28i AT 7463 1.5 1.5 0.8 1.0 0.5 5 5 5 7286 0 2.1 0 0.2 0 2.3 3 PV X1 xDrive 28i AT 14105 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.2 0 2.3 3 PV X2 xDrive 28i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive 28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive 28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 5 4108 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive 28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 5 4108 2.5 2.1 0 0.4 0 5 4 PV X2 xDrive 28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8 1.0 0 5 7 PV X2 xDrive 30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8 1.0 4 5 7 PV X2 xDrive 30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8 1.0 4 0 5 7 PV X2 xDrive 30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8 1.0 4 0 5 7 PV X2 xDrive 30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8 1.0 4 0 5 7 PV X3 xDrive 30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8 1.0 4 0 5 7 PV X4 xDrive 30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.1 0 1 0 1 0 3.1 3 PV 3 xWith Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 5 5 287 0 2.1 0 1 0 3.1 3 PV 3 xWith Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 5 5 287 0 2.1 0 1 0 3.1 3 PV 3 xWith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 0.0 1 0 3.1 3 PV 3 xWith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 0.0 1 0 3.1 3 PV 3 xWith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 0.0 1 0 3.1 3 PV 3 xWith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 0.0 1 0 3.1 3 TV 3 xWith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 5 287 2.5 2.1 0.0 1 0 3.1 3 TV 3 xWith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 3 TV 3 XWITH RANGE Extender AT 1410 1.5 1.5 0	PV	M6 Gran Coupe	AT	110	1.5	1.5	0.8			3.8	3.8	82	0	2.1	0	1	0	3.1	67
PV M850i xDrive Convertible AT 1870 1.5 1.5 0.8 1.0 0.5 5 5 1832 2.5 3 0 1 1.5 8 2 PV M850i xDrive Coupe AT 1894 1.5 1.5 0.8 1.0 0.5 5 5 1556 2.5 3 0 1 1.5 8 2 PV X1 sDrive28i AT 1405 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.2 0 2.3 3 PV X1 xDrive28i AT 14105 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.2 0 2.3 3 PV X2 M35i AT 1401 1.5 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 sDrive28i AT 2408 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X2 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 25448 2.5 2.2 2.6 0.8 0 8.1 4 PV X4 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1.5 4.6 1 PV X3 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 1 0 3.1 3 PV is with Range Extender AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1 0 3.1 3 PV is with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV is with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV is with Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 3.1 0 3.1 0 PV is Coupe AT 294 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 0 0.5 10 0 0.		M6 Gran Coupe	MT									100	0		0	1			4
PV M850i xDrive Coupe AT 1594 1.5 1.5 0.8 1.0 0.5 5 5 1556 2.5 3 0 1 1.5 8 2 PV X1 xDrive 28i AT 7463 1.5 1.5 0.8 1.0 0.5 5 5 7286 0 2.1 0 0.2 0 2.3 3 PV X2 M35i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 13771 0 2.1 0 0.2 0 2.3 3 PV X2 M35i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 1388 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive 28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 5 1388 2.5 2.1 0 0.4 0.5 5 1 PV X2 xDrive 28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 4 PV X2 xDrive 28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive 28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive 30i AT 2605 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8.1 4 PV Z4 xDrive 30i AT 1182 1.5 1.5 0.8 1.0 0.5 5 5 5 1154 0 2.1 0 1.1 0 1.5 4.6 1 PV i3 with Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 5 250 0 2.1 0 1 0 3.1 3 PV i3 with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 s with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 0 PV i3 s with Range Extender AT 4110 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 0 1 0 3.1 0	200				27.00					- 1	1		1000000				100000		467
PV X1 sDrive28i AT 7463 1.5 1.5 0.8 1.0 0.5 5 5 7286 0 2.1 0 0.2 0 2.3 3 6 PV X1 xDrive28i AT 14105 1.5 1.5 0.8 1.0 0.5 5 5 5 13771 0 2.1 0 0.2 0 2.3 6 PV X2 xDrive28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 5 1368 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 5 4408 2.5 2.1 0 0.4 0 5 4 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive28i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 23448 2.5 2.2 2.6 0.8 0 8.1 4 PV Z4 xDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 1452 0 2.1 0 1.5 1.5 4.6 1 PV i3 with Range Extender AT 1497 1.5 1.5 0.8 1.0 0.5 5 5 5 1462 0 2.1 0 1 0 3.1 3 PV i3 with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 1377 0 2.1 0 1 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 1377 0 2.1 0 1 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 1377 0 2.1 0 1 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 1377 0 2.1 0 1 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.0 1 0 0 3.1 5 PV i3 swith Range Extender AT 1410 1.5 1.5 0.8										6.0	3.5				780	100		100	2931
PV X1 xDrive28i AT 14105 1.5 1.5 0.8 1.0 0.5 5 5 13771 0 2.1 0 0.2 0 2.3 6 PV X2 xDrive28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 1368 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive28i AT 7662 1.5 1.5 0.8 1.0 0.5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 xDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8.1 47 PV Z4 xDrive30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.2 2.6 0.8 0 8.1 47 PV 3 xDrive30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.2 2.6 0.8 0 8.1 47 PV 3 xDrive30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.2 2.6 0.8 0 8.1 47 PV 3 xDrive30i AT 182 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.5 2.1 0 1.5 1.5 0.8 1.0 0.5 5 5 5 154 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.												100000000000000000000000000000000000000			7				2490
PV X2 M35i AT 1401 1.5 1.5 0.8 1.0 0.5 5 5 1368 2.5 2.1 0 0.4 1.5 6.5 1 PV X2 sDrive28i AT 7652 1.5 1.5 0.8 1.0 0.5 5 5 4408 2.5 2.1 0 0.4 0 5 4 PV X3 sDrive28i AT 7652 1.5 1.5 0.8 1.0 0.5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 sDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 5 2548 2.5 2.2 2.6 0.8 0 8.1 4 PV Z4 sDrive30i AT 1182 1.5 1.5 0.8 1.0 0.5 5 5 5 1164 0 2.1 0 1 1.5 4.6 1 PV 3 i3 with Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 5 250 0 2.1 0 1 0 3.1 3 PV i3 with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3 PV i3 swith Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 3				10000000	2.50					2.7			19-7		7.				3352
PV X2 sDrive28i AT 4208 1.5 1.5 0.8 1.0 0.5 5 5 4108 2.5 2.1 0 0.4 0 5 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7										0.00			100000000000000000000000000000000000000		(A)				6335
PV X2 xDrive28i AT 7562 1.5 1.5 0.8 1.0 0.5 5 5 7383 2.5 2.1 0 0.4 0 5 7 PV X3 sDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 25448 2.5 2.2 2.6 0.8 0 8.1 4 PV 13 AT 1497 1.5 1.5 0.8 1.0 0.5 5 5 1452 0 2.1 0 1 0 3.1 3.9 PV 13 with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5250 0 2.1 0 1 0 3.1 3 PV 13s with Range Extender AT 396 1.5 0.8 1.0 0.5 5 5 5250 0 2.1 0 1 0 3.1				0.55532	1.392.763					200	4.7	The state of the state of			98				1778
PV X3 sDrive30i AT 26065 1.5 1.5 0.8 1.0 0.5 5 5 2548 2.5 2.2 2.6 0.8 0 8.1 44 PV Z4 sDrive30i AT 1182 1.5 1.5 0.8 1.0 0.5 5 5 1154 0 2.1 0 1 1.5 4.6 1 PV 3 with Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 5 2550 0 2.1 0 1 0 3.1 3 PV 3 s with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 2 PV 3 s with Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 2 PV 3 s with Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 2 PV 3 s with Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 387 0 2.1 0 1 0 3.1 2 PV 3 s with Range Extender AT 410 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.6 1 0 7.2 4 1.5 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.6 1 0 7.2 4 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5										10000	1000	(5) (5) (5) (7)							4108 7383
PV Z4 sDrive30i AT 1182 1.5 1.5 0.8 1.0 0.5 5 5 1154 0 2.1 0 1 1.5 4.6 1 PV i3 with Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 5 1462 0 2.1 0 1 0 3.1 3 PV i3s with Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 387 0 2.1 0 1 0 3.1 5 PV i3s with Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 1377 0 2.1 0 1 0 3.1 5 PV i8 Coupe AT 294 1.5 1.5 0.8 1.0 0.5 5 5 5 287 2.5 2.1 1.6 1 0 7.2	200									1000					The second second				41225
PV i3 AT 1497 1.5 1.5 0.8 1.0 0.5 5 5 1462 0 2.1 0 1 0 3.1 9 PV i3 with Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 5 5250 0 2.1 0 1 0 3.1 3 PV i3s AT 396 1.5 1.5 0.8 1.0 0.5 5 5 387 0 2.1 0 1 0 3.1 5 PV i3s with Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 1377 0 2.1 0 1 0 3.1 9 PV i8 Coupe AT 294 1.5 1.5 0.8 1.0 0.5 5 5 287 2.5 2.1 1.6 1 0 7.2				300000000000000000000000000000000000000	0.000000					87.76		The second second							1062
PV i3 with Range Extender AT 5377 1.5 1.5 0.8 1.0 0.5 5 5 250 0 2.1 0 1 0 3.1 3 PV i3s with Range Extender AT 396 1.5 1.5 0.8 1.0 0.5 5 5 387 0 2.1 0 1 0 3.1 3 PV i8 Coupe AT 294 1.5 1.5 0.8 1.0 0.5 5 5 287 2.5 2.1 1.0 1 0 7.2										100		1,000,000	N 200						906
PV i3s AT 396 1.5 1.5 0.8 1.0 0.5 5 5 387 0 2.1 0 1 0 3.1 2 PV i3s with Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 1377 0 2.1 0 1 0 3.1 2 PV i8 Coupe AT 294 1.5 1.5 0.8 1.0 0.5 5 5 287 2.5 2.1 1.6 1 0 7.2					5 6 6 6 6 6 6											233	-		3255
PV i3s with Range Extender AT 1410 1.5 1.5 0.8 1.0 0.5 5 5 1377 0 2.1 0 1 0 3.1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1767			27/22/24					1	1		107			1000			240
PV i8 Coupe AT 294 1.5 1.5 0.8 1.0 0.5 5 5 287 2.5 2.1 1.6 1 0 7.2		and the same of th		4.0750	1.392.763					200	2.3	172,772,0	275		98	50	150		853
										5			2.5		1.6	1	0		413
PV i8 Roadster AT 1938 1.5 1.5 0.8 1.0 0.5 5 5 1892 2.5 2.1 1.6 1 0 7.2 2	PV		AT	1938	1.5	1.5	0.8	1.0	0.5	5	5	1892	2.5	2.1	1.6	1	0		2725