

## **Manufacturer's Average Fuel Economy**

**2019 Model Year**

**Pre - Model Year Report**

49 CFR 537.5 (b) (1)

Honda Motor Co., Ltd.

## Table of Contents

<b>Section</b>	<b>Contents</b>
<b>1.</b>	<b>Summary of Projected Fleet Average Fuel Economy</b>
<b>2.</b>	<b>Fleet Average Fuel Economy</b> <ul style="list-style-type: none"><li>- Domestic Passenger Cars and Import Passenger Cars</li><li>- Light Trucks</li></ul>
<b>3.</b>	<b>Required Fuel Economy</b> <ul style="list-style-type: none"><li>- Domestic Passenger Cars and Import Passenger Cars</li><li>- Light Trucks</li></ul>
<b>4.</b>	<b>Technical information</b> <ul style="list-style-type: none"><li>- Domestic Passenger Cars and Import Passenger Cars</li><li>- Light Trucks</li><li>- Basic engine description</li></ul>
<b>5.</b>	<b>Air Conditioning Efficiency Credits</b> <ul style="list-style-type: none"><li>- Domestic Passenger Cars</li><li>- Import Passenger Cars</li><li>- Light Trucks</li></ul>
<b>6.</b>	<b>Off-Cycle Technology Credits</b> <ul style="list-style-type: none"><li>- Domestic Passenger Cars</li><li>- Import Passenger Cars</li><li>- Light Trucks</li></ul>

### 1. Summary of Projected Fleet Average Fuel Economy

	Category	Domestic Cars	Import Cars	Light Trucks
1)	Total Projection Volume	[599,365]	[480,837]	[754,735]
	Projection Volume of Tested Configuration	[596,649]	[470,153]	[754,735]
	Test Representative Rate (%)	[99.5]	[97.8]	[100.0]
2)	Average CITY Fuel Economy (CFE)	35.9552	40.5166	-
	Average HWY Fuel Economy (HFE)	49.7625	55.9101	-
	Average Combined Fuel Economy (MPG)	41.0963	46.3354	32.0438
3)	Factor-a	1.3840	1.3799	-
	Factor-c	0.0014	0.0014	-
	Factor-IW	0.0735	0.3178	-
	Fleet Average Fuel Economy without Credits	41.4	47.0	32.0
	( Before Rounding )	41.4462	46.9644	32.0438
4)	FCIV(AC)	0.0003701	0.0004159	0.0005958
	FCIV(OC)	0.0002953	0.0002585	0.0011029
	FCIV(PU)	0.0000000	0.0000000	0.0000000
	Fleet Average Fuel Economy with Credits	42.6	48.5	33.8
	( Before Rounding )	42.5728	48.5385	33.8394
5)	Required Fuel Economy	41.6	43.1	32.2
6)	Minimum Standard for Domestically manufacturer	39.4	-	-

Honda Motor Co., Ltd. states that;

The projected average fuel economy has been determined in accordance with 49CFR Section 537.9 and based upon the fuel economy values and projected sales figures provided under 49CFR Section 537.7(C)(2).

If running changes are implemented during the model year, or actual sales are different from the projection sales, the average fuel economy may differ from projection in this report.

The name, title and address of the official responsible for this report:

Masahiko Maeda  
 General Manager  
 Certification and Regulation Compliance Division  
 Honda Motor Co., Ltd.  
 52-1 Hagadai, Haga-machi, Haga-gun, Tochigi-ken, Japan



2019 HONDA

	TRUCKLINE	BASIC ENGINE	TRANSMISSION CLASS	IWC	AXLE RATIO	ENGINE CODE	ETW	TRLHP	VEHICLE SUB-CONFIGURATION					VEHICLE CONFIGURATION					BASE LEVEL			MODEL TYPE				CATEGORY									
									CITY FUEL ECONOMY	HWY FUEL ECONOMY	COMBINED FUEL ECONOMY	PROJECTED SALES	Sales Volume Fluctuation	CITY FUEL ECONOMY	HWY FUEL ECONOMY	COMBINED FUEL ECONOMY	PROJECTED SALES	Sales Volume Fluctuation	COMBINED FUEL ECONOMY	PROJECTED SALES	Sales Volume Fluctuation	COMBINED FUEL ECONOMY (0.1)	PROJECTED SALES	Sales Volume Fluctuation	Comb Sales Volume Fluctuation / FE (FE 0.1)	COMBINED FUEL ECONOMY	FCIV(AC)	FCIV(OC)	FCIV(PU)	Average FE	PROJECTED SALES				
Light Trucks	CR-V AWD	24TGD01	CVT	3500	5.05	KPH1C1	3750	13.5	31.5997	43.5998	36.0667	[8,913]	0.1889	31.7199	43.8430	36.2277	[36,588]	1.0000	36.2277	[36,588]	1.0000	36.2	[36,588]	0.0485	0.0013	32.0438 32.0	0.0005958	0.0011029	0.0000000	33.8394 33.8	[754,735]				
		15TGT01	CVT	4000	5.64	KPA1C1	3875	13.7	34.7482	45.6000	38.9157	[47,149]	1.0000	34.7482	45.6000	38.9157	[47,149]	1.0000	38.9157	[47,149]	1.0000	39.9	[251,458]	0.3332	0.0084										
					3500	5.64	KPA1C1	3750	13.5	35.4862	47.8981	40.1704	[204,309]	1.0000	35.4862	47.8981	40.1704	[204,309]	1.0000	40.1704	[204,309]	1.0000	31.5	[33,158]	0.0439	0.0014									
	RDX AWD	20TGT01	10 semi A/T	4000	4.17	KYF1A1	4250	15.1	27.2000	39.0000	31.4871	[33,158]	1.0000	27.2000	39.0000	31.4871	[33,158]	1.0000	31.4871	[33,158]	1.0000	31.5	[33,158]	0.0439	0.0014										
	RDX AWD A-SPEC	20TGT01	10 semi A/T	4000	4.17	KYF1A1	4250	15.2	26.6000	38.5000	30.8976	[5,852]	1.0000	26.6000	38.5000	30.8976	[5,852]	1.0000	30.8976	[5,852]	1.0000	30.9	[5,852]	0.0078	0.0003										
	PILOT FWD	35TGD02	9 semi A/T	4500	4.33	KLV1A1	4500	14.2	25.3475	38.3484	29.9106	[13,524]	1.0000	25.3475	38.3484	29.9106	[13,524]	1.0000	29.9106	[13,524]	1.0000	29.9	[13,524]	0.0179	0.0006										
			6 A/T	4500	4.25	KLV1A1	4500	14.1	24.7499	38.1499	29.3963	[33,067]	1.0000	24.7499	38.1499	29.3963	[33,067]	1.0000	29.3963	[33,067]	1.0000	29.4	[33,067]	0.0438	0.0015										
	PILOT AWD	35TGD02	9 semi A/T	4500	4.33	KLV1A1	4750	15.3	24.3474	35.8416	28.4536	[15,456]	0.3810	24.7463	36.7002	28.9964	[40,572]	1.0000	28.9964	[40,572]	1.0000	29.0	[40,572]	0.0538	0.0019										
						4500	15.2	24.9984	37.2494	29.3409	[25,116]	0.6190																							
			6 A/T	4500	4.25	KLV1A1	4500	15.2	22.9474	36.8483	27.6395	[61,410]	1.0000	22.9474	36.8483	27.6395	[61,410]	1.0000	27.6395	[61,410]	1.0000	27.6	[61,410]	0.0814	0.0029										
	PASSPORT AWD	35TGD02	9 semi A/T	4500	4.33	KLV1A1	4500	16.0	23.6000	33.8000	27.3085	[21,425]	0.7059	23.6000	33.8000	27.3085	[30,352]	1.0000	27.3085	[30,352]	1.0000	27.3	[30,352]	0.0402	0.0015										
						4500	15.9	NA	NA	NA	[8,927]	0.2941																							
	MDX AWD	35TGD01	9 semi A/T	4500	4.33	KBN1A1	4500	15.4	24.4000	37.6000	28.9779	[32,261]	1.0000	24.4000	37.6000	28.9779	[32,261]	1.0000	28.9779	[32,261]	1.0000	29.0	[32,261]	0.0427	0.0015										
		30TGH01	7 semi DCT	4500	3.83	KWS1D1	4750	14.5	34.3000	38.6000	36.1102	[1,514]	0.7502	34.4722	38.5750	36.2050	[2,018]	1.0000	36.2050	[2,018]	1.0000	36.2	[2,018]	0.0027	0.0001										
					4750	14.6	35.0000	38.5000	36.4929	[504]	0.2498																								
	MDX AWD A-SPEC	35TGD01	9 semi A/T	4500	4.33	KBN1A1	4500	15.6	24.2000	34.7000	28.0147	[5,203]	1.0000	24.2000	34.7000	28.0147	[5,203]	1.0000	28.0147	[5,203]	1.0000	28.0	[5,203]	0.0069	0.0002										
	MDX FWD	35TGD01	9 semi A/T	4000	4.33	KBN1A1	4250	15.0	26.0000	41.0000	31.1241	[12,488]	1.0000	26.0000	41.0000	31.1241	[12,488]	1.0000	31.1241	[12,488]	1.0000	31.1	[12,488]	0.0165	0.0005										
	RIDGELINE AWD	35TGD04	6 A/T	4500	4.25	KMJ1A1	4750	15.9	23.0499	34.7997	27.1795	[49,350]	1.0000	23.0499	34.7997	27.1795	[49,350]	1.0000	27.1795	[49,350]	1.0000	27.2	[49,350]	0.0654	0.0024										
	RIDGELINE FWD	35TGD04	6 A/T	4500	4.25	KMJ1A1	4500	14.2	23.5000	37.2997	28.1939	[12,337]	1.0000	23.5000	37.2997	28.1939	[12,337]	1.0000	28.1939	[12,337]	1.0000	28.2	[12,337]	0.0163	0.0006										
	ODYSSEY FWD	35TGD03	10 semi A/T	5000	3.61	KMR1A1	5000	13.7	24.2000	39.3000	29.2589	[24,317]	1.0000	24.2000	39.3000	29.2589	[24,317]	1.0000	29.2589	[24,317]	1.0000	29.4	[35,125]	0.0465	0.0016										
			4500	3.61	KMR1A1	4750	13.5	24.5475	39.5000	29.5876	[10,808]	1.0000	24.5475	39.5000	29.5876	[10,808]	1.0000	29.5876	[10,808]	1.0000	28.7	[99,972]	0.1325	0.0046											
9 semi A/T			4500	4.33	KMR1A1	4750	13.3	23.3996	39.7997	28.7263	[99,972]	1.0000	23.3996	39.7997	28.7263	[99,972]	1.0000	28.7263	[99,972]	1.0000	28.7	[99,972]	0.1325	0.0046											

2019 HONDA

3. Required Fuel Economy

	CARLINE / TRUCKLINE	BASIC ENGINE	TRANSMISSION CLASS	WC	AXLE RATIO	ENGINE CODE	ETW	TRLHP	BASE TIRE	FR TRACK (in)	RR TRACK (in)	TRACK (in)	WHEEL BASE (in)	FOOTPRINT 9 CFR 523.2	PROJECTED SALES	TARGET 9 CFR 531.5	PROJECTED SALES/TARGET	PROJECTED SALES	Required Fuel Economy													
Domestic Cars	CIVIC 2DR	20PGA01	6 MT	3000	.10	KBB1M1	3125	10.1	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[1.100]	2.83	25.6829	[599.365]	1.5													
			CVT	3000	.68	KBB1C1	3125	9.6	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[3.002]	2.83	70.0911															
			CVT Paddle	3000	.68	KBB2C1	3125	9.6	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[2.716]	2.83	63.135															
				3000	.68	KBB1C1	3125	10.2	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[3.860]	2.83	90.1237															
			15PGT01	CVT	3000	.81	KAA1C1	3250	10.1	215/60R17 91H	60.9	61.5	61.2	106.3	5.2	[3.617]	2.83			8.502												
				CVT Paddle	3000	.81	KAA2C1	3250	10.1	215/60R17 91H	60.9	61.5	61.2	106.3	5.2	[2.573]	2.83			60.077 7												
		15PGT03	6 MT	3000	.11	KAM1M1	3250	10.5	235/ OR18 91W	60.5	61.2	60.8	106.3	5.2	[98 ]	2.83	22.97 6															
					.11	KAM1M1	3250	10.5	235/ OR18 91W	60.5	61.2	60.8	106.3	9	[6.95 ]	3.09	161.3832															
					.11	KAM1M1	3250	10.5	235/ OR18 91W	60.5	61.2	60.8	106.3	9	[6.95 ]	3.09	161.3832															
			2 PGD02	3500	CVT	5.06	KPH1C1	3625	12.2	235/65R17 10 H	63.0	63.7	63.	10.7	6.1	[23.809]	2.05			566.1118												
					CVT	5.6	KPA1C1	3625	12.6	235/65R17 10 H	63.0	63.7	63.	10.7	6.1	[96.3 9]	2.05			2267.3722												
					3750	12.7	235/60R18 103H	63.0	63.7	63.	10.7	6.1	[22.001]	2.05	523.2105																	
	ACCORD	15PGT0	6 MT	3500	.11	KA01M1	3500	11.	235/ OR19 96V	62.6	63.1	62.8	111.	8.6	[2.078]	0.0	51.8981															
					5.36	KA01C1	3500	10.5	225/50R17 9 V	62.6	63.1	62.8	111.	8.6	[72.362]	0.0	1807.2 28															
					10.7	KA01C1	3500	10.7	225/50R17 9 V	62.6	63.1	62.8	111.	8.6	[53.807]	0.0	13.3.8312															
			CVT Paddle	3500	5.36	KA01C1	3625	11.8	235/ OR19 96V	63.0	63.	63.2	111.	8.9	[11.133]	39.81	279.653															
					3500	11.7	235/ OR19 96V	63.0	63.	63.2	111.	8.9	[37.199]	39.81	932.1527																	
					3500	11.5	235/ OR19 96V	62.6	63.1	62.8	111.	8.6	[3.1 ]	0.0	78.5215																	
		20PGT02	3500	6 MT	3.8	KB21M1	3625	11.5	235/ OR19 96V	63.0	63.	63.2	111.	8.9	[20.718]	39.81	520.220															
				10 semi A/T	3.55	KB21A1	3625	10.	225/50R17 9 V	63.0	63.	63.2	111.	8.9	[19.0 2]	39.81	78.2220															
		20PGH01	3500	FSS	3.2	KC21C1	3750	9.9	225/50R17 9 V	63.0	63.	63.2	111.	8.9	[12.695]	39.81	318.8897															
																		11.8	235/ OR19 96V	62.6	63.1	62.8	111.	8.6	[16.575]	0.0	13.9610					
		ACCORD 2.0T SPORT/TO	RDX FWD	20PGT03	10 semi A/T	000	.17	KYF1A1	000	1.0	235/ 5R20 101H	6.2	6.7	6.	106.3	8.	[22.105]	0.19	550.012													
																				10 semi A/T	000	.17	KYF1A1	250	1.5	255/ 5R20 101V	6.2	6.7	6.	106.3	8.	[3.901]
	PASSPORT FWD		35FGD02	9 semi A/T	000	.33	KLV1A1	250	1.9	2 5/50R20 102H	66.7	66.7	66.7	111.0	51.	[12.051]	38.00	317.1316														
																			000	.33	KLV1A1	250	1.9	265/ 5R20 10 H	66.7	66.7	66.7	111.0	51.	[2.232]	38.00	58.7368
	TLX FWD		2 PGD03	8 semi DCT	000	.57	KDF2D1	3875	11.2	225/55R17 97H	62.8	63.1	63.0	109.3	7.8	[.05 ]	0.66	99.70 9														
																			3875	11.2	225/55R17 97H	62.8	63.1	63.0	109.3	7.8	[5.031]	0.66	123.733			
			35PGD02	9 semi A/T	000	3.52	KJ21A1	3875	11.5	225/50R18 95H	62.8	63.1	63.0	109.3	7.8	[1.805]	0.66	.3925														
																			000	12.	225/50R18 95H	62.8	63.1	63.0	109.3	7.8	[5.113]	0.66	125.7501			
	TLX FWD A-SPEC		2 PGD03	8 semi DCT	000	.57	KDF1D1	3875	12.0	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8	[860]	0.66	21.1510														
																			3875	12.0	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8	[1.068]	0.66	26.2666			
			35PGD02	9 semi A/T	000	3.52	KJ21A1	000	12.5	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8	[3.609]	0.66	88.7605														
																			000	12.	225/50R18 95H	62.8	63.1	63.0	109.3	7.8	[1.203]	0.66	29.5868			
	TLX AWD	35PGD02	9 semi A/T	000	3.52	KJ22A1	000	13.3	225/50R18 95H	62.8	63.1	63.0	109.3	7.8	[1.805]	0.66	.3925															
																		250	13.5	225/50R18 95H	62.8	63.1	63.0	109.3	7.8	[1.203]	0.66	29.5868				
		35PGD02	9 semi A/T	000	3.52	KJ22A1	250	13.5	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8	[2.06]	0.66	59.1736															
																		250	13.5	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8	[2.06]	0.66	59.1736				
	FIT	15PGD01	6MT	2750	.62	KR71M1	2875	10.1	185/60R15 8 T	58.3	58.0	58.2	99.6	0.3	[255]	6.87	5.06															
																		2875	10.7	185/55R16 83H	58.1	57.7	57.9	99.6	0.0	[853]	6.87	18.1993				
																		2875	10.1	185/60R15 8 T	58.3	58.0	58.2	99.6	0.3	[12.889]	6.87	27.9093				
			CVT Paddle	2750	5.	KR71C2	2875	11.1	185/55R16 83H	58.1	57.7	57.9	57.9	99.6	0.0	[6.3]	6.87	137.653														
																			3000	5.	KR71C2	3000	11.5	185/55R16 83H	58.1	57.7	57.9	99.6	0.0	[3.361]	6.87	733.1129
																			3000	5.	K1M1C1	3250	11.6	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[9.212]	66	206.2696
	HR-V FWD	18PGA01	CVT Paddle	3000	5.	K1M1C1	3250	11.7	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[3.218]	66	766.1890															
3250																		12.	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[13.161]	66	29.6932					
3250																		12.	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[13.161]	66	29.6932					
Import Cars	ILX	2 PGD0	8 semi DCT	3500	3.9	K H1D1	3375	10.	215/ 5R17 97V	59	60.2	59.8	105.1	3.6	[11.777]	.28	285.9686															
																		3500	11.3	225/ OR18 92V	59	60.2	59.8	105.1	3.6	[5.927]	.28	88.6856				
	INSIGHT	15PGH02	FSS	3000	3.2	KL21F1	3250	9.	215/55R16 93V	60.9	61.6	61.2	106.3	5.2	[15.787]	2.83	368.5968															
																		3250	9.5	215/55R16 93V	60.9	61.6	61.2	106.3	5.2	[18.0 1]	2.83	21.223				
	INSIGHT TOURING	15PGH02	FSS	3500	3.2	KL21F1	3375	10.1	215/60R17 91H	60.9	61.6	61.2	106.3	5.2	[11.276]	2.83	263.273															
																		3500	5.	K1M1C1	3375	12.9	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[10.528]	66	235.7591	
	HR-V AWD	18PGA01	CVT Paddle	3500	5.	K1M1C1	3375	12.9	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[30.266]	66	677.7 29															
																		3500	13.1	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[21.057]	66	71.957				
			3500	13.7	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[13.161]	66	29.6932																			
														3375	13.7	215/55R17 9 V	60.	60.6	60.5	102.8	3.2	[13.161]	66	29.6932								
	CIVIC DR	20PGA01	6 MT	3000	.10	KBB1M1	3125	9.2	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[5.536]	2.83	129.2552															
																		3125	9.8	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[5.536]	2.83	129.2552				
																		3125	9.	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[1.019]	2.83	11.5015				
			CVT	3000	.68	KBB1C1	3125	9.7	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[0]	2.83	[0]	2.83														
																			3125	9.9	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[8.999]	2.83	1085.66 3			
																			3125	9.7	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[0]	2.83	0.0000			
		CVT Paddle	3000	.68	KBB1C1	3125	10.0	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[6.999]	2.83	1085.66 3																
																	3125	10.0	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[1.057]	2.83	9.9.9650					
																	3125	9.7	215/55R16 93H	60.9	61.5	61.2	106.3	5.2	[0]	2.83	0.0000					
		15PGT01	CVT	3000	.81	KAA1C1	3250	9.7	215/60R17 91H	60.9	61.5	61.2	106.3	5.2	[29.999]	2.83	638.7 15															
																		3250	9.7	215/60R17 91H	60.9	61.5	61.2	106.3	5.2	[26.929]	2.83	628.7 15				
																		3250	11.0	215/60R17 91H	60.9	61.5	61.2	106.3	5.2	[.383]	2.83	102.33 8				
	CVT Paddle		3000	.81	KAA2C1	3250	11.0	215/60R																								

2019 HONDA

	CARL NE	BASIC ENG NE	TRANSMISSION CLASS	IWC	AXLE RATIO	ENG NE CODE	ETW	TRLHP	BASE TIRE	FR TRACK (inch)	RR TRACK (inch)	TRACK (inch)	WHEEL BASE (inch)	FOOTPR NT 49 CFR 523 2	PROJECTED SALES	TARGET 49 CFR 531 5	PROJECTED SALES/TARGETI	PROJECTE D SALES	Required Fuel Economy					
Light Trucks	CR-V AWD	24TGD01	CVT	3500	5 05	KPH1C1	3750	13.5	235/65R17 104H	62 9	63.5	63.2	104.7	46.0	[6,913]	34.67	199.3943	[754,735]	32 2					
							3750	13.3	235/65R17 104H	62 9	63.5	63.2	104.7	46.0	[29,675]	34.67	855.9273							
		15TGT01	CVT	4000	5 64	KPA1C1	3875	13.7	235/60R18 103H	62 9	63.5	63.2	104.7	46.0	[47,149]	34.67	1359.9365							
	3500	5 64		KPA1C1	3750	13.5	235/60R18 103H	62 9	63.5	63.2	104.7	46.0	[204,309]	34.67	5892.9622									
	RDX AWD	20TGT01	10 semi A/T	4000	4.17	KYF1A1	4250	15.1	235/55R19 101H	64 2	64.7	64.4	108 3	48.4	[33,158]	33.22	998.1337							
	RDX AWD A-SPEC	20TGT01	10 semi A/T	4000	4.17	KYF1A1	4250	15.2	255/45R20 101V	64 2	64.7	64.4	108 3	48.4	[5,852]	33.22	176.1589							
	PILOT FWD	35TGD02	9 semi A/T	4500	4 33	KLV1A1	4500	14.2	245/50R20 102H	66 3	66.3	66.3	111 0	51.1	[13,524]	31.72	426.3556							
			6 A/T	4500	4 25	KLV1A1	4500	14.1	245/60R18 105H	66 3	66.3	66.3	111 0	51.1	[33,067]	31.72	1042.4653							
	PILOT AWD	35TGD02	9 semi A/T	4500	4 33	KLV1A1	4750	15.3	245/50R20 102H	66 3	66.3	66.3	111 0	51.1	51.1	[15,456]	31.72			487.2636				
							4500	15.2	245/50R20 102H	66 3	66.3	66.3	111 0	51.1	[25,116]	31.72	791.8033							
							4500	15.2	245/60R18 105H	66 3	66.3	66.3	111 0	51.1	[61,410]	31.72	1936.0025							
	PASSPORT AWD	35TGD02	9 semi A/T	4500	4 33	KLV1A1	4500	16.0	245/50R20 102H	66.7	66.7	66.7	111 0	51.4	[21,425]	31.56	678.8657							
							4500	15.9	265/45R20 104H	66.7	66.7	66.7	111 0	51.4	[8,927]	31.56	282.8580							
	MDX AWD	35TGD01	9 semi A/T	4500	4 33	KBN1A1	4500	15.4	245/60R18 105H 245/50R20 102H 265/45R20 104V	66 3	66.3	66.3	111 0	51.1	51.1	[32,261]	31.72			1017.0555				
							30TGH01	7 semi DCT	4500	3 83	KWS1D1	4750	14.5	245/50R20 102H	66 3	66.3	66.3			111 0	51.1	[1,514]	31.72	47.7301
												4750	14.6	245/50R20 102H	66 3	66.3	66.3			111 0	51.1	[504]	31.72	15.8890
	MDX AWD A-SPEC	35TGD01	9 semi A/T	4500	4 33	KBN1A1	4500	15.6	265/45R20 104H	66 3	66.3	66.3	111 0	51.1	[5,203]	31.72	164.0290							
	MDX FWD	35TGD01	9 semi A/T	4000	4 33	KBN1A1	4250	15.0	245/60R18 105H 245/50R20 102H 265/45R20 104V	66 3	66.3	66.3	111 0	51.1	[12,488]	31.72	393.6948							
	RIDGELINE AWD	35TGD04	6 A/T	4500	4 25	KMJ1A1	4750	15.9	245/60R18 105H	66.1	66.0	66.0	125 2	57.4	[49,350]	28.70	1719.5122							
	RIDGELINE FWD	35TGD04	6 A/T	4500	4 25	KMJ1A1	4500	14.2	245/60R18 105H	66 3	66.3	66.3	125 2	57.6	[12,337]	28.61	431.2129							
ODYSSEY FWD	35TGD03	10 semi A/T	5000	3 61	KMR1A1	5000	13.7	235/60R18 103H	67 3	67.2	67.2	118.1	55.1	[24,317]	29.73	817.9280								
			4500	3 61	KMR1A1	4750	13.5	235/55R19 101H	67 3	67.2	67.2	118.1	55.1	[10,808]	29.73	363.5385								
			9 semi A/T	4500	4 33	KMR1A1	4750	13.3	235/60R18 103H	67 3	67.2	67.2	118.1	55.1	[99,972]	29.73	3362.6640							

# 2019 HONDA

## 4. Technical information

	CARLINE	BASIC ENGINE	IWC	ETW	ENGINE DISP. (litr)	SAE NET (kW)	SAE NET (HP)	ENGINE CODE	FUEL SYSTEM	EMMISSION CONTROL SYSTEM	TRANSMISSION CLASS	NUMBER OF FORWARD SPEEDS	EXISTENCE OF OVERDRIVE	N/V RATIO	AXLE RATIO	COMBINED FUEL ECONOMY	PROJECTED SALES	INTERIOR VOLUME (l3)	BODY STYLE	ROAD LOAD POWER	OPTIONAL EQUIPMENT	BASE TIRE	FR TRACK (l3)	RR TRACK (l3)	TRACK (l3)	WHEEL BASE (l3)	FOOTPRINT 9 CFR 523.2
	CIVIC ZDR	20PGAD1	3000	3125	2.0	118	158	KBB1M1	EFI	2)	6 M/T	=	YES	36.5	.10	39.28 7	[1,100]	103.1	COUPE	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	20PGAD1	3000	3125	2.0	118	158	KBB1C1	EFI	2)	CVT	=	YES	26.	.68	5.0928	[3,002]	103.1	COUPE	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	20PGAD1	3000	3125	2.0	118	158	KBB2C1	EFI	2)	CVT	=	YES	26.	.68	NA	[2,716]	103.1	COUPE	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	20PGAD1	3000	3125	2.0	118	158	KBB1C1	EFI	2)	Semi CVT	=	YES	26.	.68	2.7721	[3,860]	103.1	COUPE	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	20PGAD1	3000	3125	2.0	118	158	KBB2C1	EFI	2)	Semi CVT	=	YES	26.	.68	2.9335	[3,617]	103.1	COUPE	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	15PGT01	3000	3250	1.5	130	17	KAA1C1	EFI	9)	CVT	6	YES	38.2	.81	0.7723	[2,573]	103.1	COUPE	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	15PGT01	3000	3250	1.5	130	17	KAA2C1	EFI	9)	CVT	6	YES	38.2	.81	58.682	[2,573]	103.1	COUPE	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	15PGT01	3000	3250	1.5	130	17	KAA1C1	EFI	9)	Semi CVT	=	YES	38.2	.81	.8172	[1, 38]	103.1	COUPE	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	15PGT01	3000	3250	1.5	130	17	KAA2C1	EFI	9)	Semi CVT	=	YES	38.2	.81	7. 56	[98 ]	103.1	COUPE	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC ZDR	15PGT03	3000	3250	1.5	153	205	KAM1M1	EFI	9)	6 M/T	6	YES	38.	.11	3.2552	[6,95 ]	103.1	COUPE	N/A	N/A	235/ OR18 91W	60.5	61.2	60.8	106.3	9
	CR-V FWD	2 PGD02	3500	3625	2.	137	18	KPH1C1	EFI	6)	CVT	=	YES	2. 9	5.05	38.2821	[23,805]	-	SUV	N/A	N/A	235/65R17 10 H	63.0	63.7	63.	10. 7	6.1
	CR-V FWD	15PGT02	3500	3625, 3750	1.5	1 2	190	KPA1C1	EFI	9)	CVT	=	YES	27.6	5.6	1.3735	[117,3 ]	-	SUV	N/A	N/A	235/65R17 10 H	63.0	63.7	63.	10. 7	6.1
	ACCORD	15PGT0	3500	3500	1.5	1 3	192	KA01M1	EFI	9)	6 M/T	6	YES	35.8	.11	0.2905	[2,078]	122.3	SEDAN	N/A	N/A	235/ OR19 96V	62.6	63.1	62.8	111.	8.6
	ACCORD	15PGT0	3500	3500	1.5	1 3	192	KA01C1	EFI	9)	CVT	=	YES	28.2	5.36	5.8760	[126,169]	122.3	SEDAN	N/A	N/A	225/60R17 9 V	62.6	63.1	62.8	111.	8.6
	ACCORD	15PGT0	3500	3500, 3625	1.5	1 3	192	KA01C1	EFI	9)	Semi CVT	=	YES	27.7	5.36	2.8035	[ 8. 2 ]	122.3	SEDAN	N/A	N/A	235/ OR19 96V	63.0	63.	63.2	111.	8.9
	ACCORD	20PGT02	3500	3625	2.0	188	252	KB21M1	EFI	9)	6 M/T	6	YES	33.6	3.8	3. 1632	[3. 1 ]	122.3	SEDAN	N/A	N/A	235/ OR19 96V	62.6	63.1	62.8	111.	8.6
	ACCORD	20PGT02	3500	3625	2.0	188	252	KB21A1	EFI	9)	10 semi A/T	10	YES	2. 7	3.55	36.1381	[20,718]	122.3	SEDAN	N/A	N/A	225/50R17 9 V	63.0	63.	63.2	111.	8.9
	ACCORD	20PGH01	3500	3625, 3750	2.0	107	1 3	KC21C1	EFI	13)	FSS	1	YES	37.0	3. 2	7.892	[31,737]	122.3	SEDAN	N/A	N/A	225/50R17 9 V	63.0	63.	63.2	111.	8.9
	ACCORD 2.0T SPORT/TOURING	20PGT02	3500	3750	2.0	188	252	KB21A1	EFI	9)	10 semi A/T	10	YES	2. 0	3.55	3. 6007	[16,575]	119.	SEDAN	N/A	N/A	235/ OR19 96V	62.6	63.1	62.8	111.	8.6
	RDX FWD	20PGT03	000	000	2.0	203	272	KYF1A1	EFI	9)	10 semi A/T	10	YES	2. 8	.17	32.7223	[22,105]	-	SUV	N/A	N/A	235/55R19 101H	6. 2	6. 7	6. 6	108.3	8.
	RDX FWD A-SPEC	20PGT03	000	250	2.0	203	272	KYF1A1	EFI	9)	10 semi A/T	10	YES	2. 9	.17	31.8679	[3,901]	-	SUV	N/A	N/A	255/ 5R20 101V	6. 2	6. 7	6. 6	108.3	8.
	PASSPORT FWD	35TGD02	500	500	3.5	209	280	KL V A1	EFI	8)	9 A/T	9	YES	2. 3	.33	28.7501	[ 1, 283]	-	SUV	N/A	N/A	2 5/50R20 102H	66.7	66.7	66.7	111.0	51.
	TLX FWD	2 PGD03	000	3875	2.	15	206	KDF1D1	EFI	6)	8 semi DCT	8	YES	28.6	.57	36.1299	[ .05 1 ]	107.8	SEDAN	N/A	N/A	225/55R17 97H	62.8	63.1	63.0	109.3	7.8
	TLX FWD	2 PGD03	000	3875	2.	15	206	KDF2D1	EFI	6)	8 semi DCT	8	YES	28.6	.57	36.1299	[5,031]	107.8	SEDAN	N/A	N/A	225/55R17 97H	62.8	63.1	63.0	109.3	7.8
	TLX FWD	35PGD02	000	3875, 000	3.5	216	290	KJ21A1	EFI	8)	9 semi A/T	9	YES	22.0	3.52	31.2173	[7,820]	107.8	SEDAN	N/A	N/A	225/50R18 95H	62.8	63.1	63.0	109.3	7.8
	TLX FWD A-SPEC	2 PGD03	000	3875	2.	216	290	KDF1D1	EFI	6)	8 semi DCT	8	YES	28.6	.57	35.2039	[860]	107.8	SEDAN	N/A	N/A	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8
	TLX FWD A-SPEC	2 PGD03	000	3875	2.	216	290	KDF2D1	EFI	6)	8 semi DCT	8	YES	28.6	.57	35.2039	[1,068]	107.8	SEDAN	N/A	N/A	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8
	TLX FWD A-SPEC	35PGD02	000	000	3.5	216	290	KJ21A1	EFI	8)	9 semi A/T	9	YES	21.9	3.52	30.680	[3,609]	107.8	SEDAN	N/A	N/A	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8
	TLX AWD	35PGD02	000	000, 250	3.5	216	290	KJ22A1	EFI	8)	9 semi A/T	9	YES	22.0	3.52	30.7512	[ 2,211]	107.8	SEDAN	N/A	N/A	225/50R18 95H	62.8	63.1	63.0	109.3	7.8
	TLX AWD A-SPEC	35PGD02	000	250	3.5	216	290	KJ22A1	EFI	8)	9 semi A/T	9	YES	21.9	3.52	30.0570	[2, 06]	107.8	SEDAN	N/A	N/A	2 5/ OR19 9 V	62.8	63.1	63.0	109.3	7.8
	FIT	15PGD01	2750	2875	1.5	97	130	KR71M1	EFI	10)	6M/T	6	YES	8.9	.62	3.0825	[1,108]	112.3	SDR HATCH	N/A	N/A	185/60R15 8 T	58.3	58.0	58.2	99.6	0.3
	FIT	15PGD01	2750	2875	1.5	95	128	KR71C1	EFI	10)	CVT	=	YES	32.3	5.	9.3517	[12,885]	112.3	SDR HATCH	N/A	N/A	185/60R15 8 T	58.3	58.0	58.2	99.6	0.3
	FIT	15PGD01	2750	2875	1.5	95	128	KR71C2	EFI	10)	Semi CVT	=	YES	32.3	5.	5. 6 5	[6. 3]	112.3	SDR HATCH	N/A	N/A	185/55R16 83H	58.1	57.7	57.9	99.6	0.0
	FIT	15PGD01	3000	3000	1.5	95	128	KR71C2	EFI	10)	Semi CVT	=	YES	32.3	5.	5. 6 5	[3, 361]	112.3	SDR HATCH	N/A	N/A	185/55R16 83H	58.1	57.7	57.9	99.6	0.0
	HR-V FWD	18PGAD1	3000	3250	1.8	105	1 1	K1M1C1	EFI	)	CVT	=	YES	29.6	5.	1.2 5	[9,212]	12.	SDR HATCH	N/A	N/A	215/55R17 9 V	60.	60.6	60.5	102.8	3.2
	HR-V FWD	18PGAD1	3000	3250	1.8	105	1 1	K1M1C1	EFI	)	Semi CVT	=	YES	29.6	5.	1.2 5	[ 7,379]	12.	SDR HATCH	N/A	N/A	215/55R17 9 V	60.	60.6	60.5	102.8	3.2
	ILX	2 PGD0	3500	3375, 3500	2.	150	201	K H1D1	EFI	6)	8 semi DCT	8	YES	26.3	3.9	37.5287	[15,70 ]	101.6	SEDAN	N/A	N/A	215/ 5R17 67V	59.	60.2	59.8	105.1	3.6
	INSIGHT	15PGH02	3000	3250	1.5	80	107	KL21F1	EFI	13)	FSS	1	YES	37.	3. 2	76. 872	[33,828]	112.7	SEDAN	N/A	N/A	215/55R16 93V	60.9	61.6	61.2	106.3	5.2
	INSIGHT TOURING	15PGH02	3500	3250	1.5	80	107	KL21F1	EFI	13)	FSS	1	YES	37.	3. 2	70.3752	[11,276]	112.7	SEDAN	N/A	N/A	215/50R17 91H	60.9	61.6	61.2	106.3	5.2
	HR-V AWD	18PGAD1	3500	3375	1.8	105	1 1	K1M1C1	EFI	)	CVT	=	YES	29.6	5.	38.8822	[10,529]	123.3	SDR HATCH	N/A	N/A	215/55R17 9 V	60.	60.6	60.5	102.8	3.2
	HR-V AWD	18PGAD1	3500	3375	1.8	105	1 1	K1M1C1	EFI	)	Semi CVT	=	YES	29.6	5.	38.2739	[6. 86]	123.3	SDR HATCH	N/A	N/A	215/55R17 9 V	60.	60.6	60.5	102.8	3.2
	CIVIC DR	20PGAD1	3000	3125	2.0	118	158	KBB1M1	EFI	2)	6 M/T	6	YES	38.5	.10	39.7705	[11,072]	112.9	SEDAN	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	20PGAD1	3000	3125	2.0	118	158	KBB1C1	EFI	2)	CVT	=	YES	26.	.68	.7059	[ 9,019]	112.9	SEDAN	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	20PGAD1	3000	3125	2.0	118	158	KBB2C1	EFI	2)	CVT	=	YES	26.	.68	[780] *1	[ 6. 99]	112.9	SEDAN	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	20PGAD1	3000	3125	2.0	118	158	KBB1C1	EFI	2)	CVT	=	YES	26.	.68	3.0 93	[ 6. 99]	112.9	SEDAN	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	20PGAD1	3000	3125	2.0	118	158	KBB2C1	EFI	2)	CVT	=	YES	26.	.68	[780] *1	[ 0. 687]	112.9	SEDAN	N/A	N/A	215/55R16 93H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	15PGT01	3000	3250	1.5	130	17	KBB1C1	EFI	9)	CVT	=	YES	26.	.81	8.6366	[26,929]	112.9	SEDAN	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	15PGT01	3000	3250	1.5	130	17	KBB2C1	EFI	9)	CVT	=	YES	26.	.81	8.1977	[26,929]	112.9	SEDAN	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	15PGT01	3000	3250	1.5	130	17	KBB1C1	EFI	9)	CVT	=	YES	26.	.81	5.3581	[ 3,383]	112.9	SEDAN	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	15PGT01	3000	3250	1.5	130	17	KBB2C1	EFI	9)	CVT	=	YES	26.	.81	5.3581	[ 3,383]	112.9	SEDAN	N/A	N/A	215/50R17 91H	60.9	61.5	61.2	106.3	5.2
	CIVIC DR	15PGT03	3000																								



2019 HONDA

LIGHTS	CARLINE	BAS C ENGINE	WC	ETW	ENGINE D SP (l/100)	SAE NET (kW)	SAE NET (HP)	ENGINE CODE	FUEL SYSTEM	EMISSION CONTROL SYSTEM	TRANSMISSION CLASS	NUMBER OF FORWARD SPEEDS	YES	N V RATIO	AXLE RATIO	COMBINED FUEL ECONOMY	PROJECTED SALES	PASSENGER CARRYING VOLUME	CARGO CARRYING VOLUME	FRONTAL AREA (M2)	ROAD LOAD POWER	OPTIONAL EQUIPMENT	TRANSPORT MORE THAN 10 PERSONS	EXISTENCE OF TEMPORARY LIVING QTR	TRANSPORT PROPERTY ON AN OPEN BED	BED WIDTH	BED LENGTH	PERFORMANCE 9 CFR 523.5(a)(1)	PERFORMANCE 9 CFR 523.5(a)(5)	EXISTENCE OF WHEEL DRIVE	APPROACH ANGLE	DEPARTURE ANGLE	BREAKOVER ANGLE	AXLE CLEARANCE FR	AXLE CLEARANCE RR	MINIMUM RUNNING CLEARANCE	BASE TIRE	FR TRACK (mm)	RR TRACK (mm)	TRACK (mm)	WHEEL BASE (mm)	FOOTPRINT B CFR 523.5
																	[ 36,588 ]																									
	CR-V AWD	2 TGD01	3500	3750	2.0	137	18	KPH1C1	EFI	6)	CVT	=	YES	2.9	5.05	36.2277	[ 36,588 ]	107.8	35	28	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	20.8	23.8	15.0	8.2	8.2	8.2	235/65R17 10 H	62.9	63.5	63.2	10.7	6.0	
	CR-V AWD	15TGT01	000	3875	1.5	1.2	190	KPA1C1	EFI	9)	CVT	=	YES	27.6	5.6	38.9157	[ 7.1.9 ]	107.8	35	28	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	20.8	23.8	15.0	8.2	8.2	8.2	235/65R18 103H	62.9	63.5	63.2	10.7	6.0	
	CR-V AWD	15TGT01	3500	3750	1.5	1.2	190	KPA1C1	EFI	9)	CVT	=	YES	27.6	5.6	0.170	[ 20,309 ]	107.8	35	28	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	20.8	23.8	15.0	8.2	8.2	8.2	235/65R18 103H	62.9	63.5	63.2	10.7	6.0	
	RDX AWD	20TGT01	000	250	2.0	203	272	KYF1A1	EFI	9)	10 semi A T	10	YES	2.8	17	31.871	[ 33,106 ]	10.5	29.5	29	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	16	20.2	20.8	8.2	8.3	8.2	235/55R19 101H	6.2	6.7	6	108.3	8	
	RDX AWD A-SPEC	20TGT01	000	250	2.0	203	272	KYF1A1	EFI	9)	10 semi A T	10	YES	2.9	17	30.8976	[ 8,920 ]	10.5	29.5	29	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	16	20.2	20.8	8.2	8.3	8.2	250/ SR20 101V	6.2	6.7	6	108.3	8	
	PILOT FWD	35TGD02	500	500	3.5	209	280	KLVA1A1	EFI	8)	9 semi A T	9	YES	2.3	33	29.9106	[ 13,52.1 ]	152.9	18.5	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 102H	66.3	66.3	66.3	111.0	51.1	
	PILOT FWD	35TGD02	500	500	3.5	209	280	KLVA1A1	EFI	8)	6 A T	6	YES	27.6	25	29.3963	[ 33,067 ]	152.9	18.5	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 102H	66.3	66.3	66.3	111.0	51.1	
	PILOT AWD	35TGD02	500	500, 750	3.5	209	280	KLVA1A1	EFI	8)	9 semi A T	9	YES	2.3	33	28.996	[ 9,972 ]	152.9	18.5	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 102H	66.3	66.3	66.3	111.0	51.1	
	PILOT AWD	35TGD02	500	500	3.5	209	280	KLVA1A1	EFI	8)	6 A T	6	YES	27.6	25	27.6395	[ 61, 10 ]	152.9	18.5	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 102H	66.3	66.3	66.3	111.0	51.1	
	PASSPORT AWD	35TGD02	500	500	3.5	209	280	KLVA1A1	EFI	8)	9 semi A T	9	YES	2.3	33	27.3085	[ 21, 25 ]	116	0.8	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 102H	66.7	66.7	66.7	111.0	51.1	
	PASSPORT AWD	35TGD02	500	500	3.5	209	280	KLVA1A1	EFI	8)	9 semi A T	9	YES	2.3	33	27.3085	[ 8,927 ]	116	0.8	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 10 H	66.7	66.7	66.7	111.0	51.1	
	MDX AWD	35TGD01	500	500	3.5	216	290	KBN1A1	EFI	8)	9 semi A T	9	YES	2.3	33	28.9779	[ 32,201 ]	132.73	1.8	30	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 102H	66.3	66.3	66.3	111.0	51.1	
	MDX AWD	30TGH01	500	750	3.0	192	257	KWS1D1	EFI	3)	7 semi DCT	7	YES	27.0	3.83	36.2050	[ 2,018 ]	132.73	1.8	30	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 102H	66.3	66.3	66.3	111.0	51.1	
	MDX AWD A-SPEC	35TGD01	500	500	3.5	216	290	KBN1A1	EFI	8)	9 semi A T	9	YES	23.8	33	28.017	[ 5,203 ]	132.73	1.8	30	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 10 H	66.3	66.3	66.3	111.0	51.1	
	MDX FWD	35TGD01	000	250	3.5	216	290	KBN1A1	EFI	8)	9 semi A T	9	YES	2.3	33	31.121	[ 12, 88 ]	132.73	1.8	30	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	250/ SR20 10 H	66.3	66.3	66.3	111.0	51.1	
	RIDGELINE AWD	35TGD0	500	750	3.5	209	280	KMJ1A1	EFI	8)	6 A T	6	YES	27.6	25	27.1795	[ 9,350 ]	109.7	-	32	N/A	N/A	NO	NO	YES	59.7	59.5	NO	NO	YES	-	-	-	-	-	-	250/ SR20 103H	66.1	66.0	66.0	125.2	57
	RIDGELINE FWD	35TGD0	500	500	3.5	209	280	KMJ1A1	EFI	8)	6 A T	6	YES	27.6	25	28.1939	[ 12,337 ]	109.7	-	32	N/A	N/A	NO	NO	YES	59.7	59.5	NO	NO	YES	-	-	-	-	-	-	250/ SR20 103H	66.3	66.3	66.3	125.2	57
	ODYSSEY FWD	35TGD03	5000	5000	3.5	209	280	KMR1A1	EFI	8)	10 semi A T	10	YES	22.5	3.61	29.2589	[ 2,317 ]	160.1	35.9	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	235/65R18 103H	67.3	67.2	67.2	118.1	55.1	
	ODYSSEY FWD	35TGD03	500	750	3.5	209	280	KMR1A1	EFI	8)	10 semi A T	10	YES	22.6	3.61	29.5876	[ 10,808 ]	160.1	35.9	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	235/65R19 101H	67.3	67.2	67.2	118.1	55.1	
	ODYSSEY FWD	35TGD03	500	750	3.5	209	280	KMR1A1	EFI	8)	9 semi A T	9	YES	25.1	33	28.7263	[ 69,972 ]	163.6	35.9	32	N/A	N/A	NO	NO	N/A	N/A	NO	NO	YES	18.6	2.5	17.3	8.1	8.6	8.0	235/65R18 103H	67.3	67.2	67.2	118.1	55.1	

1) TWC, WR-HQ2S, HQ2S, EGR, SFI  
 2) TWC, WR-HQ2S, HQ2S, SFI  
 3) 2WU-TWC, TWC, 2WR-HQ2S, 2HQ2S, EGR, SFI  
 4) WU-TWC, TWC, WR-HQ2S, HQ2S, EGR, SFI  
 5) WU-TWC, TWC, WR-HQ2S, HQ2S, SFI  
 6) WU-TWC, TWC, WR-HQ2S, HQ2S, DFI  
 7) Zero Emission Veh.c.e. not applicable  
 8) 2WU-TWC, TWC, 2WR-HQ2S, 2HQ2S, EGR, DFI  
 9) TWC, WR-HQ2S, HQ2S, DFI, TC, CAC  
 10) WU-TWC, TWC, WR-HQ2S, HQ2S, EGR, DFI  
 11) TWC, WR-HQ2S, HQ2S, EGR, EGR, SFI  
 12) 2WU-TWC, TWC, 2WR-HQ2S, 2HQ2S, DFI, SFI, 2TC, 2CAC  
 13) TWC, WR-HQ2S, HQ2S, SFI, EGR, EGR, SFI  
 1) WU-TWC, TWC, WR-HQ2S, HQ2S, SFI, EGR, EGR

2019 HONDA

BASIC ENGINE	ENGINE DISP. (litter)	Number of Cylinder	Hybrid System	Turbo Charger	Variable Valve Timing Control		Cylinder Deactivation	Valve Train		Fuel Injection System	
					VTEC	VTC		VCM	DOHC	SOHC	Direct
15PGH01	1.5	4	X		X	X		X			X
15PGH02	1.5	4	X		X	X		X			X
15PGD01	1.5	4			X	X		X		X	
15PGT01	1.5	4		X		X		X		X	
15PGT02	1.5	4		X		X		X		X	
15PGT03	1.5	4		X		X		X		X	
15PGT04	1.5	4		X	X	X		X		X	
15TGT01	1.5	4		X		X		X		X	
18PGA01	1.8	4			X				X		X
20PGA01	2.0	4			X	X		X			X
20PGH01	2.0	4	X		X	X		X			X
20PGT01	2.0	4		X	X	X		X		X	
20PGT02	2.0	4		X	X	X		X		X	
20PGT03	2.0	4		X	X	X		X		X	
20TGT01	2.0	4		X	X	X		X		X	
24PGD01	2.4	4			X	X		X		X	
24PGD02	2.4	4			X	X		X		X	
24PGD03	2.4	4			X	X		X		X	
24PGD04	2.4	4			X	X		X		X	
24TGD01	2.4	4			X	X		X		X	
30TGH01	3.0	6	X		X				X		X
35PGV01	3.5	6			X	X	X		X		X
35PGD01	3.5	6			X	X	X		X	X	
35PGD02	3.5	6			X	X	X		X	X	
35PGH01	3.5	6	X		X	X	X		X	X	
35PGH02	3.5	6	X	X		X		X		X	X
35TGV01	3.5	6			X		X		X		X
35TGD01	3.5	6			X		X		X	X	
35TGD02	3.5	6			X		X		X	X	
35TGD03	3.5	6			X		X		X	X	
35TGD04	3.5	6			X		X		X	X	

VTEC: Variable valve Timing and lift Electronic Control system. 2 or more profiles of camshaft are changed by engine and vehicle conditions.

VTC: Variable Timing Control. The phase of camshaft are changed continuously by engine and vehicle conditions.

VCM: Variable Cylinder Management. 2 or 3 of 6 cylinders are deactivated at cruise and deceleration.

2019 HONDA

5. Air Conditioning Efficiency Credits

Air Conditioning Efficiency Credits Earned - Domestic Passenger Cars  
 Manufacturer: Honda

Select Model Year: 2019  
 Select Report: Pre-Model Year Report  
 Select Program: Primary (non-TLAAS)  
 Select Fleet: Cars

31-Dec-18

Total production volume [Σ U]	Total production volume (generating credits) [Σ V]
599,365	599,365

Total A/C Efficiency Credits for the Model Year (megagrams) [Σ X]	FCIV <sub>c</sub> A/C Fuel Consumption Improvements for the Model Year (gallon/mile)
384,884	0.0004

Instructions      Notes

Model Type Information					Air Conditioning			Air Conditioning System Menu Based Components & Credits (gpm)										2014 Model Year and later Idle Test			Production		Credits Generated		Z. Comments	AA. Vehicle Lifetime Miles	
A. Carline Name	B. Drive	C. Engine	D. Trans	E. Model Type Index	F. A/C System Identifier	G. Refrigerant	H. Compressor Drive System	I. Reduc'd Reheat with variable displ compressor	J. Reduced Reheat with fixed displ or pneumatic compressor	K. Default to Recirc with feedback sensor	L. Default to Recirc without feedback sensor	M. Efficient Blower Motor Controls	N. Internal Heat Exchanger	O. Condenser and/or Evaporator (requires EPA approval)	P. Oil Separator (requires EPA approval)	Q. Total Menu based Credits [J+K+L+M+N+O+P]	R. Cap Limited Credits [Q capped at 5.0 max]	S. Increased CO2 on Idle Test	T. Electric only A/C: Time engine remained off during A/C on portion of Idle Test	U. Electric only A/C: Time engine remained off during A/C on portion of Idle Test	V. Production volume	W. Regulatory Production volume (generating credits)	X. Credits adjusted for idle test [calc from R,S,T per 86.1868 12(c)]	Y. A/C Efficiency credits [calc from W,X,A per 86.1868 12(c)(3)]			
								gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm
TLX FWD	2WD	2.4 L	DCT	8	d	R-134a	Belt-driven	1.5		1.0					0.5	3.0	3.0					9 085	9 085	3.0	3.02	195 264	
TLX FWD A-SPEC	2WD	2.4 L	DCT	9	d	R-134a	Belt-driven	1.5		1.0					0.5	3.0	3.0					1 928	1 928	3.0	1129	195 264	
TLX FWD	2WD	3.5 L	9AT	10	d	R-134a	Belt-driven	1.5		1.0					0.5	3.0	3.0					7 820	7 820	3.0	4581	195 264	
TLX FWD A-SPEC	2WD	3.5 L	9AT	11	d	R-134a	Belt-driven	1.5		1.0					0.5	3.0	3.0					3 609	3 609	3.0	2114	195 264	
TLX AWD	4WD	3.5 L	9AT	12	d	R-134a	Belt-driven	1.5		1.0					0.5	3.0	3.0					4 211	4 211	3.0	2467	195 264	
TLX AWD A-SPEC	4WD	3.5 L	9AT	13	d	R-134a	Belt-driven	1.5		1.0					0.5	3.0	3.0					2 406	2 406	3.0	1409	195 264	
FIT	2WD	1.5L	CVT	3		R-1234yf	Belt-driven						1.0		0.5	1.5	1.5					12 885	12 885	1.5	3774	195 264	
FIT	2WD	1.5L	CVT	4		R-1234yf	Belt-driven						1.0		0.5	1.5	1.5					40 804	40 804	1.5	11951	195 264	
FIT	2WD	1.5L	6MT	5		R-1234yf	Belt-driven						1.0		0.5	1.5	1.5					1 108	1 108	1.5	325	195 264	
RDX FWD	2WD	3.5 L	6AT	19		R-1234yf	Belt-driven	1.5		1.0			1.0		0.5	4.0	4.0					22 105	22 105	4.0	17265	195 264	
RDX FWD A-SPEC	2WD	3.5 L	6AT	21		R-1234yf	Belt-driven	1.5		1.0			1.0		0.5	4.0	4.0					3 901	3 901	4.0	3047	195 264	
HR-V FWD	2WD	1.8 L	CVT	22		R-1234yf	Belt-driven						1.0		0.5	1.5	1.5					9 212	9 212	1.5	2688	195 264	
HR-V FWD	2WD	1.8 L	CVT	23		R-1234yf	Belt-driven						1.0		0.5	1.5	1.5					13 161	13 161	1.5	3855	195 264	
HR-V FWD	2WD	1.8 L	CVT	23		R-1234yf	Belt-driven		1.0				1.0		0.5	2.5	2.5					34 218	34 218	2.5	16704	195 264	
CR-V FWD	2WD	2.4 L	CVT	36		R-1234yf	Belt-driven		1.0				1.0		0.5	2.5	2.5					23 805	23 805	2.5	11621	195 264	
CR-V FWD	2WD	1.5 L	CVT	38		R-1234yf	Belt-driven	1.5					1.0		0.5	3.0	3.0					117 344	117 344	3.0	68739	195 264	
ACCORD	2WD	1.5 L	6MT	42		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					2 078	2 078	4.0	1623	195 264	
ACCORD	2WD	1.5 L	CVT	43		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					128 169	128 169	4.0	98545	195 264	
ACCORD	2WD	1.5 L	CVT	44		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					48 242	48 242	4.0	37680	195 264	
ACCORD	2WD	2.0 L	6MT	45		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					3 144	3 144	4.0	2456	195 264	
ACCORD	2WD	2.0 L	10AT	46		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					20 718	20 718	4.0	16182	195 264	
ACCORD 2.0T SPORT	2WD	2.0 L	10AT	47		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					16 575	16 575	4.0	12946	195 264	
ACCORD	2WD	2.0 L	FSS	48		R-1234yf	Electric	1.5					1.0	1.0	0.5	4.0	4.0					31 737	31 737	4.0	24788	195 264	
CIVIC 2DR	2WD	1.5L	6MT	54		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					6 954	6 954	4.0	5431	195 264	
CIVIC 2DR	2WD	1.5L	CVT	57		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					5 146	5 146	4.0	4019	195 264	
CIVIC 2DR	2WD	1.5L	CVT	58		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					2 422	2 422	4.0	1892	195 264	
CIVIC 2DR	2WD	2.0L	6MT	62		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					1 100	1 100	4.0	859	195 264	
CIVIC 2DR	2WD	2.0L	CVT	63		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					5 718	5 718	4.0	4466	195 264	
CIVIC 2DR	2WD	2.0L	CVT	64		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0					7 477	7 477	4.0	5840	195 264	
PASSPORT FWD	2WD	3.5L	9AT	66		R-1234yf	Belt-driven	1.5		1.0			1.0		0.5	4.0	4.0					14 283	14 283	4.0	11156	195 264	

## Air Conditioning Efficiency Credits Earned - Import Passenger Cars Manufacturer: Honda

Select Model Year: **2019**  
 Select Report: **Pre-Model Year Report**  
 Select Program: **Primary (non-TLAAS)**  
 Select Fleet: **Cars**

31-Dec-18

Total production volume [E U]	Total production volume (generating credits) [E V]
480,837	480,837

Total A/C Efficiency Credits for the Model Year (megagrams) [E X]	FCIV <sub>AC</sub> A/C Fuel Consumption Improvements for the Model Year (gallon/mile)
346,989	0.0004

Instructions      Notes

Model Type Information					Air Conditioning			Air Conditioning System Menu Based Components & Credits (gpm)								2014 Model Year and later Idle Test			Production		Credits Generated		Z. Comments	AA. Vehicle Lifetime Miles				
A. Carline Name	B. Drive	C. Engine	D. Trans	E. Model Type Index	F. A/C System Identifier	G. Refrigerant	H. Compressor Drive System	I. Reduc'd Reheat with variable displ compressor	J. Reduced Reheat with fixed displ or pneumatic compressor	K. Default to Recirc with feedback sensor	L. Default to Recirc without feedback sensor	M. Efficient Blower Motor Controls	N. Internal Heat Exchanger	O. Condenser and/or Evaporator (requires EPA approval)	P. Oil Separator (requires EPA approval)	Q. Total Menu based Credits [(J+K+L+M+N+O+P)]	R. Cap Limited Credits [Q capped at 5.0 max]	S. Increased CO2 on Idle Test	T. Electric only A/C: Time engine remained off during A/C on portion of Idle Test	U. Electric only A/C: Time engine remained off during A/C on portion of Idle Test	V. Production volume	W. Regulatory Production volume (generating credits)	X. Credits adjusted for idle test [calc from R,S,T per 86.1866 12(c)(5)]	Y. A/C Efficiency credits [calc from W,X,AA per 86.1866 12(c)(3)]	Z. Comments	AA. Vehicle Lifetime Miles		
								gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm
RLX	2WD	3.5L	10AT	14		R-134a	Belt-driven	1.5							0.5	2.0	2.0				124	124	2.0	48		195,264		
RLX	4WD	3.5L	DCT	15		R-134a	Electric	1.5							0.5	2.0	2.0				444	444	2.0	173		195,264		
NSX	4WD	3.5L	DCT	41		R-134a	Electric	1.5							0.5	2.0	2.0				0	0	2.0	0		195,264		
INSIGHT	2WD	1.5 L	FSS	16		R-1234yf	Electric	1.5					1.0	1.0	0.5	4.0	4.0				33,828	33,828	4.0	26422		195,264		
INSIGHT TOURING	2WD	1.5 L	FSS	17		R-1234yf	Electric	1.5					1.0	1.0	0.5	4.0	4.0				11,276	11,276	4.0	8807		195,264		
HR-V AWD	4WD	1.8 L	CVT	24		R-1234yf	Belt-driven						1.0	1.0	0.5	1.5	1.5				10,529	10,529	1.5	3084		195,264		
HR-V AWD	4WD	1.8 L	CVT	25		R-1234yf	Belt-driven						1.0	1.0	0.5	1.5	1.5				13,161	13,161	1.5	3855		195,264		
HR-V AWD	4WD	1.8 L	CVT	25		R-1234yf	Belt-driven		1.0				1.0	1.0	0.5	2.5	2.5				51,325	51,325	2.5	25055		195,264		
ILX	2WD	2.4L	DCT	40		R-1234yf	Belt-driven		1.0				1.0	1.0	0.5	3.5	3.5				15,704	15,704	3.5	10732		195,264		
CIVIC 5DR	2WD	1.5L	6MT	49		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				3,414	3,414	4.0	2687		195,264		
CIVIC 5DR	2WD	1.5L	CVT	50		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				38,312	38,312	4.0	29924		195,264		
CIVIC 5DR	2WD	1.5L	CVT	51		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				13,151	13,151	4.0	10272		195,264		
CIVIC 5DR	2WD	2.0L	6MT	52		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				6,129	6,129	4.0	4787		195,264		
CIVIC 4DR	2WD	1.5L	6MT	53		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				6,954	6,954	4.0	5431		195,264		
CIVIC 4DR	2WD	1.5L	CVT	55		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				53,858	53,858	4.0	42066		195,264		
CIVIC 4DR	2WD	1.5L	CVT	56		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				8,766	8,766	4.0	6847		195,264		
CIVIC 4DR	2WD	2.0L	6MT	59		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				11,072	11,072	4.0	8648		195,264		
CIVIC 4DR	2WD	2.0L	CVT	60		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				95,518	95,518	4.0	74605		195,264		
CIVIC 4DR	2WD	2.0L	CVT	61		R-1234yf	Belt-driven	1.5					1.0	1.0	0.5	4.0	4.0				87,186	87,186	4.0	68097		195,264		
CLARITY (PHEV)	2WD	1.5L	FSS	67		R-1234yf	Electric	1.5					1.0	1.0	0.5	4.0	4.0				18,239	18,239	4.0	14246		195,264		
CLARITY (Fuel Cell)	2WD		FSS	68		R-1234yf	Electric	1.5					1.0	1.0	0.5	3.0	3.0				1,124	1,124	3.0	658		195,264		
CLARITY (Electric)	2WD		FSS	69		R-1234yf	Electric	1.5					1.0	1.0	0.5	4.0	4.0				723	723	4.0	565		195,264		

**Air Conditioning Efficiency Credits Earned - Light Trucks**  
 Manufacturer: Honda

Select Model Year: **2019**  
 Select Report: **Pre-Model Year Report**  
 Select Program: **Primary (non-TLAAS)**  
 Select Fleet: **Trucks**

<b>31-Dec-18</b>	
Total production volume [E U]	Total production volume (generating credits) [E V]
754,735	754,735

Total A/C Efficiency Credits for the Model Year (megagrams) [E X]	FCIV <sub>AC</sub> A/C Fuel Consumption Improvements for the Model Year (gallon/mile)
902,596	<b>0.0006</b>

Instructions      Notes

Model Type Information					Air Conditioning			Air Conditioning System Menu Based Components & Credits (gpm)										2014 Model Year and later Idle Test			Production		Credits Generated		Z. Comments	AA. Vehicle Lifetime Miles		
A. Carline Name	B. Drive	C. Engine	D. Trans	E. Model Type Index	F. A/C System Identifier	G. Refrigerant	H. Compressor Drive System	I. Reduc'd Reheat with variable displ compressor	J. Reduced Reheat with fixed displ or pneumatic compressor	K. Default to Recirc with feedback sensor	L. Default to Recirc without feedback sensor	M. Efficient Blower Motor Controls	N. Internal Heat Exchanger	O. Condenser and/or Evaporator (requires EPA approval)	P. Oil Separator (requires EPA approval)	Q. Total Menu based Credits [I+J+K+L+M+N+O+P]	R. Cap Limited Credits [Q capped at 7.2 max]	S. Increased CO2 on Idle Test	T. Electric only A/C: Time engine remained off during A/C on portion of Idle Test	U. Electric only A/C: Time engine remained off during A/C on portion of Idle Test	V. Production volume	W. Regulatory Production volume (generating credits)	X. Credits adjusted for idle test [calc from R,S,T per 86.1866 12(c)(5)]	Y. A/C Efficiency credits [calc from W,X,AA per 86.1866 12(c)(3)]	Z. Comments	AA. Vehicle Lifetime Miles		
								gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm	gpm
RIDGELINE FWD	2WD	3.5 L	6AT	1		R-1234yf	Belt-driven		1.4	2.2					0.7	0.7	0.7				2 467	2 467	0.7	390		225 865		
RIDGELINE FWD	2WD	3.5 L	6AT	1		R-1234yf	Belt-driven		1.4	2.2					0.7	4.3	4.3				9 870	9 870	4.3	9586		225 865		
RIDGELINE AWD	4WD	3.5 L	6AT	2		R-1234yf	Belt-driven		1.4	2.2					0.7	4.3	4.3				49 350	49 350	4.3	47930		225 865		
ODYSSEY FWD	2WD	3.5 L	10AT	6		R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				35 125	35 125	6.5	51568		225 865		
ODYSSEY FWD	2WD	3.5 L	9AT	7		R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				99 972	99 972	6.5	146771		225 865		
RDX AWD	4WD	2.0L	10AT	18		R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				33 158	33 158	6.5	48680		225 865		
RDX AWD A-SPEC	4WD	2.0L	10AT	20		R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				5 852	5 852	6.5	8591		225 865		
PILOT FWD	2WD	3.5 L	9AT	26	d	R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				13 524	13 524	6.5	19855		225 865		
PILOT FWD	2WD	3.5 L	6AT	27	b	R-1234yf	Belt-driven			2.2			1.4		0.7	2.1	2.1				2 645	2 645	2.1	1255		225 865		
PILOT FWD	2WD	3.5 L	6AT	27	b	R-1234yf	Belt-driven		1.4	2.2			1.4		0.7	5.7	5.7				30 422	30 422	5.7	39166		225 865		
PILOT AWD	4WD	3.5 L	9AT	28	d	R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				40 572	40 572	6.5	59565		225 865		
PILOT AWD	4WD	3.5 L	6AT	29	b	R-1234yf	Belt-driven			2.2			1.4		0.7	2.1	2.1				3 920	3 920	2.1	1859		225 865		
PILOT AWD	4WD	3.5 L	6AT	29	b	R-1234yf	Belt-driven		1.4	2.2			1.4		0.7	5.7	5.7				57 490	57 490	5.7	74014		225 865		
MDX FWD	2WD	3.5 L	9AT	30	d	R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				12 488	12 488	6.5	18334		225 865		
MDX AWD	4WD	3.5 L	9AT	31	d	R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				32 261	32 261	6.5	47363		225 865		
MDX AWD A-SPEC	4WD	3.5 L	9AT	32	d	R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				5 203	5 203	6.5	7639		225 865		
MDX AWD	4WD	3.0 L	DCT	33	d	R-134a	Electric	2.2		2.2			1.4		0.7	5.1	5.1				2 018	2 018	5.1	2325		225 865		
CR-V AWD	4WD	2.4 L	CVT	37		R-1234yf	Belt-driven		1.4				1.4		0.7	3.5	3.5				36 588	36 588	3.5	28924		225 865		
CR-V AWD	4WD	1.5 L	CVT	39		R-1234yf	Belt-driven	2.2					1.4		0.7	4.3	4.3				251 458	251 458	4.3	244221		225 865		
PASSPORT AWD	4WD	3.5 L	9AT	65	d	R-1234yf	Belt-driven	2.2		2.2			1.4		0.7	6.5	6.5				30 352	30 352	6.5	44560		225 865		





