

BUSINESS INFORMATION

Model Type, Configuration Fuel Economy (537.7 (c)(1) & (2))					
Model Type	Model X				
Target Fuel Economy	30.6				
Combined Fuel Economy	330.4	313.6	361.5	292.8	257.0
Configuration	SR	LR	LR+	P20	P22
Projected sales	[0]	[4,000]	[1,000]	[500]	[500]

Technical Information (537.7(c)(3))

Loaded vehicle weight	2990 kg	3079 kg	3079 kg	3120 kg	3120 kg
Equivalent test weight (ETW)	5500 lbs	6000 lbs	5500 lbs	6000 lbs	6000 lbs
Engine displacement, liters	N/A	N/A	N/A	N/A	N/A
Number of cylinders	N/A	N/A	N/A	N/A	N/A
Net rated power, kilowatts (measured by manufacturer)	398	398	398	398	398
Net horsepower (measured by manufacturer)	534	534	534	534	534
Engine code	L2X	L2X	L2X	L2X	L2X
Fuel system	Lithium Ion battery				
Emission control system	N/A	N/A	N/A	N/A	N/A
Transmission class	Single speed, All wheel drive				

Number of forward speeds	1	1	1	1	1
Existence of overdrive	No	No	No	No	No
Total drive ratio (N/V)	9.77	9.77	9.77	9.77	9.77
Axle ratio	9.77	9.77	9.77	9.77	9.77
Combined fuel economy	330.35	313.58	361.48	292.76	256.98
Projected sales	0	4000	1000	500	500
Body style	MPV	MPV	MPV	MPV	MPV
Interior volume Index	144.4 Cu. Ft				
Performance of the function described in 49 CFR §523.5(a)(5)	No	No	No	No	No
Front Track width	67.3 in				
Rear Track width	67.8 in				
Average Track Width	67.6 in				
Wheelbase	116.7 in				
Vehicle footprint	54.8 ft2	54.8 ft2	54.8 ft3	54.8 ft2	54.8 ft2
Frontal area	30.97 ft 2	30.97 ft 2	30.97 ft 3	30.97 ft 2	30.97 ft 2
Road load horse power at 50mph	13.16	13.48	12.5	13.95	16.38

Base Tire (front & rear)	265/45R20 (F)	265/45R20 (F)	265/45R20 (F)	265/45R20 (F)	265/35R22 (F)
	275/45R20 (R)	275/45R20 (R)	275/45R20 (R)	275/45R20 (R)	285/35R22 (R)
Optional Tire (front & rear)	265/35R22 (F)	265/35R22 (F)	265/35R22 (F)	-	-
	275/35R22 (R)	275/35R22 (R)	275/35R22 (R)		
Optional equipment	No optional equipment (as per 40 CFR parts 86 and 600) is required to be installed for FE testing purposes.	No optional equipment (as per 40 CFR parts 86 and 600) is required to be installed for FE testing purposes.	No optional equipment (as per 40 CFR parts 86 and 600) is required to be installed for FE testing purposes.	No optional equipment (as per 40 CFR parts 86 and 600) is required to be installed for FE testing purposes.	No optional equipment (as per 40 CFR parts 86 and 600) is required to be installed for FE testing purposes.