



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**



DOT HS 813 316

September 2022

Non-Traffic Surveillance Analytical User's Manual, 2016-2020

DISCLAIMER

This publication is distributed by the U.S. Department of Transportation, National Highway Traffic Safety Administration, in the interest of information exchange. The opinions, findings and conclusions expressed in this publication are those of the authors and not necessarily those of the Department of Transportation or the National Highway Traffic Safety Administration. The United States Government assumes no liability for its contents or use thereof. If trade or manufacturers' names are mentioned, it is only because they are considered essential to the object of the publication and should not be construed as an endorsement. The United States Government does not endorse products or manufacturers.

Suggested APA Format Citation:

National Center for Statistics and Analysis. (2022, September). *Non-Traffic Surveillance analytical user's manual, 2016-2020* (Report No. DOT HS 813 316). National Highway Traffic Safety Administration.

Technical Report Documentation Page

1. Report No. DOT HS 813 316	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Non-Traffic Surveillance Analytical User's Manual, 2016-2020		5. Report Date September 2022	
		6. Performing Organization Code	
7. Author National Center for Statistics and Analysis		8. Performing Organization Report No. DOT-VNTSC-NHTSA-xx- xx	
9. Performing Organization Name and Address National Center for Statistics and Analysis National Highway Traffic Safety Administration 1200 New Jersey Avenue SE Washington, DC 20590		10. Work Unit No. (TRAIS)	
		11. Contract or Grant No.	
12. Sponsoring Agency Name and Address National Highway Traffic Safety Administration 1200 New Jersey Avenue SE Washington, DC 20590		13. Type of Report and Period Covered	
		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract This is the updated and revised Non-Traffic Surveillance (NTS) Analytical User's Manual for the period 2016 to 2020.			
17. Key Words NTS; Non-Traffic Surveillance (NTS); analytical user's manual; 2016-2020		18. Distribution Statement Document is available to the public from the DOT, BTS, National Transportation Library, Repository & Open Science Access Portal, rosap.ntl.bts.gov .	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 147	22. Price

Form DOT F 1700.7 (8-72)

Reproduction of completed page authorized

Table of Contents

Introduction	1
New in 2020 NTS	2
New and Noteworthy	2
Data Elements With Changes	4
Summary of the SAS Naming Changes	7
NTS Weights and Estimation	Error! Bookmark not defined.
NTS SAS Data Files	8
NTS Data Element List	13
Data Element Definitions and Codes	17
Key Data Elements	18
The ACCIDENT Data File	21
The VEHICLE Data File	35
The PERSON Data File	68
The PARKWORK Data File	79
The CEVENT Data File	112
The VEVENT Data File	119
The VSOE Data File	126
The DAMAGE Data File	130
The DISTRACT Data File	132
The VISION Data File	134
References	136
Appendix A: Rules for Derived Data Elements	A-1

Introduction

One of the primary objectives of the National Highway Traffic Safety Administration (NHTSA) is to reduce the human toll and property damage that motor vehicle traffic crashes inflict on our society. Crashes each year result in thousands of lives lost, hundreds of thousands of injured victims, and billions of dollars in property damage. Accurate data are required to support the development, implementation, and assessment of highway safety programs aimed at reducing this toll. NHTSA uses data from many sources, including the Non-Traffic Surveillance (NTS) Non-Traffic Crash system.

The NTS data provide counts and details regarding fatalities and injuries that occur in non-traffic crashes and in non-crash incidents. NTS non-traffic crash data are obtained through NHTSA's data collection efforts -- the Crash Report Sampling System (CRSS), the Crash Investigation Sampling System (CISS), and the Fatality Analysis Reporting System (FARS). NTS non-crash injury data is based on emergency department records from a special study conducted by the Consumer Product Safety Commission's National Electronic Injury Surveillance System (NEISS) All Injury Program. NTS non-crash fatality data is derived from death certificate information from the Centers for Disease Control and Prevention's National Vital Statistics System.

This multi-year analytical user's manual provides documentation on the evolution of coding practices of the NTS Non-Traffic Crash Data. The manual will continue to grow each year and present the historical coding from inception through present. It includes documentation on the data elements and other useful information that will enable the users to become familiar with the data system. The NTS Non-Traffic Crash Coding and Validation Manual provides more detailed definitions and coding rules for each data element and attribute. NHTSA's National Center for Statistics and Analysis (NCSA) publishes these manuals for each year of data collection and they are available at [NCSA Publications — Manuals and Documentation — NTS](#).

The compilation of NTS Non-Traffic Crash data is a NHTSA priority. These data store valuable information that will be preserved over time and are available for present and future use. This analytical user's manual should help improve the usefulness and accessibility of the NTS data. With the exception of personal notes, there is no reason to keep older versions of this reference manual. All information in earlier editions has been retained in this newer version.

New in 2020 NTS

New and Noteworthy

The Analytical User's Manual is updated annually to reflect necessary revisions and ensure quality data collection and analysis. NTS data elements evolve based on any number of factors including the needs of end-users. Changes are made with careful consideration and collaboration among key stakeholders. Below are the notable changes, challenges, reclassifications, or other issues the analyst should be aware of for this year.

Addition of VIN-Decoded Data

Prior to 2020 the descriptive vehicle information in Vehicle Make, Vehicle Model, and Body Type were coded from information in the police crash reports and based on a Vehicle Make/Model/Body Type table maintained by NCSA for this purpose. Starting in 2020 this table was no longer updated and a new set of data elements has been added to the Vehicle and Parkwork data files. These new data elements are the following.

- [*vPIC Make*](#)
- [*vPIC Model*](#)
- [*vPIC Body Class*](#)
- [*Final Stage Body Class*](#)

These elements are also added to the Person data file.

These data elements are mostly derived from VIN decoding using NHTSA's tool, Product Information Catalog and Vehicle Listing (vPIC) which is based on the vehicle manufacturer submissions to NHTSA mandated by Federal Motor Vehicle Safety Standard (FMVSS) 49 Code of Federal Regulation (CFR) 565, Vehicle Identification Number (VIN) Requirements (2008). If a vehicle VIN or trailer VIN can be decoded cleanly, such as with no errors or minor issues, *vPIC Make*, *vPIC Model*, and *vPIC Body Class* are coded using information derived from vPIC VIN decoder. If a VIN cannot be decoded cleanly or there is no VIN reported in the police crash report, these elements are coded by analysts using the information on the crash report. Final Stage Body Class is applicable only to incomplete vehicles and always coded using the information from police crash report.

To further differentiate between these new data elements and the historic NCSA descriptions for Make, Model, and Body Type, the following data elements have been renamed the following.

- Vehicle Make → NCSA Make
- Vehicle Model → NCSA Model
- Body Type → NCSA Body Type

It is important to note that the new VIN-derived data elements will eventually replace the NCSA ones and result in new body class designations that will differ from NCSA's historic body type classifications.

For more information on NHTSA's Product Information Catalog and Vehicle Listing (vPIC), go to <https://vpic.nhtsa.dot.gov/>.

Changes to SAS Names

In 2020 the three NTS data files that store “select all that apply” elements were given new SAS names. The updated SAS names are identified in the [Summary of the SAS Naming Changes](#).

Modifications to the Collection of Non-Motorist Personal Conveyances

The data element [Non-Motorist Conveyance Type](#) was added to identify specific personal conveyances previously collected under Person Type. These personal conveyance attributes were modified slightly to remove designations of motorized or non-motorized, while Person Type was also modified to add new non-occupant attributes that identify if the personal conveyance was motorized or non-motorized. The new Person Type attributes are:

- 11 (Person on Motorized Personal Conveyance);
- 12 (Person on Non-Motorized Personal Conveyance); and
- 13 (Person on Personal Conveyance, Unknown if Motorized or Non-Motorized).

This change allows the analyst to target motorized and/or non-motorized devices generally or to focus on specific conveyance types in the new data element.

Data Elements With Changes

Below is a list of NTS data elements that have substantial changes for 2020. Changes are denoted in ***bold/italics*** for additions and strikethrough for deletions. More detailed information on each data element can be found in the NTS Coding and Validation Manual. The NCSA publishes these manuals for each year of data collection and they can be found at [NCSA Publications — Manuals and Documentation- NTS](#).

Data Element ID	Data Element Name	SAS Table.NAME	Comments
V6	Hit and Run	Vehicle.HIT_RUN, Parkwork.PHIT_RUN	■ Removed Attribute: 9 (Reported as Unknown)
<i>NEW V9</i> Old V13	Vehicle Identification Number (VIN)	Vehicle.VIN, Vehicle.PVIN	■ Changed Data Element ID From V13 to <i>V9</i>
<i>NEW V10</i> Old V12	Vehicle Model Year	Vehicle.MOD_YEAR, Vehicle.PMODYEAR	■ Changed Data Element ID From V12 to <i>V10</i>
<i>NEW V11</i>	<i>vPIC Make</i>	Vehicle.VPICMAKE, Parkwork.PVPICMAKE	■ New Data Element
<i>NEW V12</i>	<i>vPIC Model</i>	Vehicle.VPICMODEL, Parkwork.PVPICMODEL	■ New Data Element
<i>NEW V13</i>	<i>vPIC Body Class</i>	Vehicle.VPICBODYCLASS, Parkwork.PVPICBODYCLASS	■ New Data Element
<i>NEW V14</i> Old V9	NCSA Make	Vehicle.MAKE, Parkwork.PMAKE	■ Revised Data Element Name: Vehicle NCSA Make ■ Changed Data Element ID From V9 to <i>V14</i>
<i>NEW V15</i> Old V10	NCSA Model	Vehicle.MODEL, Parkwork.PMODEL	■ Revised Data Element Name: Vehicle NCSA Model ■ Changed Data Element ID From V10 to <i>V15</i>

Data Element ID	Data Element Name	SAS Table.NAME	Comments
<i>NEW V16</i> Old V11	NCSA Body Type	Vehicle.BODY_TYP, Parkwork.PBODYTYP	- Revised Data Element Name: NCSA Body Type - Changed Data Element ID From V11 to V16 - Revised Attributes: 42 (Light Truck Vehicle-Based Motor home [chassis mounted]) 65 (Medium/Heavy truck Vehicle based Motor Home) 73 (Camper or Motor Home, Unknown truck type GVWR)
<i>NEW V17</i>	Final Stage Body Class	Vehicle.ICFINALBODY, Parkwork.PICFINALBODY	New Data Element
<i>NEW V19</i> Old V14	Vehicle Trailing	Vehicle.TOW_VEH, Parkwork.PTRAILER	Changed Data Element ID From V14 to V19
<i>NEW V20</i> Old V15	Trailer Vehicle Identification Number (VIN)	Vehicle.TRLR1VIN, Vehicle.TRLR2VIN, Vehicle.TRLR3VIN, Parkwork.PTRLR1VIN, Parkwork.PTRLR2VIN, Parkwork.PTRLR3VIN	Changed Data Element ID From V15 to V20
<i>NEW V34</i> Old V29	Areas of Impact - Initial Contact Point/ Damaged Areas	Vehicle.IMPACT1, Parkwork.PIMPACT1, Damage.DAMAGE	- Changed Data Element ID From V29 to V34 - Changed SAS Name from MDAREAS to DAMAGE
<i>NEW V35</i> Old V30	Extent of Damage	Vehicle.DEFORMED Parkwork.PVEH_SEV	Changed Data Element ID From V30 to V35
<i>NEW V36</i> Old V31	Vehicle Removal	Vehicle.TOWED Parkwork.PTOWED	- Changed Data Element ID From V31 to V36 - Revised Attribute: 3 (Towed But Not Due to Disabling Damage)
<i>NEW V37</i> Old V32	Sequence of Events	Cevent.SOE, Vevent.SOE, Vsoe.SOE	Changed Data Element ID From V32 to V37
<i>NEW V38</i> Old V33	Most Harmful Event	Vehicle.M_HARM, Parkwork.PM_HARM	Changed Data Element ID From V33 to V38
PC14	Driver's Vision Obscured By	Vision.VISION	Changed SAS Name from MVISOBSC to VISION

Data Element ID	Data Element Name	SAS Table.NAME	Comments
PC16	Driver Distracted By	Distract.DRDISTRCT	■ Changed SAS Name from MDRDSTRD to DRDISTRCT
P7/NM7	Person Type	Person.PER_TYP	■ Remove Attribute: 8 (Person on Personal Conveyances) ■ New Attributes: ○ 11 (Person on Motorized Personal Conveyance) ○ 12 (Person on Non-Motorized Personal Conveyance) ○ 13 (Person on Personal Conveyance, Unknown if Motorized or Non-Motorized) ■ Deleted Attributes: ○ 20 (Skates) ○ 21 (Skateboards) ○ 22 (Baby Carriage) ○ 23 (Scooters) ○ 24 (Toy Wagons) ○ 25 (Toy Cars) ○ 26 (Two-Wheeled Self-Balancing Personal Transportation Device [e.g., Segway]) ○ 27 (Wheelchairs) ○ 28 (Handicapped Scooters)
NM7A	Non-Motorist Conveyance Type	Person.NMCNVTYP	■ New Data Element

Summary of the SAS Naming Changes

Data Element ID	2019 SAS Name	New 2020 SAS Name	Data Element Name
<i>V11</i>	<i>N/A</i>	<i>Vehicle.VPICMAKE, Parkwork.PVPICMAKE</i>	<i>vPIC Make</i>
<i>V12</i>	<i>N/A</i>	<i>Vehicle.VPICMODEL, Parkwork.PVPICMODEL</i>	<i>vPIC Model</i>
<i>V13</i>	<i>N/A</i>	<i>Vehicle.VPICBODYCLASS, Parkwork.PVPICBODYCLASS</i>	<i>vPIC Body Class</i>
<i>V17</i>	<i>N/A</i>	<i>Vehicle.ICFINALBODY, Parkwork.PICFINALBODY</i>	<i>Final Stage Body Class</i>
<i>V34B</i>	<i>Damage.MDAREAS</i>	<i>Damage.DAMAGE</i>	<i>Damaged Areas</i>
<i>PC14</i>	<i>Vision.MVISOBSC</i>	<i>Vision.VISION</i>	<i>Driver's Vision Obscured By</i>
<i>PC16</i>	<i>Distract.MDRDSTRD</i>	<i>Distract.DRDISTRACT</i>	<i>Driver Distracted By</i>

The data elements in ***bold/italics*** are new to 2020 NTS.

The data elements in *italics* are changed in 2020 NTS.

NTS Weights and Estimation

In this section, we describe what records of NTS are weighted, the NTS estimation method, the NTS weights calculation, and the proper usage of NTS weights.

The United States Congress asked NHTSA to collect data and make estimates about

- Non-traffic crash fatality and injury, and
- Non-crash fatality and injury.

This was made mandatory under Public Law Number 109-59, the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU), and under Public Law Number 110-189, the Cameron Gulbransen Kids Transportation Safety Act of 2007 (K.T. Safety Act).

Both non-traffic crashes and non-crashes are motor vehicle-related injuries and fatalities that occur off the public trafficway. Non-traffic crashes involve motor vehicles in-transport, while the non-crashes involve motor vehicles not in-transport. Non-traffic crashes are mostly single-vehicle crashes on private roads, two-vehicle crashes in parking facilities, or collisions with pedestrians in driveways. Examples of non-crashes include a vehicle falling on a person underneath and an unintentional carbon monoxide poisoning inside the vehicle.

NHTSA has been using the National Electronic Injury Surveillance System–All Injury Program (NEISS–AIP) data to make the non-crash injury estimates. NHTSA had used the General Estimates System (NASS–GES) non-traffic crash data and the Fatality Analysis Reporting System (FARS) non-traffic crash data to make the non-traffic crash fatality and injury estimates up to 2015.

In 2016 NHTSA implemented a new annual survey, the Crash Report Sampling System (CRSS), to replace the GES. Accordingly, from 2016 NHTSA started using the CRSS non-traffic crash data to make the non-traffic crash fatality and injury estimates. In this section we describe the CRSS and the FARS data systems, the NTS estimation method, the weighting methodology for the NTS injuries and fatalities, and how to use the weights to make the non-traffic crash injury and fatality estimates. The 2016–2020 NTS used the same weighting methodology as 2015 and previous years.

CRSS was designed independent of other NHTSA surveys. The target population for the CRSS is the same as the GES target population: all police-reported motor vehicle crashes on trafficways. Some of these crashes occur outside of trafficways and hence are not within the scope of CRSS. Such crashes are set aside for the NTS.

Like the GES, CRSS also has a multi-stage, stratified, unequal selection, probability sample design. The primary sampling unit (PSU) is either a county or a group of counties. Sixty PSUs were selected using a stratified, multi-phase, systematic sampling method. Within each sampled PSU, one or more police jurisdictions (PJ) were selected using the stratified Pareto sampling method. From each sampled PJ, police crash reports (PCRs) were systematically listed and sampled. The associated systematic sampling interval is called the sub-listing factor. During this listing process, if a PCR is about a non-traffic crash, then it is set aside for NTS coding.

Otherwise, if it is about a CRSS in-scope crash then it is further stratified into one of the nine CRSS PCR strata for further CRSS PCR sample selection. Based on this sample design, the base weight for a NTS non-traffic crash record is the product of its PSU weight, PJ weight, and sub-

listing factor. In addition, the people involved in the same non-traffic crash have the same Person weights that are equal to the crash base weight because there is no further subsequent Person sampling in each crash.

FARS, on the other hand, is a census of all traffic fatal crashes. During the FARS data collection, if a crash is identified as a non-traffic fatal crash, it is set aside for the NTS. Therefore, all identified non-traffic fatal crash PCRs were sampled with certainty. Therefore, all FARS non-traffic crashes and people each have a base weight of one.

NTS uses a dual frame method to make estimates for injuries and fatalities. For a fatality estimate, only the fatal records collected from the FARS non-traffic crashes are used. For an injury estimate, injury records collected from both the FARS non-traffic crashes and the CRSS non-traffic injury crashes are used. CRSS fatal non-traffic crashes are not used for the NTS injury and fatality estimates because non-traffic fatal crashes are included in the FARS non-traffic fatal crashes.

However, the fatality and injury estimates made using these base weights showed systematic under-estimation when compared to the auxiliary information obtained from the National Vital Statistics System (NVSS) mortality data collected by the Centers for Disease Control and Prevention (CDC) and the State data from the State Data System (SDS) collected by NHTSA.

NVSS's mortality data is a census of all fatalities (traffic or non-traffic). It can be used to calculate the total number of crash-related fatalities (traffic or non-traffic). On the other hand, FARS provides the total number of crash-related traffic fatalities. The difference between the NVSS's total number of crash-related fatalities and the FARS's total number of crash-related traffic fatalities is the total number of crash-related non-traffic fatalities.

NHTSA's State Data System includes computer data files coded from police crash reports provided by more than 30 States. Some States provide both traffic crash and non-traffic crash data so that the ratio of non-traffic crash injuries to traffic crash injuries can be calculated. The product of this ratio and the estimated number of traffic crash injuries from CRSS is an estimate of the non-traffic crash injuries.

The fact that NTS estimates are lower than the estimates made using the NVSS and the SDS information suggests there may be an under-coverage error of the NTS non-traffic crashes through the FARS and the CRSS data collection framework. Essentially, many non-traffic crashes were not available to the CRSS PCR collection or the FARS PCR collection. To mitigate this coverage error, the NTS non-traffic crash injury and fatality estimates were calibrated to the known auxiliary information. This was performed by adjusting the NTS base weights so that the NTS injury and fatality estimates equal the better overall totals from the NVSS and the SDS information. Specifically, the NTS Person records were post-stratified into four cells generated by two dichotomous variables: person type (occupant or non-occupant) and injury severity (injured or killed). For each of the two killed person cells (killed occupants and killed non-occupants), the first step is to calculate the total number of non-traffic crash fatalities from the NVSS and the FARS as described above. Then the total number of non-traffic crash fatalities is estimated separately by the number of the NTS non-traffic crash fatalities in the cell. The ratio of the two totals, the total estimated from the NVSS and the FARS, and the total estimated from NTS non-traffic crash fatalities, is the adjustment factor of the cell. A killed person's final weight is the product of the base weight and the adjustment factor.

Five States (Indiana, Kentucky, Nebraska, New Jersey, and North Carolina) from NHTSA's SDS provided both non-traffic crash injury data and the traffic crash injury data for each of the two injured person cells (injured occupants and injured non-occupants). For each of the five States, we calculated the non-traffic injury to traffic injury ratio using all the available data up to the current year. Then we took the median ratio of the five States and multiplied it by the total number of traffic injury estimated from the CRSS traffic crashes. This gives us an estimate of the total number of the non-traffic injuries. Separately, the NTS total non-traffic injuries is estimated by the sum of the NTS non-traffic injured person's base weights in the cell. The ratio of the two total non-traffic injury estimates, one using the SDS data and the other from the NTS injury cases, is the adjustment factor of the cell. The final weight of a non-traffic injured person is the product of the base weight of the person and the adjustment factor. Table 1 lists 2016–2020 adjustment factors.

Table 1. 2016–2020 Adjustment Factors

Cell	Adjustment Factor				
	2016	2017	2018	2019	2020
Occupant Fatalities	34.21	41.09	39.61	43.30	33.29
Nonoccupant Fatalities	16.02	10.54	9.58	19.08	13.49
Occupant Injuries	6.25	5.06	5.20	4.18	3.63
Nonoccupant Injuries	4.54	2.78	2.88	2.75	2.43

Because these adjustments are performed at the Person level, people with different person types (occupant or non-occupant) or injury severity (killed or injured) involved in the same crash may have different adjustment factors and hence have different final weights. These final weights can only be applied to the Person Level file.

In addition, only those injured and killed people from the NTS FARS non-traffic crashes and those injured people from the NTS CRSS non-traffic injury crashes are weighted.

The final weights for the weighted injured and killed people can be found in file PERSON_ADJ. To use these weights to make estimates, merge this file to the NTS Person file by matching variables: CASENUM, VEH_NO, and PER_NO. The final weight variable name is ADJUST. Only the matched Person records with positive ADJUST values should be used to make NTS non-traffic crash-related injury or fatal estimates. Please see DOT HS 813 225¹ for the method of estimating the standard errors of the NTS estimates.

¹ Zhang, F., Noh, E. Y., & Boyle, L. (2021, December). *Crash Report Sampling System: Composite estimator variance estimation* (Report No. DOT HS 813 225). National Highway Traffic Safety Administration.
<https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/813225>

NTS SAS Data Files

NTS data are made available to the public in Statistical Analysis System (SAS) data files as well as Comma Separated Value files (CSV). For the current data collection year, there are 10 data files. The current data files are: Accident, Vehicle, Person, Parkwork, Cevent, Vevent, Vsoe, Damage, Distract, and Vision data files. Three of these data files contain one data element each in which the analyst could code more than one response: Damage, Distract, and Vision. That is, the NTS Coding and Validation Manual instructs coders to “select all that apply” for these data elements. Therefore, there is a record for each response.

The data files are presented with their data elements in the Data Elements Definitions and Codes section. For each of the data elements, a brief definition is provided along with any additional information that could assist analyses. SAS names and values are also provided for the data elements.

The SAS data files are:

- ***Accident***: This data file contains information about crash characteristics. There is one record per crash.
- ***Vehicle***: This data file contains information describing the motor vehicles in transport and the drivers of motor vehicles in transport who are involved in the crash: There is one record per motor vehicle in transport. Parked and working vehicle information is in the Parkwork data file.
- ***Person***: This data file contains information describing all people involved in the crash including motorists (i.e., drivers and passengers of motor vehicles in transport) and non-motorists (e.g., pedestrians and pedalcyclists). It provides information such as age, sex, vehicle occupant restraint use, and injury severity. There is one record per person.
- ***Parkwork***: This data file contains information about parked and working vehicles that were involved in NTS crashes. A parked vehicle is a motor vehicle that is stopped off the roadway, i.e., parked off the roadway. A working vehicle is a motor vehicle involved in trafficway maintenance, construction, or utility activities. It excludes vehicles performing private maintenance, construction, or utility activities. Data users are strongly advised to consult the annual NTS Coding and Validation Manuals for a detailed discussion. There is one record per parked/working vehicle.
- ***Cevent***: This data file contains information for all of the qualifying events (harmful) that occurred in the crash. It details the chronological sequence of events resulting from an unstabilized situation that constitutes a motor vehicle traffic crash. There is one record per event. Included in each record is a description of the event or object contacted, the vehicles involved, and the vehicles’ area of impact.
- ***Vevent***: This data file contains the sequence of events for each motor vehicle in transport involved in the crash. This data file has the same data elements as the Cevent data file. In addition, this data file has a data element that records the sequential event number for each vehicle (VEVENTNUM). There is one record for each event for each motor vehicle in transport.

- ***Vsoe***: This data file contains the sequence of events for each motor vehicle in transport involved in the crash. This data file has a subset of the data elements contained in the Vevent data file (It is a simplified Vevent data file). There is one record for each event for each motor vehicle in transport.
- ***Damage***: This data set contains information about all of the areas on this vehicle that were damaged in the crash. There is one record per damaged area.
- ***Distract***: This data file contains information about driver distractions. Each distraction is a separate record. There is at least one record per motor vehicle in transport.
- ***Vision***: This data file contains information about circumstances that may have obscured the driver's vision. Each obstruction is a separate record. There is at least one record for each driver of motor vehicle in transport.

NTS Data Element List

The following lists all SAS data elements with their SAS data file locations. Except for key data elements, if the element does not have a Data Element ID at the left side of the list then it has been discontinued.

Key Data Elements			18
	Case Number	CASENUM	18
	Police Jurisdiction (PJ)	PJ	18
	Adjust	ADJUST	18
	Vehicle Number	VEH_NO	19
	Person Number	PER_NO	19
	Event Number	EVENTNUM	20
	Vehicle Event Number	VEVENTNUM	20
The ACCIDENT Data File			21
C3	Number of Persons Not in Motor Vehicles	PEDS	22
C3A	Number of Persons Not in Motor Vehicles in Transport (MVIT)	PERNOTMVIT	22
C4	Number of Total Motor Vehicles	VE_TOTAL	23
C4A	Number of Motor Vehicles in Transport (MVIT)	VE_FORMS	23
C4B	Number of Parked/Working Vehicles	PVH_INVL	23
C5A	Number of Persons in Motor Vehicles in Transport (MVIT)	PERMVIT	24
C8A	Month of Crash	MONTH	25
C8C	Day of Week	DAY_WEEK	25
C8D	Year of Crash	YEAR	26
C9A	Hour of Crash	HOUR	27
C9B	Minute of Crash	MINUTE	27
C19	First Harmful Event	HARM_EV	28
C20	Manner of Collision of the First Harmful Event	MAN_COLL	30
C23A	Location of First Harmful Event	LOC_FHE	31
C27	School Bus Related	SCH_BUS	32
C90	Maximum Injury Severity in Crash	MAX_SEV	33
C91	Number Injured in Crash	NUM_INJ	34

The VEHICLE Data File			35
V4	Number of Occupants	NUMOCCS	36
V5	Unit Type	UNITTYPE	37
V6	Hit and Run	HIT_RUN	38
V9	Vehicle Identification Number (VIN)	VIN	39
V10	Vehicle Model Year	MOD_YEAR	40
V11	vPIC Make	VPICMAKE	41
V12	vPIC Model	VPICMODEL	42
V13	vPIC Body Class	VPICBODYCLASS	43
V14	NCSA Make	MAKE	45
V15	NCSA Model	MODEL	49
V16	NCSA Body Type	BODY_TYP	50
V17	Final Stage Body Class	ICFINALBODY	53
V19	Vehicle Trailing	TOW_VEH	54
V20	Trailer Vehicle Identification Number	TRLR1VIN	55
V20	Trailer Vehicle Identification Number	TRLR2VIN	55
V20	Trailer Vehicle Identification Number	TRLR3VIN	55
V34A	Area of Impact – Initial Contact Point	IMPACT1	56
V35	Extent of Damage	DEFORMED	57
V36	Vehicle Removal	TOWED	58
V38	Most Harmful Event	M_HARM	59
V90	Maximum Injury Severity in Vehicle	MAX_VSEV	61
V91	Number Injured in Vehicle	NUM_INJV	62
V100	Make Model Combined	MAK_MOD	63
D4	Driver Presence	DR_PRES	64
PC17A	Last Movement	LASTMOVE	65
PC20	Attempted Avoidance Maneuver	P_CRASH3	66
PC21	Pre-Impact Stability	PCRASH4	67
The PERSON Data File.....			68
P5/NM5	Age	AGE	69
P6/NM6	Sex	SEX	70
P7/NM7	Person Type	PER_TYP	71
NM7A	Non-Motorist Conveyance Type	NMCNVTYP	72

P8/NM8	Injury Severity	INJ_SEV	73
P9	Seating Position	SEAT_POS	74
NM4	Vehicle Number of Motor Vehicle Striking Non-Motorist	STR_VEH	75
NM10	Non-Motorist Location at Time of Crash	LOCATION	76
NM27	Pedestrian Motion	PEDMOTN	77
NM28	Pedestrian Posture	PEDPOST	78

The PARKWORK Data File 79

C4A	Number of Motor Vehicles in Transport (MVIT) Involved	PVE_FORMS	80
C8A	Month of Crash	PMONTH	81
C9A	Hour of Crash	PHOUR	82
C9B	Minute of Crash	PMINUTE	82
C19	First Harmful Event	PHARM_EV	83
C20	Manner of Collision of the First Harmful Event	PMAN_COLL	85
V4	Number of Occupants	PNUMOCCS	86
V5	Unit Type	PTYPE	87
V6	Hit and Run	PHIT_RUN	88
V9	Vehicle Identification Number (VIN)	PVIN	89
V10	Vehicle Model Year	PMODYEAR	90
V11	vPIC Make	PVPICMAKE	91
V12	vPIC Model	PVPICMODEL	92
V13	vPIC Body Class	PVPICBODYCLASS	93
V14	NCSA Make	PMAKE	95
V15	NCSA Model	PMODEL	99
V16	NCSA Body Type	PBODYTYP	100
V17	Final Stage Body Class	PICFINALBODY	103
V19	Vehicle Trailing	PTRAILER	104
V20	Trailer Vehicle Identification Number	PTRLR1VIN	105
V20	Trailer Vehicle Identification Number	PTRLR2VIN	105
V20	Trailer Vehicle Identification Number	PTRLR3VIN	105
V34A	Initial Contact Point	PIMPACT1	106
V35	Extent of Damage	PVEH_SEV	107

V36	Vehicle Removal	PTOWED	108
V38	Most Harmful Event	PM_HARM	109
V100	Make Model Combined	PMAK_MOD	111
The CEVENT Data File			112
C18A	Vehicle Number (This Vehicle)	VNUMBER1	113
C18B	Area of Impact (This Vehicle)	AOI1	114
V37	Sequence of Events	SOE	115
C18C	Vehicle Number (Other Vehicle)	VNUMBER2	117
C18D	Area of Impact (Other Vehicle)	AOI2	118
The VEVENT Data File			119
C18A	Vehicle Number (This Vehicle)	VNUMBER1	120
C18B	Area of Impact (This Vehicle)	AOI1	121
V37	Sequence of Events SOE	122	
C18C	Vehicle Number (Other Vehicle)	VNUMBER2	124
C18D	Area of Impact (Other Vehicle)	AOI2	125
The VSOE Data File			126
C18B	Area of Impact Associated with the Event	AOI	127
V37	Sequence of Events	SOE	128
The DAMAGE Data File.....			130
V34B	Area of Impact – Damaged Areas	DAMAGE	131
The DISTRACK Data File			132
PC16	Driver Distracted By	DRDISTRACK	133
The VISION Data File.....			134
PC14	Driver’s Vision Obscured By	VISION	135

Data Element Definitions and Codes

This section represents the majority of the manual. It provides information on each data element, including definitions, SAS names, attribute codes and attribute labels. Over the years, changes have been made to the data collected. Some data elements have been dropped, new ones added, and attribute codes of individual data elements have changed. Element changes and the years for which individual attributes are available are shown for each data element.

For a detailed description of each data element including coding instructions and attribute definitions, see the NTS Coding and Validation Manual. The Coding Manual is published for each year of data collection and is available at:

[NCSA Publications — Manuals and Documentation — NTS.](#)

Additionally, a SAS program (format[YY].sas) and catalog (formats.sas7bcat) are provided with the data files each year for applying the labels and formats described in this section to the current year's attributes.

The data elements in this section are listed under the data file in which they are stored. Some data elements are provided in more than one data file to facilitate analyses. For example, Month of Crash (MONTH) is a crash-level data element but for convenience it is also provided in the Vehicle, Parkwork and Person files. For such elements, they are listed under the primary data file only.

All data elements are numeric except the following which are character.

- V13 Vehicle Identification Number (VIN, PVIN) [12 characters]

Key Data Elements

All of the data files contain the following four crash-level data elements.

Case Number

Definition: This data element is the unique case number assigned to each crash. It appears on each data file and is used to merge information from the data files together.

Additional Information: This data element is assigned by the data entry system to each crash and is the unique identifier for the crash within the year. It is used as the key, when any two of these files from the same year are merged.

SAS Name: CASENUM

Attribute Codes

2016-Later

xx Case Number

Primary Sampling Unit (PSU)

Definition: This data element identifies the general geographic location from where the police report was sampled. A PSU is either a large central city, a county surrounding a city, or a group of counties.

Additional Information:

SAS Name: PSU

Police Jurisdiction (PJ)

Definition: This data element identifies the number of the police jurisdiction from which the police crash report was originally sampled.

Additional Information:

SAS Name: PJ

Attribute Codes

2016-Later

46-4060 Police Jurisdiction Number

Adjust

Definition: This data element is used to produce national estimates from the data.

Additional Information: See the section [National Estimates](#) for more information.

SAS Name: ADJUST

All of the vehicle level data files contain the preceding accident level data elements as well as VEH_NO.

Vehicle Number

Definition: This data element is the consecutive number assigned to each vehicle in the case. This data element appears on each vehicle level data file and is used in conjunction with the CASENUM data element to merge information from vehicle level data files.

Additional Information: All vehicles (motor vehicles in transport as well as parked/working vehicles) are sequentially ordered starting with 1.

SAS Name: **VEH_NO**

Attribute Codes

2016-Later

0	Non-Motorist
1-999	Assigned Vehicle Number

All of the person level data files contain the preceding accident level and vehicle level data elements as well as PER_NO.

Person Number

Definition: This data element is the consecutive number assigned to each person in the case (i.e., each occupant, pedestrian, or non-motorists involved in the crash). This data element appears on each person level data file and is used in conjunction with the CASENUM data element (and sometimes the VEH_NO data element) to merge information from person level data files.

Additional Information: This data element is computer assigned. Each occupant of the vehicle is numbered and each non-occupant is numbered; in the case of a non-occupant the vehicle number is zero. The numbers for occupants are consecutive, for each vehicle, beginning with 1. Numbers are never skipped. Drivers do not have to be coded 1. Non-occupants are identified by vehicle number 0 and are numbered consecutively starting with 1 for each non-motorist. To get drivers see data element PER_TYP, under Person Type.

SAS Name: **PER_NO**

Attribute Codes

2016-Later

1-999	Assigned Person Number
-------	------------------------

The CEVENT and VEVENT data files contain the preceding crash level data elements as well as EVENTNUM.

Event Number

Definition: This data element is the consecutive number assigned to each harmful and non-harmful event in a crash, in chronological order.

Additional Information: Qualifying events are those that involve a motor vehicle in transport or an object set in motion by a motor vehicle in transport.

SAS Name: **EVENTNUM**

Attribute Codes

2016-Later

1-999 Event Number

The VEVENT and VSOE data files contain the preceding crash level data elements and VEH_NO as well as VEVENTNUM.

Vehicle Event Number

Definition: This data element is the consecutive number assigned to each harmful and non-harmful event for this vehicle, in chronological order.

Additional Information: The vehicle's event number shows the chronological sequence of the qualifying harmful and non-harmful events involving a particular vehicle. Qualifying events are those that involve a motor vehicle in transport or an object set in motion by a motor vehicle in transport.

SAS Name: **VEVENTNUM**

Attribute Codes

2016-Later

1-999 Vehicle Event Number

The ACCIDENT Data File

The Accident data file includes crash data. It contains the data elements CASENUM, PSU, PJ, and ADJUST, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Accident data file also contains the data elements on the following pages.

CASENUM is the unique case identifier for each record.

C3 *Number of Persons Not in Motor Vehicles*

Definition: This data element is the number of Person Forms (Not a Motor Vehicle Occupant) that are applicable to this case (i.e., non-occupants).

Additional Information: This represents the number of forms created for people *not* in motor vehicles. Prior to 2020 it is the number of people in the crash where “Person Type” is in (4, 5, 6, 7, 10, 19, 20, 21, 22, 23, 24, 25, 26, 27, or 28). Starting in 2020, the attributes are in (4, 5, 6, 7, 10, 11, 12, 13, or 19).

Note: People where “Person Type” = 3 (Occupant of a Motor Vehicle Not in Transport) are *not* included in this data element but are counted in C3A below.

SAS Name: **PEDS**

Attribute Codes

2016-Later

0-99 Number of Persons Not in Motor Vehicles

C3A *Number of Persons Not in Motor Vehicles in Transport (MVIT)*

Definition: This data element is a count of the number of non-motorists in the crash. A non-motorist is defined as a pedestrian, a cyclist, an occupant of a motor vehicle not in transport, a person riding a horse, an occupant of an animal drawn conveyance, person associated with non-motorist conveyance (e.g., baby carriage, skate board, wheelchair), or an other non-motorist (e.g., person outside a trafficway, person in a house).

Additional Information: Prior to 2020 this data element is calculated as the count of all people in the crash where “Person Type” is in (3, 4, 5, 6, 7, 10, 19, 20, 21, 22, 23, 24, 25, 26, 27, or 28). Starting in 2020, the attributes are in (3, 4, 5, 6, 7, 10, 11, 12, 13, or 19).

SAS Name: **PERNOTMVIT**

Attribute Codes

2016-Later

0-98 Number of Persons Not in Motor Vehicles in Transport

C4 *Number of Total Motor Vehicles*

Definition: This data element is the number of contact motor vehicles that the officer reported on the police crash report as a unit involved in the crash.

Additional Information: This number represents all of the motor vehicles in the crash. This includes the vehicles in transport that are documented in the Vehicle data file and the vehicles not in transport that are documented in the Parkwork data file. This data element only appears in the Accident data file.

SAS Name: **VE_TOTAL**

Attribute Codes

2016-Later

1-999 Number of Vehicles in Crash

C4A *Number of Motor Vehicles in Transport (MVIT)*

Definition: This data element is a count of the number of motor vehicles in transport involved in the crash. Legally parked vehicles are not included.

Additional Information: This data element is derived as the count of all vehicles in the crash where “Unit Type” = 1. It is the number of records in the Vehicle data file.

This data element also appears in the Vehicle and Person data files, and in the Parkwork data file as PVE_FORMS.

SAS Name: **VE_FORMS**

Attribute Codes

2016-Later

1-999 Number of Vehicles

C4B *Number of Parked/Working Vehicles*

Definition: This data element is a count of the number of parked and working vehicles involved in the crash.

Additional Information: This data element is derived as the count of all vehicles in the crash where “Unit Type” is in (3 or 4). It is the number of records in the Parkwork data file.

Working vehicles include only vehicles involved in trafficway maintenance, construction, or utility activities. Vehicles performing private maintenance, construction, or utility activities are excluded.

SAS Name: **PVH_INVL**

Attribute Codes

2016-Later

0-999 Number of Parked/Working Vehicles in the Crash

C5A Number of Persons in Motor Vehicles in Transport (MVIT)

Definition: This data element is a count of the number of motorists in the crash. A motorist is a driver, passenger or unknown occupant type of a motor vehicle in transport.

Additional Information: This data element is derived as the count of all people in the crash where “Person Type” is in (1, 2 or 9).

Note: People where “Person Type” = 3 (Occupant of a Motor Vehicle Not in Transport) are *not* included in this data element.

SAS Name: **PERMVIT**

Attribute Codes

2016-Later

0-999 Number of Persons in Motor Vehicles in Transport

C8 *Crash Date*

C8A *Month of Crash*

Definition: This data element records the month in which the crash occurred.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMONTH.

SAS Name: **MONTH**

Attribute Codes

2016-Later

- | | |
|----|-----------|
| 1 | January |
| 2 | February |
| 3 | March |
| 4 | April |
| 5 | May |
| 6 | June |
| 7 | July |
| 8 | August |
| 9 | September |
| 10 | October |
| 11 | November |
| 12 | December |

C8C *Day of Week*

Definition: This data element records the day of the week on which the crash occurred.

Additional Information: This data element is derived from the SAS Weekday function. The SAS Weekday function returns the day of the week from a date.

SAS Name: **DAY_WEEK**

Attribute Codes

2016-Later

- | | |
|---|-----------|
| 1 | Sunday |
| 2 | Monday |
| 3 | Tuesday |
| 4 | Wednesday |
| 5 | Thursday |
| 6 | Friday |
| 7 | Saturday |
| 9 | Unknown |

C8D Year of Crash

Definition: This data element records the year in which the crash occurred.

Additional Information:

SAS Name: YEAR

Attribute Codes

2016-Later

xxxx Year of the Crash

C9 *Crash Time*

C9A *Hour of Crash*

Definition: This data element records the hour at which the crash occurred.

Additional Information: Military time is used. Noon is coded as "12." Midnight is coded as HOUR=0 and MINUTE=0. Hour is coded 0 for 1 minute after midnight to 59 minutes after midnight.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PHOUR.

SAS Name: HOUR

Attribute Codes

2016-Later

0-23	Hour
99	Unknown

C9B *Minute of Crash*

Definition: This data element records the minutes after the hour at which the crash occurred.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMINUTE.

SAS Name: MINUTE

Attribute Codes

2016-Later

0-59	Minute
99	Unknown

C19 First Harmful Event

Definition: This data element describes the first injury or damage producing event of the crash.

Additional Information: “First Harmful Event” applies to the crash. “Most Harmful Event” (M_HARM) applies to the vehicle. “First Harmful Event,” “Most Harmful Event,” and the “Sequence of Events” data elements have the same harmful event attributes.

This data element is derived from the “Sequence of Events” data element.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PHARM_EV.

SAS Name: **HARM_EV**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018- Later</i>	
<i>NON-COLLISION HARMFUL EVENTS</i>			
1	1	1	Rollover/Overturn
2	2	2	Fire/Explosion
3	3	3	Immersion or Partial Immersion
4	4	4	Gas Inhalation
5	5	5	Fell/Jumped From Vehicle
6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	Other Noncollision
16	16	16	Thrown or Falling Object
44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
51	51	51	Jackknife (Harmful to This Vehicle)
72	72	--	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
--	--	72	Cargo/Equipment Loss, Shift, or Damage (Harmful)
<i>COLLISION WITH MOTOR VEHICLE IN TRANSPORT</i>			
54	54	54	Motor Vehicle in Transport Strikes or Is Struck by Cargo, Persons or Objects Set-in-Motion From/by Another Motor Vehicle in Transport
55	55	55	Motor Vehicle in Motion Outside the Trafficway
<i>COLLISION WITH OBJECT NOT FIXED</i>			
8	8	8	Pedestrian
9	9	9	Pedalcyclist
10	10	10	Railway Vehicle
11	11	11	Live Animal
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
18	18	18	Other Object Not Fixed
45	45	45	Working Motor Vehicle
49	49	49	Ridden Animal or Animal Drawn Conveyance
73	73	73	Object That Had Fallen From Motor Vehicle in Transport
74	74	74	Road Vehicle on Rails
--	91	91	Unknown Object Not Fixed

COLLISION WITH FIXED OBJECT

17	17	17	Boulder
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion
21	21	21	Bridge Pier or Support
23	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
30	30	30	Utility Pole/Light Support
31	31	31	Post, Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35	35	Embankment
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
46	46	46	Traffic Signal Support
48	48	48	Snow Bank
50	50	50	Bridge Overhead Structure
52	52	52	Guardrail End
53	53	53	Mailbox
57	57	57	Cable Barrier
58	58	58	Ground
59	59	59	Traffic Sign Support
--	93	93	Unknown Fixed Object
--	--	98	Harmful Event, Details Not Reported (Since 2019)
99	99	--	Unknown
--	--	99	Reported as Unknown

C20 Manner of Collision of the First Harmful Event

Definition: This data element describes the orientation of two motor vehicles in transport when they are involved in the “First Harmful Event” of a collision crash. If the “First Harmful Event” is not a collision between two motor vehicles in transport it is classified as such.

Additional Information: Prior to 2019, this data element’s name was “Manner of Collision.”

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMAN_COLL.

SAS Name: **MAN_COLL**

Attribute Codes

2016- 2017	2018	2019- Later	
0	0	--	Not Collision With Motor Vehicle in Transport
--	--	0	First Harmful Event Was Not a Collision With Motor Vehicle in Transport
1	1	1	Front-to-Rear
2	2	2	Front-to-Front
6	6	6	Angle
7	7	7	Sideswipe – Same Direction
8	8	8	Sideswipe – Opposite Direction
9	9	9	Rear-to-Side
10	10	10	Rear-to-Rear
11	11	11	Other
98	98	98	Not Reported
99	--	--	Unknown
--	99	99	Reported as Unknown

C23A Location of First Harmful Event

Definition: This data element identifies the location of the crash based on the “First Harmful Event.”

Additional Information:

SAS Name: **LOC_FHE**

Attribute Codes

2016-Later

- 1 Residential Driveway
- 2 Residential Garage
- 3 Residential Parking Lot
- 4 Other Residential Area
- 5 Commercial Driveway
- 6 Commercial Parking Lot
- 7 Other Commercial Area
- 8 Parking Garage Structure (Residential or Commercial)
- 10 Other Parking Lot (Incl. All Parking Lots of Unknown Type)
- 11 Other Private Road (Incl. Alleys That Are Not Trafficways)
- 12 Other Developed Area
- 13 Undeveloped Area
- 14 Other Structure (Not Parking Garage Structure)
- 15 Railway
- 16 Unknown Driveway Type
- 98 Not Reported
- 99 Unknown/Reported as Unknown (Since 2018)

C27 School Bus Related

Definition: This data element identifies if a school bus, or motor vehicle functioning as a school bus, is related to the crash.

Additional Information: The number of school bus related crashes may not equal the number of crashes with school buses involved. For example, if a vehicle goes around a stopped school bus and hits a pedestrian, the school bus usually will not be coded, but the crash is school bus related.

SAS Name: SCH_BUS

Attribute Codes

2016-Later

0	No
1	Yes

C90 *Maximum Injury Severity in Crash*

Definition: This data element records the single most severe injury of all people involved in the crash, and is derived from “Injury Severity” in the Person data file.

Additional Information: The following order of severity is used.

- 4-Fatal
- 3-Suspected Serious Injury
- 2-Suspected Minor Injury
- 1-Possible Injury
- 5-Injured, Unknown Severity
- 0-No Apparent Injury
- 6-Died Prior
- 9- Unknown/Not Reported
- 8-No Person Involved in Crash

See [Appendix A: Rules for Derived Data Elements](#) for an expanded explanation of this data element and how it is derived.

SAS Name: **MAX_SEV**

Attribute Codes

2016-Later

- | | |
|---|-----------------------------|
| 0 | No Apparent Injury |
| 1 | Possible Injury |
| 2 | Suspected Minor Injury |
| 3 | Suspected Serious Injury |
| 4 | Fatal |
| 5 | Injured, Severity Unknown |
| 6 | Died Prior to Crash |
| 8 | No Person Involved in Crash |
| 9 | Unknown/Not Reported |

C91 *Number Injured in Crash*

Definition: This data element records the number of people injured in the crash and is derived by counting all people with “Injury Severity” of (1, 2, 3, 4, or 5) in the crash. This count includes fatally injured occupants.

Additional Information: See [Appendix A: Rules for Derived Data Elements](#) for an expanded explanation of this data element and how it is derived.

SAS Name: **NUM_INJ**

Attribute Codes

2016-Later

- 0 No Person Injured/Property Damage Only Crash
- x Number of Known Injured
- 98 No Person Involved in the Crash
- 99 All Persons in Crash Are Unknown if Injured.

The VEHICLE Data File

The Vehicle data file includes motor vehicle in transport data as well as driver and precrash data. It contains the data elements CASENUM, PSU, PJ, ADJUST, and VEH_NO, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Vehicle data file also contains the data elements on the following pages.

CASENUM and VEH_NO are the unique identifiers for each record. CASENUM should be used to merge the Vehicle data file with the Accident data file. CASENUM and VEH_NO should be used to merge the Vehicle data file with other vehicle-level data files and the Person data file.

V4 *Number of Occupants*

Definition: This data element is a count of the number of occupants in this vehicle.

Additional Information: This data element also appears in the Parkwork data file as PNUMOCCS.

SAS Name: NUMOCCS

Attribute Codes

2016-Later

0	None
1-98	Number of Occupants
99	Unknown

V5 *Unit Type*

Definition: This data element identifies the type of unit that applies to this motor vehicle at the time it became an involved vehicle in the crash and was reported as a unit on the police crash report.

Additional Information: This data element also appears in the Parkwork data file as PTYPE. The valid attributes for PTYPE are:

- 3 Motor Vehicle Not in Transport Outside the Trafficway
- 4 Working Motor Vehicle (Highway Construction, Maintenance, Utility Only)

SAS Name: **UNITTYPE**

Attribute Codes

2016-Later

- 1 Motor Vehicle in Transport (Inside or Outside the Trafficway)

V6 *Hit and Run*

Definition: This data element identifies whether this vehicle was a contact vehicle in the crash that did not stop to render aid (this can include drivers who flee the scene on foot). Hit and run is coded when a motor vehicle in transport, or its driver, departs from the scene; vehicles not in transport are excluded. It does not matter whether the hit-and-run vehicle was striking or struck.

Additional Information: This data element also appears in the Parkwork data file as PHIT_RUN.

SAS Name: **HIT_RUN**

<i>2016- 2017</i>	<i>2018- 2019</i>	<i>2020- Later</i>	
0	0	0	No
1	1	1	Yes
9	--	--	Unknown
--	9	--	Reported as Unknown

V9 Vehicle Identification Number (VIN)

Definition: This data element records the vehicle identification number (VIN) of this vehicle assigned by the vehicle manufacturer. The VIN contains information on the vehicle such as: manufacturer, model year, model, body type, restraint type, etc.

Additional Information: The vehicle manufacturers use the VIN to describe certain characteristics of a vehicle and to assign a serial number to the vehicle.

Prior to 2018 if a character of the VIN is missing or undecipherable, the VIN length will be less than 12 characters. Starting in 2018 an asterisk (*) is used for missing or undecipherable VIN characters. Prior to 2020 the Data Element ID was V13.

This data element also appears in the Parkwork data file as PVIN.

SAS Name: VIN

Attribute Codes

<i>2016-2017</i>	<i>2018-Later</i>	
000000000000	000000000000	No VIN Required
xxxxxxxxxxxx	xxxxxxxxxxxx	First 12 Characters of the VIN
888888888888	888888888888	Not Reported
999999999999	--	Unknown
--	999999999999	Reported as Unknown
--	*	VIN Character Missing or Not Decipherable

V10 Vehicle Model Year

Definition: This data element identifies the manufacturer's model year of this vehicle.

Additional Information: Prior to 2020 the Data Element ID was V12.

This data element also appears in the Person data file and in the Parkwork data file as PMODYEAR.

SAS Name: MOD_YEAR

Attribute Codes

2016-Later

xxxx	Actual Model Year
9998	Not Reported
9999	Unknown

V11 vPIC Make

Definition: This element identifies the Make (manufacturer brand name) of this vehicle as per NHTSA vPIC submissions.

Additional Information: For more information on NHTSA's Product Information Catalog and Vehicle Listing (vPIC), go to <https://vpic.nhtsa.dot.gov/>.

A complete listing of vPIC Makes can be downloaded using the following URL:

<https://vpic.nhtsa.dot.gov/api/vehicles/getallmakes?format=csv>.

The vPIC Make Name (make_name) and vPIC Make ID (make_id) in the listing can be used to download the vPIC Models for a particular vPIC Make. (See [vPIC Model](#) for more details.)

This data element also appears in the Person data file and in the Parkwork data file as PVPICMAKE.

SAS Name: **VPICMAKE**

Attribute Codes

2020-

Later

xxxxx	Actual Make (Up to 5 Digits)
99997	Other
99998	Not Reported
99999	Unknown

V12 vPIC Model

Definition: This element identifies the Model of this vehicle using NHTSA’s VIN decoder application, vPIC.

Additional Information: For more information on NHTSA’s Product Information Catalog and Vehicle Listing (vPIC), go to <https://vpic.nhtsa.dot.gov/>.

A complete listing of vPIC Models for a particular vPIC Make can be downloaded using the following URLs as a guide. The first uses vPIC Make ID (make_id) as a search parameter and the second uses vPIC Make Name (make_name). (See [vPIC Make](#) for obtaining vPIC Make Names and IDs.)

- Replace * in the URL with vPIC Make ID:
https://vpic.nhtsa.dot.gov/api/vehicles/GetModelsForMakeId/*?format=csv
- Replace * in the URL with vPIC Make Name:
https://vpic.nhtsa.dot.gov/api/vehicles/getmodelsformake/*?format=csv

Example 1: Use the following URLs to download all the Models for **Buick**.

Use Buick Make ID **468** as parameter:

<https://vpic.nhtsa.dot.gov/api/vehicles/GetModelsForMakeId/468?format=csv>

Use the Make Name “**Buick**” as parameter:

<https://vpic.nhtsa.dot.gov/api/vehicles/getmodelsformake/Buick?format=csv>

Example 2: Use the following URLs to download all the Models for **Toyota**.

Use Toyota Make ID **448** as parameter:

<https://vpic.nhtsa.dot.gov/api/vehicles/GetModelsForMakeId/448?format=csv>

Use the Make Name “**Toyota**” as parameter:

<https://vpic.nhtsa.dot.gov/api/vehicles/getmodelsformake/Toyota?format=csv>

This data element also appears in the Person data file and in the Parkwork data file as PVPICMODEL.

SAS Name: **VPICMODEL**

Attribute Codes

2020-

Later

xxxxx	Actual Model (Up to 5 Digits)
99997	Other
99998	Not Reported
99999	Unknown

V13 vPIC Body Class

Definition: This element identifies a classification of this vehicle based on its general body configuration, size, shape, doors, etc., as defined by the manufacturer.

Additional Information: For more information on NHTSA's Product Information Catalog and Vehicle Listing (vPIC), go to <https://vpic.nhtsa.dot.gov/>.

Attributes with an asterisk (*) have the finished body class for an incomplete vehicle captured under Final Stage Body Class.

This data element also appears in the Person data file and in the Parkwork data file as PVPICBODYCLASS.

SAS Name: **VPICBODYCLASS**

Attribute Codes

2020- Later

- 1 Convertible/Cabriolet
- 2 Minivan
- 3 Coupe
- 4 Low-Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV)
- 5 Hatchback/Liftback/Notchback
- 6 Motorcycle - Standard
- 7 Sport Utility Vehicle (SUV)/Multi-Purpose Vehicle (MPV)
- 8 Crossover Utility Vehicle (CUV)
- 9 Van
- 10 Roadster
- 11 Truck
- 12 Motorcycle - Scooter
- 13 Sedan/Saloon
- 15 Wagon
- 16 Bus
- 60 Pickup
- 62 Incomplete - Cutaway*
- 63 Incomplete - Chassis Cab (Single Cab)*
- 64 Incomplete - Glider*
- 65 Incomplete*
- 66 Truck-Tractor
- 67 Incomplete - Stripped Chassis*
- 68 Streetcar/Trolley
- 69 Off-Road Vehicle - All-Terrain Vehicle (ATV) (Motorcycle-Style)
- 70 Incomplete - Chassis Cab (Double Cab)*
- 71 Incomplete - School Bus Chassis*
- 72 Incomplete - Commercial Bus Chassis*
- 73 Bus - School Bus
- 74 Incomplete - Chassis Cab (Number of Cab Unknown)*
- 75 Incomplete - Transit Bus Chassis*

76	Incomplete - Motor Coach Chassis*
77	Incomplete - Shuttle Bus Chassis*
78	Incomplete - Motor Home Chassis*
80	Motorcycle - Sport
81	Motorcycle - Touring/Sport Touring
82	Motorcycle - Cruiser
83	Motorcycle - Trike
84	Off-Road Vehicle - Dirt Bike/Off-Road
85	Motorcycle - Dual Sport/Adventure/Supermoto/On/Off-Road
86	Off-Road Vehicle - Enduro (Off-Road Long-Distance Racing)
87	Motorcycle - Small/Minibike
88	Off-Road Vehicle - Go Kart
90	Motorcycle - Side Car
94	Motorcycle - Custom
95	Cargo Van
97	Off-Road Vehicle - Snowmobile
98	Motorcycle - Street
100	Motorcycle - Enclosed Three-Wheeled/Enclosed Autocycle
103	Motorcycle - Unenclosed Three-Wheeled/Open Autocycle
104	Motorcycle - Moped
105	Off-Road Vehicle - Recreational Off-Road Vehicle (ROV)
107	Incomplete - Bus Chassis*
108	Motorhome
109	Motorcycle - Cross-Country
110	Motorcycle - Underbone
111	Step Van/Walk-in Van
112	Incomplete - Commercial Chassis*
113	Off-Road Vehicle - Motocross (Off-Road Short-Distance, Closed-Track Racing)
114	Motorcycle - Competition
117	Limousine
119	Sport Utility Truck (SUT)
124	Off-Road Vehicle - Golf Cart
125	Motorcycle - Unknown Body Type
126	Off-Road Vehicle - Farm Equipment
127	Off-Road Vehicle - Construction Equipment
996	Motorized Bicycle
997	Other
998	Not Reported
999	Unknown

V14 NCSA Make

Definition: This data element identifies the make (manufacturer) of this vehicle by NCSA historically.

Additional Information: Prior to 2020 this data element's name was "Vehicle Make" and the Data Element ID was V9.

This data element also appears in the Person data file and in the Parkwork data file as PMAKE.

SAS Name: **MAKE**

Attribute Codes

2016-Later

- | | |
|----|------------------------------|
| 1 | American Motors |
| 2 | Jeep/Kaiser-Jeep/Willys-Jeep |
| 3 | AM General |
| 6 | Chrysler |
| 7 | Dodge |
| 8 | Imperial |
| 9 | Plymouth |
| 10 | Eagle |
| 12 | Ford |
| 13 | Lincoln |
| 14 | Mercury |
| 18 | Buick/Opel |
| 19 | Cadillac |
| 20 | Chevrolet |
| 21 | Oldsmobile |
| 22 | Pontiac |
| 23 | GMC |
| 24 | Saturn |
| 25 | Grumman |
| 26 | Coda |
| 29 | Other Domestic Manufacturers |
| | Avanti |
| | Checker |
| | DeSoto |
| | Excalibur |
| | Hudson |
| | Packard |
| | Panoz |
| | Saleen |
| | Studebaker |
| | Stutz |
| | Tesla |
| 30 | Volkswagen |
| 31 | Alfa Romeo |
| 32 | Audi |

- 33 Austin/Austin Healey
- 34 BMW
- 35 Datsun/Nissan
- 36 Fiat
- 37 Honda
- 38 Isuzu
- 39 Jaguar
- 40 Lancia
- 41 Mazda
- 42 Mercedes-Benz
- 43 MG
- 44 Peugeot
- 45 Porsche
- 46 Renault
- 47 Saab
- 48 Subaru
- 49 Toyota
- 50 Triumph
- 51 Volvo
- 52 Mitsubishi
- 53 Suzuki
- 54 Acura
- 55 Hyundai
- 56 Merkur
- 57 Yugo
- 58 Infiniti
- 59 Lexus
- 60 Diahatsu
- 61 Sterling
- 62 Land Rover
- 63 Kia
- 64 Daewoo
- 65 Smart
- 67 Scion
- 69 Other Import
 - Aston Martin
 - Bentley
 - Bertone
 - Bricklin
 - Bugatti
 - Caterham
 - Citroën
 - DeLorean
 - Desta
 - Ferrari
 - Fisker

	Gazelle
	Hillman
	Jensen
69	Other Import (continued)
	Koenigsegg
	Lada
	Lamborghini
	Lotus
	Mahindra
	Maserati
	Maybach
	McLaren
	Mini Cooper
	Morgan
	Morris
	Reliant (British)
	Rolls-Royce
	Simca
	Singer
	Spyker
	Sunbeam
	TVR
70	BSA
71	Ducati
72	Harley-Davidson
73	Kawasaki
74	Moto Guzzi
75	Norton
76	Yamaha
78	Other Make Moped
79	Other Make Motored Cycle
80	Brockway
81	Diamond Reo/Reo
82	Freightliner/White
83	FWD
84	International Harvester/Navistar
85	Kenworth
86	Mack
87	Peterbilt
88	Iveco/Magirus
89	White/Autocar, White/GMC
90	Bluebird
91	Eagle Coach
92	Gillig
93	MCI
94	Thomas Built

- 97 Not Reported
- 98 Other Make
 - Auto Union/DKW
 - Carpenter
 - Collins Bus
 - DINA
 - Divco
 - Hino
 - Meyers Motors
 - Mid Bus
 - Neoplan
 - Orion
 - Oshkosh
 - Scania
 - Sterling
 - Think
 - UD
 - Van Hool
 - Western Star
- 99 Unknown Make

V15 NCSA Model

Definition: This data element identifies the NCSA model of this vehicle within a given NCSA make.

Additional Information: Prior to 2020 this data element's name was "Vehicle Model" and the Data Element ID was V10.

This data element also appears in the Person data file and in the Parkwork data file as PMODEL.

SAS Name: **MODEL**

Attribute Codes

2016-Later

See the current [NTS Coding and Validation Manual](#) for vehicle model codes.

V16 NCSA Body Type

Definition: This data element identifies a classification of this vehicle based on its general body configuration, size, shape, doors, etc., as defined by NCSA.

Additional Information: Prior to 2020 this data element's name was "Body Type" and the Data Element ID was V11.

This data element also appears in the Person data file and in the Parkwork data file as PBODYTYP.

SAS Name: BODY_TYP

Attribute Codes

2017- 2020-
2016 2019 Later

AUTOMOBILES

1	1	1	Convertible (Excludes Sun-Roof, T-Bar)
2	2	2	2-Door Sedan, Hardtop, Coupe
3	3	3	3-Door/2-Door Hatchback
4	4	4	4-Door Sedan, Hardtop
5	5	5	5-Door/4-Door Hatchback
6	6	6	Station Wagon (Excluding Van- and Truck-Based)
7	7	7	Hatchback, Number of Doors Unknown
8	8	8	Sedan/Hardtop, Number of Doors Unknown
9	9	9	Other or Unknown Automobile Type
17	17	17	3-Door Coupe

AUTOMOBILE DERIVATIVES

10	10	10	Auto-Based Pickup (Includes El Camino, Caballero, Ranchero, SSR, G8-ST, Baha, Brat, and Rabbit Pickup)
11	11	11	Auto-Based Panel (Cargo Station Wagon, Auto-Based Ambulance/Hearse)
12	12	12	Large Limousine (More Than 4 Side Doors or Stretched Chassis)
13	13	13	Three-Wheel Automobile or Automobile Derivative

UTILITY VEHICLES

14	14	14	Compact Utility (ANSI D-16 Utility Vehicle Categories "Small" and "Midsize")
15	15	15	Large Utility (ANSI D-16 Utility Vehicle Categories "Full Size" and "Large")
16	16	16	Utility Station Wagon
19	19	19	Utility Vehicle, Unknown Body Type

VAN-BASED LIGHT TRUCKS (GVWR ≤ 10,000 LBS)

20	20	20	Minivan
21	21	21	Large Van – Includes Van-Based Buses
22	22	22	Step Van or Walk-in Van (GVWR ≤ 10,000 lbs)
28	28	28	Other Van Type
29	29	29	Unknown Van Type

LIGHT CONVENTIONAL TRUCKS (PICKUP STYLE CAB, GVWR ≤10,000 LBS)

30	--	--	Compact Pickup (S-10, LUV, Ram 50, Rampage, Courier, Ranger, S-5, Pup, Mazda Pickup, Mitsubishi Truck, Datsun/Nissan Pickup, Arrow Pickup, Scamp, Toyota Pickup, VW Pickup, D50, Colt P/U, T-10, S-15, T-15, Ram 100, Dakota, Sonoma)
31	--	--	Standard Pickup (C10-C35, Jeep P/U, Comanche, Ram P/U, K10-K35, D100-D350, W100-350, F100-F350, R100-500, R10-R35, V10-35, Silverado, Sierra, T100)
32	32	32	Pickup With Slide-in Camper (2016-2017 Only)
33	33	33	Convertible Pickup
--	34	34	Light Pickup
39	39	39	Unknown (Pickup Style) Light Conventional Truck

OTHER LIGHT TRUCKS (GVWR ≤10,000 LBS)

40	40	40	Cab Chassis-Based (Included Rescue Vehicle, Light Stake, Dump, and Tow Truck)
41	41	41	Truck-Based Panel
45	45	45	Other Light Conventional Truck Type
48	48	48	Unknown Light-Truck Type
49	49	49	Unknown Light-Vehicle Type (Automobile, Utility, Van, or Light Truck)

BUSES (EXCLUDES VAN BASED BUSES WITH A GVWR ≤ 10,000 LBS)

50	50	50	School Bus (Designed to Carry Students, Not Cross-Country or Transit)
51	51	51	Cross-Country/Intercity Bus (i.e., Greyhound)
52	52	52	Transit Bus (City Bus)
55	55	55	Van-Based Bus (GVWR > 10,000 lbs)
58	58	58	Other Bus Type
59	59	59	Unknown Bus Type

MEDIUM/HEAVY TRUCKS (GVWR > 10,000 LBS)

60	60	60	Step Van (GVWR > 10,000 lbs)
61	61	61	Single-Unit Straight Truck or Cab-Chassis (GVWR Range 10,001 to 19,500 lbs)
62	62	62	Single-Unit Straight Truck or Cab-Chassis (GVWR Range 19,501 to 26,000 lbs)
63	63	63	Single-Unit Straight Truck or Cab-Chassis (GVWR > 26,000 lbs)
64	64	64	Single-Unit Straight Truck or Cab-Chassis (GVWR unknown)
66	66	66	Truck-Tractor (Cab Only, or With Any Number of Trailing Units; Any Weight)
67	67	67	Medium/Heavy Pickup (GVWR > 10,000 lbs)
71	71	71	Unknown if Single-Unit or Combination-Unit Medium Truck (GVWR Range 10,001 to 26,000 lbs)
72	72	72	Unknown if Single-Unit or Combination-Unit Heavy Truck (GVWR > 26,000 lbs)
78	78	78	Unknown Medium/Heavy-Truck Type
79	79	79	Unknown Truck Type (Light/Medium/Heavy)

MOTOR HOMES

42	42	--	Light Truck-Based Motor Home (Chassis-Mounted)
--	--	42	Light Vehicle-Based Motor Home (Chassis-Mounted)
65	65		Medium/Heavy-Truck-Based Motor Home
--	--	65	Medium/Heavy-Vehicle-Based Motor Home
73	73	--	Camper or Motor Home, Unknown Truck Type
--	--	73	Camper or Motor Home, Unknown GVWR

MOTORED CYCLES, MOPEDS, ALL-TERRAIN VEHICLES, ALL-TERRAIN CYCLES

80	--	--	Motorcycle
--	80	80	Two-Wheel Motorcycle (Excluding Motor Scooters)
81	--	--	Moped (Motorized Bicycle)
--	81	81	Moped or Motorized Bicycle
82	--	--	Three-Wheeled Motorcycle or Moped
--	82	82	Three-Wheel Motorcycle (2 Rear Wheels)
83	--	--	Off-Road Motorcycle (2-Wheel)
--	83	83	Off-Road Motorcycle
--	84	84	Motor Scooter
--	85	85	Unenclosed Three-Wheel Motorcycle/Unenclosed Autocycle (1 Rear Wheel)
--	86	86	Enclosed Three-Wheel Motorcycle/Enclosed Autocycle (1 Rear Wheel)
--	87	87	Unknown Three-Wheel Motorcycle Type
88	--	--	Other Motored Cycle Type (Minibike, Motor Scooter, Pocket Motorcycles, Pocket Bikes)
--	88	88	Other Motored Cycle Type (Mini-Bikes, Pocket Motorcycles, "Pocket Bikes")
89	89	89	Unknown Motored Cycle Type
90	90	90	ATV (All-Terrain Vehicle)/ATC (All-Terrain Cycle)

OTHER VEHICLES

91	91	91	Snowmobile
92	92	92	Farm Equipment Other Than Trucks
93	93	93	Construction Equipment Other Than Trucks (Includes Graders)
94	94	94	Low-Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV)
95	95	95	Golf Cart
--	96	96	Recreational Off-Highway Vehicle (ROV)
97	97	97	Other Vehicle Type (Includes Go-Cart, Fork-Lift, City Street Sweeper)
98	98	98	Not Reported
99	99	99	Unknown Body Type

V17 Final Stage Body Class

Definition: This element captures the completed/finished body class for an Incomplete Vehicle. An incomplete vehicle is completed by a final stage manufacturer. The intent of this data element is to capture the body class for incomplete vehicles when they are finished for road-use.

Additional Information: This data element is only applicable to incomplete vehicles under vPIC Body Class, and the attributes are a subset of the vPIC Body Class attributes. Information captured in this data element is based on the police crash report.

This data element also appears in the Person data file and in the Parkwork data file as PICFINALBODY.

SAS Name: **ICFINALBODY**

Attribute Codes

**2020-
Later**

0	Not Applicable
2	Minivan
4	Low-Speed Vehicle (LSV)
7	Sport Utility Vehicle (SUV)/Multi-Purpose Vehicle (MPV)
8	Crossover Utility Vehicle (CUV)
9	Van
11	Truck
15	Wagon
16	Bus
60	Pickup
66	Truck-Tractor
68	Streetcar/Trolley
73	Bus-School Bus
95	Cargo Van
108	Motorhome
111	Step Van/Walk-in Van
117	Limousine
119	Sport Utility Truck
997	Other
998	Not Reported
999	Unknown

V19 Vehicle Trailing

Definition: This data element identifies whether this vehicle had any attached trailing units or was towing another motor vehicle.

Additional Information: Trailing unit applies to any device connected to a motor vehicle by a hitch, including tractor-trailer combinations, a single-unit truck pulling a trailer (truck trailer), a boat trailer hitched onto a motor vehicle, etc.

Prior to 2020 the Data Element ID was V14.

This data element also appears in the Person data file and in the Parkwork data file as PTRAILER.

SAS Name: TOW_VEH

Attribute Codes

2016-Later

- 0 No Trailing Units
- 1 Yes, One Trailing Unit
- 2 Yes, Two Trailing Units
- 3 Yes, Three or More Trailing Units
- 4 Yes, Number of Trailing Units Unknown
- 5 Vehicle Towing Another Motor Vehicle – Fixed Linkage
- 6 Vehicle Towing Another Motor Vehicle – Non-Fixed Linkage
- 9 Unknown

V20 Trailer Vehicle Identification Number

Definition: This data element records the vehicle identification number (VIN) of any trailing units of a combination vehicle.

Additional Information: Prior to 2018, if a character of the VIN is missing or undecipherable, the VIN length will be less than 12 characters. Starting in 2018 an asterisk (*) is used for missing or undecipherable VIN characters. Prior to 2020 the Data Element ID was V15.

These data elements also appear in the Parkwork data file as PTRLR1VIN, PTRLR2VIN, and PTRLR3VIN.

SAS Name: **TRLR1VIN, TRLR2VIN, TRLR3VIN**

Attribute Codes

2016-2017

000000000000
xxxxxxxxxxxx
777777777777
888888888888
999999999999
--
--

2018-Later

000000000000
xxxxxxxxxxxx
777777777777
888888888888
--
999999999999
*

No VIN Required
First 12 Characters of the VIN
No Trailing Units
Not Reported
Unknown
Reported as Unknown
VIN Character Missing or Not Decipherable

V34A Area of Impact – Initial Contact Point

Definition: This data element identifies the area on this vehicle that produced the first instance of injury to non-motorists or occupants of this vehicle, or that resulted in the first instance of damage to other property or to this vehicle.

Additional Information: This data element is derived from the crash events for the vehicle. It is the first recorded “Area of Impact (This Vehicle)” value for this vehicle. See [Appendix A: Rules for Derived Data Elements](#) for an explanation of this data element and how it is derived.

Prior to 2020 the Data Element ID was V29A.

This data element also appears in the Person data file and in the Parkwork data file as PIMPACT1.

SAS Name: **IMPACT1**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018</i>	<i>2019- Later</i>	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock Points
13	13	13	13	Top
14	14	14	14	Undercarriage
18	18	18	18	Cargo/Vehicle Parts Set-in-Motion
19	19	19	--	Other Objects Set-in-Motion
--	--	--	19	Other Objects or Person Set-in-Motion
--	20	20	20	Object Set in Motion, Unknown if Cargo/Vehicle Parts or Other
61	61	61	61	Left
62	62	62	62	Left-Front Side
63	63	63	63	Left-Back Side
81	81	81	81	Right
82	82	82	82	Right-Front Side
83	83	83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	--	--	Unknown
--	--	99	99	Reported as Unknown

V35 *Extent of Damage*

Definition: This data element records the amount of damage sustained by this vehicle as indicated on the police crash report based on an operational damage scale.

Additional Information: Prior to 2020 the Data Element ID was V30.

This data element also appears in the Parkwork data file as PVEH_SEV.

SAS Name: **DEFORMED**

Attribute Codes

<i>2016- 2017</i>	<i>2018- Later</i>	
0	0	No Damage
2	2	Minor Damage
4	4	Functional Damage
6	6	Disabling Damage
8	8	Not Reported
9	--	Unknown
--	9	Reported as Unknown

V36 Vehicle Removal

Definition: This data element describes the mode by which this vehicle left the scene of the crash.

Additional Information: Prior to 2020 the Data Element ID was V31.

This data element also appears in the Parkwork data file as PTOWED.

SAS Name: **TOWED**

Attribute Codes

<i>2016- 2017</i>	<i>2018- 2019</i>	<i>2020- Later</i>	
2	2	2	Towed Due to Disabling Damage
3	3	--	Towed Not Due to Disabling Damage
--	--	3	Towed but Not Due to Disabling Damage
5	5	5	Not Towed
--	7	7	Towed, Unknown Reason
8	8	8	Not Reported
9	--	--	Unknown
--	9	9	Reported as Unknown

V38 Most Harmful Event

Definition: This data element describes the event that resulted in the most severe injury or, if no injury, the greatest property damage involving this vehicle.

Additional Information: “First Harmful Event” applies to the crash (HARM_EV). “Most Harmful Event” applies to the vehicle. “First Harmful Event,” “Most Harmful Event,” and the “Sequence of Events” data elements have the same harmful event attributes. “Sequence of Events” also has non-harmful event attributes.

Prior to 2020 the Data Element ID was V33.

This data element also appears in the Parkwork data file as PM_HARM.

SAS Name: **M_HARM**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018- Later</i>	
<i>NON-COLLISION</i>			
1	1	1	Rollover/Overturn
2	2	2	Fire/Explosion
3	3	3	Immersion or Partial Immersion
4	4	4	Gas Inhalation
5	5	5	Fell/Jumped From Vehicle
6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	Other Noncollision
16	16	16	Thrown or Falling Object
44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
51	51	51	Jackknife (Harmful to This Vehicle)
72	72	--	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
--	--	72	Cargo/Equipment Loss, Shift, or Damage (Harmful)
<i>COLLISION WITH MOTOR VEHICLE IN TRANSPORT</i>			
12	12	12	Motor Vehicle in Transport
54	54	54	Motor Vehicle in Transport Strikes or Is Struck by Cargo, Persons or Objects Set-in-Motion From/by Another Motor Vehicle in Transport
55	55	55	Motor Vehicle in Motion Outside the Trafficway
<i>COLLISION WITH OBJECT NOT FIXED</i>			
8	8	8	Pedestrian
9	9	9	Pedalcyclist
10	10	10	Railway Vehicle
11	11	11	Live Animal
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
18	18	18	Other Object Not Fixed
45	45	45	Working Motor Vehicle
49	49	49	Ridden Animal or Animal Drawn Conveyance

73	73	73	Object That Had Fallen From Motor Vehicle in Transport
74	74	74	Road Vehicle on Rails
--	91	91	Unknown Object Not Fixed

COLLISION WITH FIXED OBJECT

17	17	17	Boulder
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion
21	21	21	Bridge Pier or Support
23	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
30	30	30	Utility Pole/Light Support
31	31	31	Post, Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35	35	Embankment
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
46	46	46	Traffic Signal Support
48	48	48	Snow Bank
50	50	50	Bridge Overhead Structure
52	52	52	Guardrail End
53	53	53	Mailbox
57	57	57	Cable Barrier
58	58	58	Ground
59	59	59	Traffic Sign Support
--	93	93	Unknown Fixed Object
--	--	98	Harmful Event, Details Not Reported (Since 2019)
99	99	--	Unknown
--	--	99	Reported as Unknown

V90 *Maximum Injury Severity in Vehicle*

Definition: This data element records the single most severe injury level reported for any occupant in this vehicle. This data element is derived by comparing “Injury Severity” from the Person data file for each occupant record in this vehicle. The following is the order of severity codes.

- 4-Fatal
- 3-Suspected Serious Injury
- 2-Suspected Minor Injury
- 1-Possible Injury
- 5-Injured, Unknown Severity
- 0-No Apparent Injury
- 6-Died Prior
- 9- Unknown/Not Reported
- 8-No Person in Vehicle

Additional Information: See [Appendix A: Rules for Derived Data Elements](#) for an expanded explanation of this data element and how it is derived.

SAS Name: **MAX_VSEV**

Attribute Codes

2016-Later

- | | |
|---|---------------------------|
| 0 | No Apparent Injury |
| 1 | Possible Injury |
| 2 | Suspected Minor Injury |
| 3 | Suspected Serious Injury |
| 4 | Fatal |
| 5 | Injured, Severity Unknown |
| 6 | Died Prior to Crash |
| 8 | No Person in Vehicle |
| 9 | Unknown/Not Reported |

V91 *Number Injured in Vehicle*

Definition: This data element records the number of people injured in the vehicle and is derived by counting all the people with “Injury Severity” of (1, 2, 3, 4, or 5) in a vehicle. This count includes fatally injured occupants.

Additional Information: See [Appendix A: Rules for Derived Data Elements](#) for an expanded explanation of this data element and how it is derived.

SAS Name: **NUM_INJV**

Attribute Codes

2016-Later

- | | |
|------|---|
| 0 | No Person Injured in Vehicle |
| 1-97 | Actual Number |
| 98 | No Person in the Vehicle |
| 99 | All Persons in the Vehicle Are Unknown if Injured |

V100 Make Model Combined

Definition: This derived data element represents the 5-digit combination of two data elements, the 2-digit “Vehicle Make” code (MAKE) followed by the 3-digit “Vehicle Model” code (MODEL).

Additional Information: This data element also appears in the Person data file and in the Parkwork data file as PMAK_MOD.

SAS Name: MAK_MOD

Attribute Codes

2016-Later

See the current [NTS Coding and Validation Manual](#) for vehicle make and model codes.

D4 *Driver Presence*

Definition: This data element identifies whether a driver was present in this vehicle at the onset of the unstabilized situation.

Additional Information:

SAS Name: **DR_PRES**

Attribute Codes

2016-Later

- 0 No Driver Present/Not Applicable
- 1 Yes
- 9 Unknown

PC17A *Last Movement*

Definition: This element identifies the attribute that best describes this vehicle's activity prior to the driver's realization of an impending danger or just prior to impact if the driver took no action or had no time to attempt any evasive maneuvers.

Additional Information:

SAS Name: **LASTMOVE**

Attribute Codes

2016-Later

- 0 No Driver Present/Unknown if Driver Present
- 1 Going Straight
- 2 Decelerating
- 3 Accelerating
- 4 Starting
- 5 Stopped
- 6 Passing or Overtaking Another Vehicle
- 7 Disabled or "Parked"
- 8 Leaving a Parking Position With a Forward Motion
- 9 Entering a Parking Position With a Forward Motion
- 10 Leaving a Parking Position With a Rearward Motion
- 11 Entering a Parking Position With A Rearward Motion
- 12 Turning Right
- 13 Turning Left
- 14 Making a U-Turn
- 15 Backing up (Other Than for Parking Position)
- 98 Other
- 99 Unknown

PC20 Attempted Avoidance Maneuver

Definition: This element assesses the stability of the vehicle after the driver has realization of an impending danger but before the impact.

SAS Name: **P_CRASH3**

Attribute Codes

2016-Later

- 0 No Driver Present/Unknown if Driver Present
- 1 No Avoidance Maneuver
- 5 Releasing Brakes
- 6 Steering Left
- 7 Steering Right
- 8 Braking and Steering Left
- 9 Braking and Steering Right
- 10 Accelerated
- 11 Accelerating and Steering Left
- 12 Accelerating and Steering Right
- 15 Braking and Unknown Steering Direction
- 16 Braking
- 98 Other Actions
- 99 Unknown/Not Reported

PC21 Pre-Impact Stability

Definition: This element assesses the stability of the vehicle after the driver has realization of an impending danger but before the impact.

Additional Information:

SAS Name: **PCRASH4**

Attribute Codes

2016-Later

- 0 No Driver Present/Unknown if Driver Present
- 1 Tracking
- 2 Skidding Longitudinally – Rotation Less Than 30 Degrees
- 3 Skidding Laterally – Clockwise Rotation
- 4 Skidding Laterally – Counterclockwise Rotation
- 5 Skidding Laterally – Rotation Direction Unknown
- 7 Other Vehicle Loss-of-Control
- 9 Precrash Stability Unknown

The PERSON Data File

The Person data file includes motorist and non-motorist data. It contains the data elements CASENUM, PSU, PJ, ADJUST, VEH_NO, and PER_NO, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Person data file also contains the data elements on the following pages.

CASENUM, VEH_NO, and PER_NO are the unique identifiers for each record. CASENUM should be used to merge the Person data file with the Accident data file for a set of all motorists and non-motorists. CASENUM and VEH_NO should be used to merge the Person data file with the Vehicle and Parkwork data files for a set of all motor vehicle occupants. CASENUM and PER_NO should be used to merge the Person data file with non-motorist person-level data files.

In the Person data file, motor vehicle occupants are PER_TYPE = 1, 2, 3, 9. Motor vehicle occupants have assigned vehicle numbers starting with 1. When PER_TYPE = 3, the occupied vehicle will be found in the PARKWORK data file. Prior to 2020 non-motor vehicle occupants are PER_TYPE = 4, 5, 6, 7, 10, 19, 20, 21, 22, 23, 24, 25, 26, 27, or 28. Starting in 2020 non-motor vehicle occupants are PER_TYPE = 4, 5, 6, 7, 10, 11, 12, 13, or 19. VEH_NO = 0 for non-motor vehicle occupants.

P5/NM5 Age

Definition: This data element identifies this person's age at the time of the crash, in years, with respect to their last birthday.

Additional Information:

SAS Name: AGE

Attribute Codes

<i>2016- 2017</i>	<i>2018- Later</i>	
0	0	Less Than 1 Year
1-120	1-120	Years of Age
998	998	Not Reported
999	--	Unknown
--	999	Reported as Unknown

P6/NM6 Sex

Definition: This data element identifies the sex of this person involved in the crash.

Additional Information:

SAS Name: **SEX**

Attribute Codes

<i>2016- 2017</i>	<i>2018- Later</i>	
1	1	Male
2	2	Female
8	8	Not Reported
9	--	Unknown
--	9	Reported as Unknown

P7/NM7 Person Type

Definition: This data element describes the role of this person involved in the crash.

SAS Name: **PER_TYP**

Additional Information: In 2020, the data element Non-Motorist Conveyance Type was added and the specific types of non-motorists on personal conveyances (attributes 20-28) were moved to this data element.

Attribute Codes

**2016- 2020-
2019 Later**

MOTORISTS

1	1	Driver of a Motor Vehicle in Transport
2	2	Passenger of a Motor Vehicle in Transport
9	9	Unknown Occupant Type in a Motor Vehicle in Transport

NON-MOTORISTS-OCCUPANT

3	3	Occupant of a Motor Vehicle Not in Transport
4	4	Occupant of a Non-Motor Vehicle Transport Device

NON-MOTORISTS-NON-OCCUPANT

5	5	Pedestrian
6	6	Bicyclist
7	7	Other Cyclist
10	10	Persons in or on Buildings
--	11	Person on Motorized Personal Conveyance
--	12	Person on Non-Motorized Personal Conveyance
--	13	Person on Personal Conveyance, Unknown if Motorized or Non-Motorized
19	19	Unknown Type of Non-Motorist
20	--	Skates
21	--	Skateboards
22	--	Baby Carriage
23	--	Scooters
24	--	Toy Wagons
25	--	Motorized Toy Cars
26	--	Segway-Style Devices
27	--	Wheelchairs (Motorized and Non-motorized)
28	--	Handicapped Scooters

NM7A Non-Motorist Conveyance Type

Definition: This element describes the type of Non-Motorist Conveyance Type involved in the crash.

Additional Information: Prior to 2020 the specific personal conveyance attributes were collected as part of "Person Type."

SAS Name: **NMCNVTYP**

Attribute Codes

2020-

Later

- | | |
|----|---|
| 0 | Not a Person on a Personal Conveyance |
| 19 | Unknown Type of Non-Motorist |
| 20 | Skates |
| 21 | Skateboards |
| 22 | Baby Carriage |
| 23 | Scooters |
| 24 | Toy Wagons |
| 25 | Toy Cars |
| 26 | Two-Wheeled, Self-Balancing Personal Transportation Device (e.g., Segway) |
| 27 | Wheelchairs |
| 28 | Handicapped Scooters |

P8/NM8 Injury Severity

Definition: This data element describes the severity of the injury to this person in the crash using the KABCO scale.

Additional Information: See the Accident data file for C90 Maximum Injury Severity in Crash and the Vehicle data file for V90 Maximum Injury Severity in Vehicle, both of which are derived from this data element.

SAS Name: **INJ_SEV**

Attribute Codes

2016-Later

- 0 No Apparent Injury (O)
- 1 Possible Injury (C)
- 2 Suspected Minor Injury (B)
- 3 Suspected Serious Injury (A)
- 4 Fatal Injury (K)
- 5 Injured, Severity Unknown (U)
- 6 Died Prior to Crash
- 9 Unknown/Not Reported

P9 Seating Position

Definition: This data element identifies the location of this person in or on the vehicle.

Additional Information: More than one person can be assigned the same seat position, however this is coded only when a person is sitting on someone's lap.

SAS Name: **SEAT_POS**

Attribute Codes

2016- 2018	2019- Later	
0	0	Not a Motor Vehicle Occupant
11	11	Front Seat – Left Side (Driver's Side)
12	12	Front Seat – Middle
13	13	Front Seat – Right Side
18	18	Front Seat – Other
19	19	Front Seat – Unknown
21	21	Second Seat – Left Side
22	22	Second Seat – Middle
23	23	Second Seat – Right Side
28	28	Second Seat – Other
29	29	Second Seat – Unknown
31	31	Third Seat – Left Side
32	32	Third Seat – Middle
33	33	Third Seat – Right Side
38	38	Third Seat – Other
39	39	Third Seat – Unknown
41	41	Fourth Seat – Left Side
42	42	Fourth Seat – Middle
43	43	Fourth Seat – Right Side
48	48	Fourth Seat – Other
49	49	Fourth Seat – Unknown
50	50	Sleeper Section of Cab (Truck)
51	51	Other Passenger in Enclosed Passenger or Cargo Area
52	52	Other Passenger in Unenclosed Passenger or Cargo Area
53	53	Other Passenger in Passenger or Cargo Area, Unknown Whether or Not Enclosed
54	54	Trailing Unit
55	55	Riding on Exterior of Vehicle
--	56	Appended to a Motor Vehicle for Motion
98	98	Not Reported
99	99	Unknown/Reported as Unknown (Since 2018)

NM4 Vehicle Number of Motor Vehicle Striking Non-Motorist

Definition: This data element identifies the “Vehicle Number” (VEH_NO) of the motor vehicle in transport that made contact with this non-motorist.

Additional Information: This data element applies only to non-motorists/non-occupants and reflects the vehicle that made contact with the non-motorist/non-occupant being coded.

The number must match the vehicle number of the striking vehicle. This number is similar to VEH_NO, except that the non-motorist/non-occupant was struck by the vehicle, rather than being within the vehicle.

SAS Name: STR_VEH

Attribute Codes

<i>2016- 2017</i>	<i>2018- Later</i>	
0	0	Occupant of Motor Vehicle
1-998	1-998	Vehicle Number of Striking Vehicle
999	--	Unknown

NM10 Non-Motorist Location at Time of Crash

Definition: This element identifies the location of the non-motorist with respect to the crash.

Additional Information: Non-motorists who are occupants of motor vehicles not in transport are coded with respect to the location of the vehicle.

SAS Name: **LOCATION**

Attribute Codes

<i>2016- 2017</i>	<i>2018- Later</i>	
1	1	Residential Driveway
2	2	Residential Garage
3	3	Residential Parking Lot
4	4	Other Residential Area
5	5	Commercial Driveway
6	6	Commercial Parking Lot
7	7	Other Commercial Area
8	8	Parking Garage Structure (Residential or Commercial)
10	10	Other Parking Lot (Incl. All Parking Lots of Unknown Type)
11	11	Other Private Road (to Incl. Alleys That Are Not Trafficways)
12	12	Other Developed Area
13	13	Undeveloped Area
14	14	Other structure (Not Parking Garage Structure)
15	15	Railway
16	16	Unknown Driveway Type
98	98	Not Reported
99	--	Unknown Location
--	99	Reported as Unknown Location

NM27 Pedestrian Motion

Definition: This element is used to describe the motion of pedestrians.

Additional Information: Non-motorists who are occupants of motor vehicles not in transport are coded with respect to the location of the vehicle.

SAS Name: **PEDMOTN**

Attribute Codes

2016-Later

- 1 Not Moving
- 2 Walking
- 3 Running
- 4 Skipping/Hopping/Jumping
- 5 Falling/Stumbling/Rising
- 7 Not a Pedestrian
- 8 Other
- 9 Unknown Type of Pedestrian Motion

NM28 Pedestrian Posture

Definition: This element is used to describe the posture of pedestrians.

Additional Information: Non-motorists who are occupants of motor vehicles not in transport are coded with respect to the location of the vehicle.

SAS Name: **PEDPOST**

Attribute Codes

2016-Later

- 1 Standing
- 2 Bending at Waist
- 3 Sitting
- 4 Crouching/Kneeling
- 7 Not a Pedestrian
- 8 Other
- 9 Unknown Type of Pedestrian Posture

The PARKWORK Data File

The Parkwork data file includes Vehicle data elements applicable to Parked and Working Vehicles. It contains the data elements CASENUM, PSU, PJ, ADJUST, and VEH_NO, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Parkwork data file also contains the data elements on the following pages.

CASENUM and VEH_NO are the unique identifiers for each record. CASENUM should be used to merge the Parkwork data file with the Accident data file. CASENUM and VEH_NO should be used to merge the Parkwork data file with the Vindecode and Person data files.

C4A Number of Motor Vehicles in Transport (MVIT) Involved

Definition: This data element is a count of the number of motor vehicles in transport involved in the crash.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: **PVE_FORMS**

Attribute Codes

2016-Later

1-100 Number of Vehicles

C8 *Crash Date*

C8A *Month of Crash*

Definition: This data element records the month in which the crash occurred.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: **PMONTH**

Attribute Codes

2016-Later

- | | |
|----|-----------|
| 1 | January |
| 2 | February |
| 3 | March |
| 4 | April |
| 5 | May |
| 6 | June |
| 7 | July |
| 8 | August |
| 9 | September |
| 10 | October |
| 11 | November |
| 12 | December |

C9 *Crash Time*

C9A *Hour of Crash*

Definition: This data element records the hour at which the crash occurred.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: **PHOUR**

Attribute Codes

2016-Later

0-23	Hour
99	Unknown

C9B *Minute of Crash*

Definition: This data element records the minutes after the hour at which the crash occurred.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: **PMINUTE**

Attribute Codes

2016-Later

0-59	Minute
99	Unknown

C19 First Harmful Event

Definition: This data element describes the first injury or damage producing event of the crash.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: **PHARM_EV**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018- Later</i>	
<i>NONCOLLISION</i>			
1	1	1	Rollover/Overturn
2	2	2	Fire/Explosion
3	3	3	Immersion or Partial Immersion
4	4	4	Gas Inhalation
5	5	5	Fell/Jumped From Vehicle
6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	Other Noncollision
16	16	16	Thrown or Falling Object
44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
51	51	51	Jackknife (Harmful to This Vehicle)
72	72	--	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
--	--	72	Cargo/Equipment Loss, Shift, or Damage (Harmful)
<i>COLLISION WITH MOTOR VEHICLE IN TRANSPORT</i>			
54	54	54	Motor Vehicle in Transport Strikes or Is Struck by Cargo, Persons or Objects Set-in-Motion From/by Another Motor Vehicle in Transport
55	55	88	Motor Vehicle in Motion Outside the Trafficway
<i>COLLISION WITH OBJECT NOT FIXED</i>			
8	8	8	Pedestrian
9	9	9	Pedalcyclist
10	10	10	Railway Vehicle
11	11	11	Live Animal
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
18	18	18	Other Object Not Fixed
45	45	45	Working Motor Vehicle
49	49	49	Ridden Animal or Animal Drawn Conveyance
73	73	73	Object That Had Fallen From Motor Vehicle in Transport
74	74	74	Road Vehicle on Rails
--	91	91	Unknown Object Not Fixed
<i>COLLISION WITH FIXED OBJECT</i>			
17	17	17	Boulder
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion

21	21	21	Bridge Pier or Support
23	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
30	30	30	Utility Pole/Light Support
31	31	31	Post, Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35	35	Embankment
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
46	46	46	Traffic Signal Support
48	48	48	Snow Bank
50	50	50	Bridge Overhead Structure
52	52	52	Guardrail End
53	53	53	Mailbox
57	57	57	Cable Barrier
58	58	58	Ground
59	59	59	Traffic Sign Support
--	93	93	Unknown Fixed Object
--	--	98	Harmful Event, Details Not Reported (Since 2019)
99	99	--	Unknown
--	--	99	Reported as Unknown

C20 Manner of Collision of the First Harmful Event

Definition: This data element describes the orientation of two motor vehicles in transport when they are involved in the “First Harmful Event” of a collision crash. If the “First Harmful Event” is not a collision between two motor vehicles in transport it is classified as such.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: **PMAN_COLL**

Attribute Codes

2016- 2017	2018	2019- Later	
0	0	--	Not Collision With Motor Vehicle in Transport
--	--	0	First Harmful Event Was Not a Collision With Motor Vehicle in Transport
1	1	1	Front-to-Rear
2	2	2	Front-to-Front
6	6	6	Angle
7	7	7	Sideswipe – Same Direction
8	8	8	Sideswipe – Opposite Direction
9	9	9	Rear-to-Side
10	10	10	Rear-to-Rear
11	11	11	Other
98	98	98	Not Reported
99	--	--	Unknown
--	99	99	Reported as Unknown

V4 *Number of Occupants*

Definition: This data element is a count of the number of occupants in this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PNUMOCCS**

Attribute Codes

2016-Later

0	None
1-98	Number of Occupants
99	Unknown

V5 *Unit Type*

Definition: This data element identifies the type of unit that applies to this motor vehicle at the time it became an involved vehicle in the crash and was reported as a unit on the police crash report.

Additional Information: This data element also appears in the Vehicle data file as UNITTYPE. The only valid attribute for UNITTYPE is 1 (Motor Vehicle in Transport [Inside or Outside the Trafficway]).

SAS Name: **PTYPE**

Attribute Codes

2016-Later

- 3 Motor Vehicle Not in Transport Outside the Trafficway
- 4 Working Motor Vehicle (Highway Construction, Maintenance, Utility Only)

V6 *Hit and Run*

Definition: This data element identifies whether this vehicle was a contact vehicle in the crash that did not stop to render aid (this can include drivers who flee the scene on foot). Hit and run is coded when a motor vehicle in transport, or its driver, departs from the scene; vehicles not in transport are excluded. It does not matter whether the hit-and-run vehicle was striking or struck.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PHIT_RUN**

Attribute Codes

<i>2016- 2017</i>	<i>2018- 2019</i>	<i>2020- Later</i>	
0	0	0	No
1	1	1	Yes
9	--	--	Unknown
--	9	--	Reported as Unknown

V9 *Vehicle Identification Number (VIN)*

Definition: This data element records the vehicle identification number (VIN) of this vehicle assigned by the vehicle manufacturer. The VIN contains information on the vehicle such as: manufacturer, model year, model, body type, restraint type, etc.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PVIN**

Attribute Codes

<i>2016-2017</i>	<i>2018-Later</i>	
000000000000	000000000000	No VIN Required
xxxxxxxxxxxx	xxxxxxxxxxxx	First 12 Characters of the VIN
888888888888	888888888888	Not Reported
999999999999	--	Unknown
--	999999999999	Reported as Unknown
--	*	VIN Character Missing or Not Decipherable

V10 *Vehicle Model Year*

Definition: This data element identifies the manufacturer's model year of this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PMODYEAR**

Attribute Codes

2016-Later

xxxx	Actual Model Year
9998	Not Reported
9999	Unknown

V11 vPIC Make

Definition: This element identifies the Make (manufacturer brand name) of this vehicle as per NHTSA vPIC submissions.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PVPICMAKE**

Attribute Codes

2020-

Later

xxxxx	Actual Make (Up to 5 Digits)
99997	Other
99998	Not Reported
99999	Unknown

V12 vPIC Model

Definition: This element identifies the Model of this vehicle using NHTSA's VIN decoder application, vPIC.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PVPICMODEL**

Attribute Codes

2020-

Later

xxxxx	Actual Model (Up to 5 Digits)
99997	Other
99998	Not Reported
99999	Unknown

V13 vPIC Body Class

Definition: This element identifies a classification of this vehicle based on its general body configuration, size, shape, doors, etc., as defined by the manufacturer.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PVPICBODYCLASS**

Attribute Codes

2020-

Later

- 1 Convertible/Cabriolet
- 2 Minivan
- 3 Coupe
- 4 Low-Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV)
- 5 Hatchback/Liftback/Notchback
- 6 Motorcycle - Standard
- 7 Sport Utility Vehicle (SUV)/Multi-Purpose Vehicle (MPV)
- 8 Crossover Utility Vehicle (CUV)
- 9 Van
- 10 Roadster
- 11 Truck
- 12 Motorcycle - Scooter
- 13 Sedan/Saloon
- 15 Wagon
- 16 Bus
- 60 Pickup
- 62 Incomplete - Cutaway
- 63 Incomplete - Chassis Cab (Single Cab)
- 64 Incomplete - Glider
- 65 Incomplete
- 66 Truck-Tractor
- 67 Incomplete - Stripped Chassis
- 68 Streetcar/Trolley
- 69 Off-Road Vehicle - All-Terrain Vehicle (ATV) (Motorcycle-Style)
- 70 Incomplete - Chassis Cab (Double Cab)
- 71 Incomplete - School Bus Chassis
- 72 Incomplete - Commercial Bus Chassis
- 73 Bus - School Bus
- 74 Incomplete - Chassis Cab (Number of Cab Unknown)
- 75 Incomplete - Transit Bus Chassis
- 76 Incomplete - Motor Coach Chassis
- 77 Incomplete - Shuttle Bus Chassis
- 78 Incomplete - Motor Home Chassis
- 80 Motorcycle - Sport
- 81 Motorcycle - Touring/Sport Touring

82	Motorcycle - Cruiser
83	Motorcycle - Trike
84	Off-Road Vehicle - Dirt Bike/Off-Road
85	Motorcycle - Dual Sport/Adventure/Supernoto/On/Off-Road
86	Off-Road Vehicle - Enduro (Off-Road Long-Distance Racing)
87	Motorcycle - Small/Minibike
88	Off-road Vehicle - Go Kart
90	Motorcycle - Side Car
94	Motorcycle - Custom
95	Cargo Van
97	Off-Road Vehicle - Snowmobile
98	Motorcycle - Street
100	Motorcycle - Enclosed Three-Wheeled/Enclosed Autocycle
103	Motorcycle - Unenclosed Three-Wheeled/Open Autocycle
104	Motorcycle - Moped
105	Off-Road Vehicle - Recreational Off-Road Vehicle (ROV)
107	Incomplete - Bus Chassis
108	Motorhome
109	Motorcycle - Cross-Country
110	Motorcycle - Underbone
111	Step Van/Walk-in Van
112	Incomplete - Commercial Chassis
113	Off-Road Vehicle - Motocross (Off-Road Short Distance, Closed-Track Racing)
114	Motorcycle - Competition
117	Limousine
119	Sport Utility Truck (SUT)
124	Off-Road Vehicle - Golf Cart
125	Motorcycle - Unknown Body Type
126	Off-Road Vehicle - Farm Equipment
127	Off-Road Vehicle - Construction Equipment
996	Motorized Bicycle
997	Other
998	Not Reported
999	Unknown

V14 NCSA Make

Definition: This data element identifies the make (manufacturer) of this vehicle by NCSA historically.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PMAKE**

Attribute Codes

2016-Later

- | | |
|----|------------------------------|
| 1 | American Motors |
| 2 | Jeep/Kaiser-Jeep/Willys-Jeep |
| 3 | AM General |
| 6 | Chrysler |
| 7 | Dodge |
| 8 | Imperial |
| 9 | Plymouth |
| 10 | Eagle |
| 12 | Ford |
| 13 | Lincoln |
| 14 | Mercury |
| 18 | Buick/Opel |
| 19 | Cadillac |
| 20 | Chevrolet |
| 21 | Oldsmobile |
| 22 | Pontiac |
| 23 | GMC |
| 24 | Saturn |
| 25 | Grumman |
| 26 | Coda |
| 29 | Other Domestic Manufacturers |
| | Avanti |
| | Checker |
| | DeSoto |
| | Excalibur |
| | Hudson |
| | Packard |
| | Panoz |
| | Saleen |
| | Studebaker |
| | Stutz |
| | Tesla |
| 30 | Volkswagen |
| 31 | Alfa Romeo |
| 32 | Audi |
| 33 | Austin/Austin Healey |

- 34 BMW
- 35 Datsun/Nissan
- 36 Fiat
- 37 Honda
- 38 Isuzu
- 39 Jaguar
- 40 Lancia
- 41 Mazda
- 42 Mercedes-Benz
- 43 MG
- 44 Peugeot
- 45 Porsche
- 46 Renault
- 47 Saab
- 48 Subaru
- 49 Toyota
- 50 Triumph
- 51 Volvo
- 52 Mitsubishi
- 53 Suzuki
- 54 Acura
- 55 Hyundai
- 56 Merkur
- 57 Yugo
- 58 Infiniti
- 59 Lexus
- 60 Diahatsu
- 61 Sterling
- 62 Land Rover
- 63 Kia
- 64 Daewoo
- 65 Smart
- 67 Scion
- 69 Other Import
 - Aston Martin
 - Bentley
 - Bertone
 - Bricklin
 - Bugatti
 - Caterham
 - Citroën
 - DeLorean
 - Desta
 - Ferrari
 - Fisker
 - Gazelle

	Hillman
	Jensen
69	Other Import (continued)
	Koenigsegg
	Lada
	Lamborghini
	Lotus
	Mahindra
	Maserati
	Maybach
	McLaren
	Mini Cooper
	Morgan
	Morris
	Reliant (British)
	Rolls-Royce
	Simca
	Singer
	Spyker
	Sunbeam
	TVR
70	BSA
71	Ducati
72	Harley-Davidson
73	Kawasaki
74	Moto Guzzi
75	Norton
76	Yamaha
78	Other Make Moped
79	Other Make Motored Cycle
80	Brockway
81	Diamond Reo/Reo
82	Freightliner/White
83	FWD
84	International Harvester/Navistar
85	Kenworth
86	Mack
87	Peterbilt
88	Iveco/Magirus
89	White/Autocar, White/GMC
90	Bluebird
91	Eagle Coach
92	Gillig
93	MCI
94	Thomas Built

- 97 Not Reported
- 98 Other Make
 - Auto Union/DKW
 - Carpenter
 - Collins Bus
 - DINA
 - Divco
 - Hino
 - Meyers Motors
 - Mid Bus
 - Neoplan
 - Orion
 - Oshkosh
 - Scania
 - Sterling
 - Think
 - UD
 - Van Hool
 - Western Star
- 99 Unknown Make

V15 NCSA Model

Definition: This data element identifies the NCSA model of this vehicle within a given NCSA make.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PMODEL**

Attribute Codes

2016-Later

See the current [NTS Coding and Validation Manual](#) for vehicle model codes.

V16 NCSA Body Type

Definition: This data element identifies a classification of this vehicle based on its general body configuration, size, shape, doors, etc., as defined by NCSA.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PBODYTYP

Attribute Codes

2017- 2020-
2016 2019 Later

AUTOMOBILES

1	1	1	Convertible (Excludes Sun-Roof, T-Bar)
2	2	2	2-Door Sedan, Hardtop, Coupe
3	3	3	3-Door/2-Door Hatchback
4	4	4	4-Door Sedan, Hardtop
5	5	5	5-Door/4-Door Hatchback
6	6	6	Station Wagon (Excluding Van- and Truck-Based)
7	7	7	Hatchback, Number of Doors Unknown
8	8	8	Sedan/Hardtop, Number of Doors Unknown
9	9	9	Other or Unknown Automobile Type
17	17	17	3-Door Coupe

AUTOMOBILE DERIVATIVES

10	10	10	Auto-Based Pickup (Includes El Camino, Caballero, Ranchero, SSR, G8-ST, Baha, Brat, and Rabbit Pickup)
11	11	11	Auto-Based Panel (Cargo Station Wagon, Auto-Based Ambulance/Hearse)
12	12	12	Large Limousine (More Than Four Side Doors or Stretched Chassis)
13	13	13	Three-Wheel Automobile or Automobile Derivative

UTILITY VEHICLES

14	14	14	Compact Utility (ANSI D-16 Utility Vehicle Categories "Small" and "Midsize")
15	15	15	Large Utility (ANSI D-16 Utility Vehicle Categories "Full Size" and "Large")
16	16	16	Utility Station Wagon
19	19	17	Utility Vehicle, Unknown Body Type

VAN-BASED LIGHT TRUCKS (GVWR ≤ 10,000 LBS)

20	20	20	Minivan
21	21	21	Large Van – Includes Van-Based Buses
22	22	22	Step Van or Walk-in Van (GVWR ≤ 10,000 lbs)
28	28	28	Other Van Type
29	29	29	Unknown Van Type

LIGHT CONVENTIONAL TRUCKS (PICKUP STYLE CAB, GVWR ≤10,000 LBS)

30	--	--	Compact Pickup (S-10, LUV, Ram 50, Rampage, Courier, Ranger, S-5, Pup, Mazda Pickup, Mitsubishi Truck, Datsun/Nissan Pickup, Arrow Pickup, Scamp, Toyota Pickup, VW Pickup, D50, Colt P/U, T-10, S-15, T-15, Ram 100, Dakota, Sonoma)
31	--	--	Standard Pickup (C10-C35, Jeep P/U, Comanche, Ram P/U, K10-K35, D100-D350, W100-350, F100-F350, R100-500, R10-R35, V10-35, Silverado, Sierra, T100)
32	32	32	Pickup With Slide-in Camper (2016-2017 Only)
33	33	33	Convertible Pickup
--	34	34	Light Pickup
39	39	39	Unknown (Pickup Style) Light Conventional Truck

OTHER LIGHT TRUCKS (GVWR ≤10,000 LBS)

40	40	40	Cab Chassis-Based (Included Rescue Vehicle, Light Stake, Dump, and Tow Truck)
41	41	41	Truck-Based Panel
45	45	45	Other Light Conventional Truck Type
48	48	48	Unknown Light-Truck Type
49	49	49	Unknown Light-Vehicle Type (Automobile, Utility, Van, or Light Truck)

BUSES (EXCLUDES VAN BASED BUSES WITH A GVWR ≤ 10,000 LBS)

50	50	50	School Bus (Designed to Carry Students, Not Cross-Country or Transit)
51	51	51	Cross-Country/Intercity Bus (i.e., Greyhound)
52	52	52	Transit Bus (City Bus)
55	55	55	Van-Based Bus (GVWR > 10,000 lbs)
58	58	58	Other Bus Type
59	59	59	Unknown Bus Type

MEDIUM/HEAVY TRUCKS (GVWR > 10,000 LBS)

60	60	60	Step Van (GVWR > 10,000 lbs)
61	61	61	Single-Unit Straight Truck or Cab-Chassis (GVWR Range 10,001 to 19,500 lbs)
62	62	62	Single-Unit Straight Truck or Cab-Chassis (GVWR Range 19,501 to 26,000 lbs)
63	63	63	Single-Unit Straight Truck or Cab-Chassis (GVWR > 26,000 lbs)
64	64	64	Single-Unit Straight Truck or Cab-Chassis (GVWR unknown)
66	66	66	Truck-Tractor (Cab Only, or With Any Number of Trailing Units; Any Weight)
67	67	67	Medium/Heavy Pickup (GVWR > 10,000 lbs)
71	71	71	Unknown if Single-Unit or Combination-Unit Medium Truck (GVWR Range 10,001 to 26,000 lbs)
72	72	72	Unknown if Single-Unit or Combination-Unit Heavy Truck (GVWR > 26,000 lbs)
78	78	78	Unknown Medium/Heavy Truck Type
79	79	79	Unknown Truck Type (Light/Medium/Heavy)

MOTOR HOMES

42	42	--	Light Truck-Based Motor Home (Chassis-Mounted)
--	--	42	Light Vehicle-Based Motor Home (Chassis-Mounted)
65	65	--	Medium/Heavy Truck-Based Motor Home
--	--	65	Medium/Heavy Vehicle-Based Motor Home
73	73	--	Camper or Motor Home, Unknown Truck Type
--	--	73	Camper or Motor Home, Unknown GVWR

MOTORED CYCLES, MOPEDS, ALL-TERRAIN VEHICLES, ALL-TERRAIN CYCLES

80	--	--	Motorcycle
--	80	80	Two-Wheel Motorcycle (Excluding Motor Scooters)
81	--	--	Moped (Motorized Bicycle)
--	81	81	Moped or Motorized Bicycle
82	--	--	Three-Wheeled Motorcycle or Moped
--	82	82	Three-Wheel Motorcycle (2 Rear Wheels)
83	--	--	Off-Road Motorcycle (2-Wheel)
--	83	83	Off-Road Motorcycle
--	84	84	Motor Scooter
--	85	85	Unenclosed Three-Wheel Motorcycle/Unenclosed Autocycle (1 Rear Wheel)
--	86	86	Enclosed Three-Wheel Motorcycle/Enclosed Autocycle (1 Rear Wheel)
--	87	87	Unknown Three-Wheel Motorcycle Type
88	--	--	Other Motored Cycle Type (Minibike, Motor Scooter, Pocket Motorcycles, Pocket Bikes)
--	88	88	Other Motored Cycle Type (Mini-bikes, Pocket Motorcycles, "Pocket Bikes")
89	89	89	Unknown Motored Cycle Type
90	90	90	ATV (All-Terrain Vehicle)/ATC (All-Terrain Cycle)

OTHER VEHICLES

91	91	91	Snowmobile
92	92	92	Farm Equipment Other Than Trucks
93	93	93	Construction Equipment Other Than Trucks (Includes Graders)
94	94	94	Low-Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV)
95	95	95	Golf Cart
--	96	96	Recreational Off-Highway Vehicle (ROV)
97	97	97	Other Vehicle Type (Includes Go-Cart, Fork-Lift, City Street Sweeper)
98	98	98	Not Reported
99	99	99	Unknown Body Type

V17 Final Stage Body Class

Definition: This element captures the completed/finished body class for an Incomplete Vehicle. An incomplete vehicle is completed by a final stage manufacturer. The intent of this data element is to capture the body class for incomplete vehicles when they are finished for road-use.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PICFINALBODY**

Attribute Codes

2020-

Later

0	Not Applicable
2	Minivan
4	Low-Speed Vehicle (LSV)
7	Sport Utility Vehicle (SUV)/Multi-Purpose Vehicle (MPV)
8	Crossover Utility Vehicle (CUV)
9	Van
11	Truck
15	Wagon
16	Bus
60	Pickup
66	Truck-Tractor
68	Streetcar/Trolley
73	Bus-School Bus
95	Cargo Van
108	Motorhome
111	Step Van/Walk-in Van
117	Limousine
119	Sport Utility Truck
997	Other
998	Not Reported
999	Unknown

V19 Vehicle Trailing

Definition: This data element identifies whether this vehicle had any attached trailing units or was towing another motor vehicle. A trailing unit can be a horse trailer, fifth wheel trailer, camper, boat, truck trailer, towed vehicle or any other trailer.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PTRAILER**

Attribute Codes

2016-Later

- 0 No Trailing Units
- 1 Yes, One Trailing Unit
- 2 Yes, Two Trailing Units
- 3 Yes, Three or More Trailing Units
- 4 Yes, Number of Trailing Units Unknown
- 5 Vehicle Towing Another Motor Vehicle – Fixed Linkage
- 6 Vehicle Towing Another Motor Vehicle – Non-Fixed Linkage
- 9 Unknown

V20 *Trailer Vehicle Identification Number*

Definition: This data element records the vehicle identification number (VIN) of any trailing units of a combination vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PTRLR1VIN, PTRLR2VIN, PTRLR3VIN**

Attribute Codes

<i>2016-2017</i>	<i>2018-Later</i>	
000000000000	000000000000	No VIN Required
xxxxxxxxxxxxxx	xxxxxxxxxxxxxx	First 12 Characters of the VIN
777777777777	777777777777	No Trailing Units
888888888888	888888888888	Not Reported
999999999999	--	Unknown
--	999999999999	Reported as Unknown
--	*	VIN Character Missing or Not Decipherable

V34A Initial Contact Point

Definition: This data element identifies the area on this vehicle that produced the first instance of injury to non-motorists or occupants of this vehicle, or that resulted in the first instance of damage to other property or to this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PIMPACT1**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018</i>	<i>2019- Later</i>	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock Points
13	13	13	13	Top
14	14	14	14	Undercarriage
18	18	18	18	Cargo/Vehicle Parts Set-in-Motion
19	19	19	--	Other Objects Set-in-Motion
--	--	--	19	Other Objects or Person Set-in-Motion
--	20	20	20	Object Set in Motion, Unknown if Cargo/Vehicle Parts or Other
61	61	61	61	Left
62	62	62	62	Left-Front Side
63	63	63	63	Left-Back Side
81	81	81	81	Right
82	82	82	82	Right-Front Side
83	83	83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	--	--	Unknown
--	--	99	99	Reported as Unknown

V35 *Extent of Damage*

Definition: This data element records the amount of damage sustained by this vehicle as indicated on the police crash report based on an operational damage scale.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PVEH_SEV**

Attribute Codes

<i>2016- 2017</i>	<i>2018- Later</i>	
0	0	No Damage
2	2	Minor Damage
4	4	Functional Damage
6	6	Disabling Damage
8	8	Not Reported
9	--	Unknown
--	9	Reported as Unknown

V36 Vehicle Removal

Definition: This data element describes the mode by which this vehicle left the scene of the crash.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PTOWED**

Attribute Codes

<i>2016- 2017</i>	<i>2018- 2019</i>	<i>2020- Later</i>	
2	2	2	Towed Due to Disabling Damage
3	3	--	Towed Not Due to Disabling Damage
--	--	3	Towed but Not Due to Disabling Damage
5	5	5	Not Towed
--	7	7	Towed, Unknown Reason
8	8	8	Not Reported
9	--	--	Unknown
--	9	9	Reported as Unknown

V38 Most Harmful Event

Definition: This data element describes the event that resulted in the most severe injury or, if no injury, the greatest property damage involving this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PM_HARM**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018- Later</i>	
<i>NONCOLLISION</i>			
1	1	1	Rollover/Overturn
2	2	2	Fire/Explosion
3	3	3	Immersion or Partial Immersion
4	4	4	Gas Inhalation
5	5	5	Fell/Jumped From Vehicle
6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	Other Noncollision
16	16	16	Thrown or Falling Object
44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
51	51	51	Jackknife (Harmful to This Vehicle)
72	72	--	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
--	--	72	Cargo/Equipment Loss, Shift, or Damage (Harmful)
<i>COLLISION WITH MOTOR VEHICLE IN TRANSPORT</i>			
54	54	54	Motor Vehicle in Transport Strikes or Is Struck by Cargo, Persons or Objects Set-in-Motion From/by Another Motor Vehicle in Transport
55	55	55	Motor Vehicle in Motion Outside the Trafficway
<i>COLLISION WITH OBJECT NOT FIXED</i>			
8	8	8	Pedestrian
9	9	9	Pedalcyclist
10	10	10	Railway Vehicle
11	11	11	Live Animal
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
18	18	18	Other Object Not Fixed
45	45	45	Working Motor Vehicle
49	49	49	Ridden Animal or Animal Drawn Conveyance
73	73	73	Object That Had Fallen From Motor Vehicle in Transport
74	74	74	Road Vehicle on Rails
--	91	91	Unknown Object Not Fixed
<i>COLLISION WITH FIXED OBJECT</i>			
17	17	17	Boulder
19	19	19	Building

20	20	20	Impact Attenuator/Crash Cushion
21	21	21	Bridge Pier or Support
23	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
30	30	30	Utility Pole/Light Support
31	31	31	Post, Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35	35	Embankment
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
46	46	46	Traffic Signal Support
48	48	48	Snow Bank
50	50	50	Bridge Overhead Structure
52	52	52	Guardrail End
53	53	53	Mailbox
57	57	57	Cable Barrier
58	58	58	Ground
59	59	59	Traffic Sign Support
--	93	93	Unknown Fixed Object
--	--	98	Harmful Event, Details Not Reported (Since 2019)
99	99	--	Unknown
--	--	99	Reported as Unknown

V100 Make Model Combined

Definition: This derived data element represents the 5-digit combination of two data elements, the 2-digit “Vehicle Make” code (MAKE) followed by the 3-digit “Vehicle Model” code (MODEL).

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **PMAK_MOD**

Attribute Codes

2016-Later

See the current [NTS Coding and Validation Manual](#) for vehicle make and model codes.

The CEVENT Data File

The Cevent data file includes harmful and non-harmful events in the crash. It contains the data elements CASENUM, PSU, PJ, ADJUST, and EVENTNUM, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Cevent data file also contains the data elements on the following pages.

CASENUM and EVENTNUM are the unique identifiers for each record. CASENUM should be used to merge the Cevent data file with the Accident data file.

C18A Vehicle Number (This Vehicle)

Definition: This data element identifies the “Vehicle Number” (VEH_NO) of this motor vehicle in transport described in this event.

Additional Information: This is the vehicle described in “Sequence of Events” for this event.

SAS Name: **VNUMBER1**

Attribute Codes

2016-Later

1-999 Vehicle Number

C18B Area of Impact (This Vehicle)

Definition: This data element identifies the impact point, if any, on this motor vehicle in transport that produced property damage or personal injury in this event.

Additional Information: This is the impact area of the vehicle recorded in “Vehicle Number (This Vehicle)” and described in “Sequence of Events.”

SAS Name: **AOI1**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018</i>	<i>2019- Later</i>	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock Points
13	13	13	13	Top
14	14	14	14	Undercarriage
18	18	18	18	Cargo/Vehicle Parts Set-in-Motion
19	19	19	--	Other Objects Set-in-Motion
--	--	--	19	Other Objects or Person Set-in-Motion
--	20	20	20	Object Set in Motion, Unknown if Cargo/Vehicle Parts or Other
55	55	55	55	Non-Harmful Event
61	61	61	61	Left
62	62	62	62	Left-Front Side
63	63	63	63	Left-Back Side
81	81	81	81	Right
82	82	82	82	Right-Front Side
83	83	83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	--	--	Unknown
--	--	99	99	Reported as Unknown

V37 Sequence of Events

Definition: This data element describes this event. A motor vehicle traffic crash is a series of events resulting from an unstabilized situation. This series of harmful and non-harmful events is recorded in chronological order based on the police crash report narrative and diagram.

Additional Information: “First Harmful Event, Most Harmful Event,” and the “Sequence of Events” data elements have the same harmful event attributes. “Sequence of Events” also has non-harmful event attributes. Prior to 2020 the Data Element ID was V32.

SAS Name: **SOE**

Attribute Codes

		2018-	
2016	2017	Later	
<i>NON-COLLISION HARMFUL EVENTS</i>			
1	1	1	Rollover/Overturn
2	2	2	Fire/Explosion
3	3	3	Immersion or Partial Immersion
4	4	4	Gas Inhalation
5	5	5	Fell/Jumped From Vehicle
6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	Other Noncollision
16	16	16	Thrown or Falling Object
44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
51	51	51	Jackknife (Harmful to This Vehicle)
72	72	--	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
--	--	72	Cargo/Equipment Loss, Shift, or Damage (Harmful)
<i>COLLISION WITH MOTOR VEHICLE IN TRANSPORT</i>			
12	12	12	Motor Vehicle in Transport
54	54	54	Motor Vehicle in Transport Strikes or Is Struck by Cargo, Persons or Objects Set-in-Motion From/by Another Motor Vehicle in Transport
55	55	55	Motor Vehicle in Motion Outside the Trafficway
<i>COLLISION WITH OBJECT NOT FIXED</i>			
8	8	8	Pedestrian
9	9	9	Pedalcyclist
10	10	10	Railway Vehicle
11	11	11	Live Animal
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
18	18	18	Other Object Not Fixed
45	45	45	Working Motor Vehicle
49	49	49	Ridden Animal or Animal Drawn Conveyance
73	73	73	Object That Had Fallen From Motor Vehicle in Transport
74	74	74	Road Vehicle on Rails
--	91	91	Unknown Object Not Fixed

COLLISION WITH FIXED OBJECT

17	17	17	Boulder
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion
21	21	21	Bridge Pier or Support
23	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
30	30	30	Utility Pole/Light Support
31	31	31	Post, Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35	35	Embankment
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
46	46	46	Traffic Signal Support
48	48	48	Snow Bank
50	50	50	Bridge Overhead Structure
52	52	52	Guardrail End
53	53	53	Mailbox
57	57	57	Cable Barrier
58	58	58	Ground
59	59	59	Traffic Sign Support
--	93	93	Unknown Fixed Object
--	--	98	Harmful Event, Details Not Reported (Since 2019)
99	99	--	Unknown
--	--	99	Reported as Unknown

C18C Vehicle Number (Other Vehicle)

Definition: This data element identifies the “Vehicle Number” (VEH_NO) of the other motor vehicle, if any, in this event.

Additional Information: This is the vehicle contacted by the motor vehicle in transport recorded in “Vehicle Number (This Vehicle).” Another vehicle must have been involved in this event for this data element to be a valid vehicle number (i.e., “Sequence of Events” for this event must be 12, 14, 45, 54, or 55).

SAS Name: **VNUMBER2**

Attribute Codes

2016-Later

1-999	Vehicle Number
5555	Non-Harmful Event
9999	Not a Motor Vehicle

C18D Area of Impact (Other Vehicle)

Definition: This data element identifies the impact point on the other motor vehicle, if any, in this event.

Additional Information: This is the impact area of the vehicle recorded in “Vehicle Number (Other Vehicle).” Another vehicle must have been involved in this event for this data element to be a valid impact location (i.e., “Sequence of Events” for this event must be 12, 14, 45, 54, or 55).

SAS Name: **AOI2**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018</i>	<i>2019- Later</i>	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock Points
13	13	13	13	Top
14	14	14	14	Undercarriage
18	18	18	18	Cargo/Vehicle Parts Set-in-Motion
19	19	19	--	Other Objects Set-in-Motion
--	--	--	19	Other Objects or Person Set-in-Motion
--	20	20	20	Object Set in Motion, Unknown if Cargo/Vehicle Parts or Other
55	55	55	55	Non-Harmful Event
61	61	61	61	Left
62	62	62	62	Left-Front Side
63	63	63	63	Left-Back Side
81	81	81	81	Right
82	82	82	82	Right-Front Side
83	83	83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	--	--	Unknown
--	--	99	99	Reported as Unknown

The VEVENT Data File

The Vevent data file includes harmful and non-harmful events for each motor vehicle in transport. It contains the data elements CASENUM, PSU, PJ, ADJUST, VEH_NO, EVENTNUM, and VEVENTNUM, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Vevent data file also contains the data elements on the following pages.

CASENUM, VEH_NO, and VEVENTNUM are the unique identifiers for each record. CASENUM and VEH_NO should be used to merge the Vevent data file with the Vehicle data file.

C18A Vehicle Number (This Vehicle)

Definition: This data element identifies the “Vehicle Number” (VEH_NO) of the motor vehicle in transport described in this event.

Additional Information: This is the vehicle described in “Sequence of Events” for this event.

If Vehicle #1 (V1) impacts Vehicle #2 (V2) then we have at least 2 Vevent records.

Example:

<u>VEH_NO</u>	<u>EVENTNUM</u>	<u>VNUMBER1</u>	<u>SOE</u>	<u>VNUMBER2</u>
1	1	1	12	2
2	1	1	12	2

The explanation of these 2 records is as follows.

V1 was involved in event 1 where V1 impacts V2

V2 was involved in event 1 where V1 impacts V2

SAS Name: **VNUMBER1**

Attribute Codes

2016-Later

1-999 Vehicle Number

C18B Area of Impact (This Vehicle)

Definition: This data element identifies the impact point, if any, on this motor vehicle in transport that produced property damage or personal injury in this event.

Additional Information:

SAS Name: **AO11**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018</i>	<i>2019- Later</i>	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock Points
13	13	13	13	Top
14	14	14	14	Undercarriage
18	18	18	18	Cargo/Vehicle Parts Set-in-Motion
19	19	19	--	Other Objects Set-in-Motion
--	--	--	19	Other Objects or Person Set-in-Motion
--	20	20	20	Object Set in Motion, Unknown if Cargo/Vehicle Parts or Other
55	55	55	55	Non-Harmful Event
61	61	61	61	Left
62	62	62	62	Left-Front Side
63	63	63	63	Left-Back Side
81	81	81	81	Right
82	82	82	82	Right-Front Side
83	83	83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	--	--	Unknown
--	--	99	99	Reported as Unknown

V37 Sequence of Events

Definition: This data element describes this event. A motor vehicle traffic crash is a series of events resulting from an unstabilized situation. This series of harmful and non-harmful events is recorded in chronological order based on the police crash report narrative and diagram.

Additional Information: “First Harmful Event, Most Harmful Event,” and the “Sequence of Events” data elements have the same harmful event attributes. “Sequence of Events” also has non-harmful event attributes.

Prior to 2020 the Data Element ID was V32.

SAS Name: **SOE**

Attribute Codes

			2018-
2016	2017		Later
<i>NON-COLLISION HARMFUL EVENTS</i>			
1	1	1	Rollover/Overturn
2	2	2	Fire/Explosion
3	3	3	Immersion or Partial Immersion
4	4	4	Gas Inhalation
5	5	5	Fell/Jumped From Vehicle
6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	Other Noncollision
16	16	16	Thrown or Falling Object
44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
51	51	51	Jackknife (Harmful to This Vehicle)
72	72	--	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
--	--	72	Cargo/Equipment Loss, Shift, or Damage (Harmful)
<i>COLLISION WITH MOTOR VEHICLE IN TRANSPORT</i>			
54	54	54	Motor Vehicle in Transport Strikes or Is Struck by Cargo, Persons or Objects Set-in-Motion From/by Another Motor Vehicle in Transport
55	55	55	Motor Vehicle in Motion Outside the Trafficway
<i>COLLISION WITH OBJECT NOT FIXED</i>			
8	8	8	Pedestrian
9	9	9	Pedalcyclist
10	10	10	Railway Vehicle
11	11	11	Live Animal
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
18	18	18	Other Object Not Fixed
45	45	45	Working Motor Vehicle
49	49	49	Ridden Animal or Animal Drawn Conveyance
73	73	73	Object That Had Fallen From Motor Vehicle in Transport
74	74	74	Road Vehicle on Rails
--	91	91	Unknown Object Not Fixed

COLLISION WITH FIXED OBJECT

17	17	17	Boulder
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion
21	21	21	Bridge Pier or Support
23	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
30	30	30	Utility Pole/Light Support
31	31	31	Post, Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35	35	Embankment
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
46	46	46	Traffic Signal Support
48	48	48	Snow Bank
50	50	50	Bridge Overhead Structure
52	52	52	Guardrail End
53	53	53	Mailbox
57	57	57	Cable Barrier
58	58	58	Ground
59	59	59	Traffic Sign Support
--	93	93	Unknown Fixed Object
--	--	98	Harmful Event, Details Not Reported (Since 2019)
99	99	--	Unknown
--	--	99	Reported as Unknown

C18C Vehicle Number (Other Vehicle)

Definition: This data element identifies the “Vehicle Number” (VEH_NO) of the other motor vehicle, if any, in this event.

Additional Information: This is the vehicle contacted by the motor vehicle in transport recorded in “Vehicle Number (This Vehicle).” Another vehicle must have been involved in this event for this data element to be a valid vehicle number (i.e., “Sequence of Events” for this event must be 12, 14, 45, 54, or 55).

SAS Name: **VNUMBER2**

Attribute Codes

2016-Later

1-999	Vehicle Number
5555	Non-Harmful Event
9999	Not a Motor Vehicle

C18D Area of Impact (Other Vehicle)

Definition: This data element identifies the impact point on the other motor vehicle, if any, in this event.

Additional Information: This is the impact area of the vehicle recorded in “Vehicle Number (Other Vehicle).” Another vehicle must have been involved in this event for this data element to be a valid impact location (i.e., “Sequence of Events” for this event must be 12, 14, 45, 54, or 55).

SAS Name: **AOI2**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018</i>	<i>2019- Later</i>	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock Points
13	13	13	13	Top
14	14	14	14	Undercarriage
18	18	18	18	Cargo/Vehicle Parts Set-in-Motion
19	19	19	--	Other Objects Set-in-Motion
--	--	--	19	Other Objects or Person Set-in-Motion
--	20	20	20	Object Set in Motion, Unknown if Cargo/Vehicle Parts or Other
55	55	55	55	Non-Harmful Event
61	61	61	61	Left
62	62	62	62	Left-Front Side
63	63	63	63	Left-Back Side
81	81	81	81	Right
82	82	82	82	Right-Front Side
83	83	83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	--	--	Unknown
--	--	99	99	Reported as Unknown

The VSOE Data File

The Vsoe data file includes harmful and non-harmful events for each motor vehicle in transport. It contains the data elements CASENUM, PSU, PJ, ADJUST , VEH_NO, and VEVENTNUM, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Vsoe data file also contains the data elements on the following pages.

CASENUM, VEH_NO, and VEVENTNUM are the unique identifiers for each record.

CASENUM and VEH_NO should be used to merge the Vsoe data file with the Vehicle data file.

C18B Area of Impact Associated with the Event

Definition: This data element identifies the impact point, if any, on this motor vehicle in transport that produced property damage or personal injury in this event.

Additional Information: This is the impact area of the vehicle recorded in “Vehicle Number (This Vehicle)” and described in “Sequence of Events.”

SAS Name: **AOI**

Attribute Codes

<i>2016</i>	<i>2017</i>	<i>2018</i>	<i>2019- Later</i>	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock Points
13	13	13	13	Top
14	14	14	14	Undercarriage
18	18	18	18	Cargo/Vehicle Parts Set-in-Motion
19	19	19	--	Other Objects Set-in-Motion
--	--	--	19	Other Objects or Person Set-in-Motion
--	20	20	20	Object Set in Motion, Unknown if Cargo/Vehicle Parts or Other
55	55	55	55	Non-Harmful Event
61	61	61	61	Left
62	62	62	62	Left-Front Side
63	63	63	63	Left-Back Side
81	81	81	81	Right
82	82	82	82	Right-Front Side
83	83	83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	--	--	Unknown
--	--	99	99	Reported as Unknown

V37 Sequence of Events

Definition: The events in sequence related to this motor vehicle, regardless of injury and/or property damage. Events for the vehicle are recorded in the order in which they occur, time-wise, from the police crash report narrative and diagram.

Additional Information: “First Harmful Event,” “Most Harmful Event,” and the “Sequence of Events” data elements have the same harmful event attributes. “Sequence of Events” also has non-harmful event attributes.

Prior to 2020 the Data Element ID was V32.

SAS Name: **SOE**

Attribute Codes

			2018-
2016	2017		Later
<i>NON-COLLISION HARMFUL EVENTS</i>			
1	1	1	Rollover/Overturn
2	2	2	Fire/Explosion
3	3	3	Immersion or Partial Immersion
4	4	4	Gas Inhalation
5	5	5	Fell/Jumped From Vehicle
6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	Other Noncollision
16	16	16	Thrown or Falling Object
44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
51	51	51	Jackknife (Harmful to This Vehicle)
72	72	--	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
--	--	72	Cargo/Equipment Loss, Shift, or Damage (Harmful)
<i>COLLISION WITH MOTOR VEHICLE IN TRANSPORT</i>			
54	54	54	Motor Vehicle in Transport Strikes or Is Struck by Cargo, Persons or Objects Set-in-Motion From/by Another Motor Vehicle in Transport
55	55	55	Motor Vehicle in Motion Outside the Trafficway
<i>COLLISION WITH OBJECT NOT FIXED</i>			
8	8	8	Pedestrian
9	9	9	Pedalcyclist
10	10	10	Railway Vehicle
11	11	11	Live Animal
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
18	18	18	Other Object Not Fixed
45	45	45	Working Motor Vehicle
49	49	49	Ridden Animal or Animal Drawn Conveyance
73	73	73	Object That Had Fallen From Motor Vehicle in Transport
74	74	74	Road Vehicle on Rails
--	91	91	Unknown Object Not Fixed

COLLISION WITH FIXED OBJECT

17	17	17	Boulder
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion
21	21	21	Bridge Pier or Support
23	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
30	30	30	Utility Pole/Light Support
31	31	31	Post, Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35	35	Embankment
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
46	46	46	Traffic Signal Support
48	48	48	Snow Bank
50	50	50	Bridge Overhead Structure
52	52	52	Guardrail End
53	53	53	Mailbox
57	57	57	Cable Barrier
58	58	58	Ground
59	59	59	Traffic Sign Support
--	93	93	Unknown Fixed Object
--	--	98	Harmful Event, Details Not Reported (Since 2019)
99	99	--	Unknown
--	--	99	Reported as Unknown

The DAMAGE Data File

The Damage data file identifies each area of damage as a separate record. That is, there can be more than one damage record for each vehicle. It contains the data elements CASENUM, PSU, PJ, ADJUST, and VEH_NO, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The Damage data file also contains the data elements on the following pages.

CASENUM and VEH_NO are the unique identifiers for each record. CASENUM and VEH_NO should be used to merge the Damage data file with vehicles from the Vehicle data file.

V34B Area of Impact – Damaged Areas

Definition: This data element identifies all the areas on this vehicle that were damaged in the crash as reflected in the case materials.

Additional Information: Prior to 2020 the Data Element ID was V29B.

SAS Name: **MDAREAS** 2016-2019
DAMAGE 2020-Later

Attribute Codes

2016-Later

1-12	Clock Points
13	Top
14	Undercarriage
15	No Damage
99	Damage Areas Unknown

The DISTRACT Data File

The Distract data file identifies each driver distraction as a separate record. That is, there can be more than one distraction record for each driver. It contains the data elements CASENUM, PSU, PJ, ADJUST, and VEH_NO, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The data file also contains DRDISTRACT which is described below.

CASENUM, VEH_NO, and DRDISTRACT are the unique identifiers for each record.

CASENUM and VEH_NO should be used to merge the Distract data file with drivers from the Vehicle data file.

PC16 Driver Distracted By

Definition: This data element identifies the attributes that best describe this driver's attention to driving prior to the driver's realization of an impending critical event or just prior to impact if realization of an impending critical event does not occur.

Additional Information: Distraction from the primary task of driving occurs when drivers divert their attention from the driving task to some other activity. Also, driving while daydreaming or lost in thought is identified as distracted driving by NHTSA. Physical conditions/impairments (fatigue, alcohol, medical condition, etc.) or psychological states (anger, emotional, depressed, etc.) are not identified as distractions by NHTSA.

SAS Name: **MDRDSTRD** 2016-2019
DRDISTRACT 2020-Later

Attribute Codes

2016- 2017	2018- Later	
0	0	Not Distracted
1	--	Looked but Did Not See
3	3	By Other Occupants
4	4	By a Moving Object in Vehicle
5	5	While Talking or Listening to Mobile Phone
6	6	While Manipulating Mobile Phone
7	7	While Adjusting Audio or Climate Controls
9	9	While Using Other Component/Controls Integral to Vehicle
10	10	While Using or Reaching for Device/Object Brought Into Vehicle
12	12	Distracted by Outside Person, Object, or Event
13	13	Eating or Drinking
14	14	Smoking Related
15	15	Other Mobile Phone Related
16	16	No Driver Present/Unknown if Driver Present
17	17	Distraction/Inattention
18	18	Distraction/Careless
19	19	Careless/Inattentive
92	92	Distraction (Distracted), Details Unknown
93	93	Inattention (Inattentive), Details Unknown
96	96	Not Reported
97	97	Lost in Thought/Day Dreaming
98	98	Other Distraction
99	--	Unknown if Distracted
--	99	Reported as Unknown if Distracted

The VISION Data File

The Vision data file identifies each visual obstruction as a separate record. That is, there can be more than one vision record for each driver. It contains the data elements CASENUM, PSU, PJ, ADJUST, and VEH_NO, which are described in the Key Data Elements at the beginning of the Data Element Definitions and Codes section. The data file also contains VISION which is described below.

CASENUM, VEH_NO, and VISION are the unique identifiers for each record. CASENUM and VEH_NO should be used to merge the Vision data file with drivers from the Vehicle data file.

PC14 Driver's Vision Obscured By

Definition: This data element records impediments to this driver's visual field that were noted in the police crash report.

Additional Information:

SAS Name: **MVISOBSC** 2016-2019
VISION 2020-Later

Attribute Codes

2016- 2017	2018- Later	
0	0	No Obstruction Noted
1	1	Rain, Snow, Fog, Smoke, Sand, Dust
2	2	Reflected Glare, Bright Sunlight, Headlights
3	3	Curve, Hill, or Other Roadway Design Features
4	4	Building, Billboard, or Other Structure
5	5	Trees, Crops, Vegetation
6	6	In-Transport Motor Vehicle (Including Load)
7	7	Not In-Transport Motor Vehicle (Parked, Working)
8	8	Splash or Spray of Passing Vehicle
9	9	Inadequate Defrost or Defog System
10	10	Inadequate Vehicle Lighting System
11	11	Obstructing Interior to the Vehicle
12	12	External Mirrors
13	13	Broken or Improperly Cleaned Windshield
14	14	Obstructing Angles on Vehicle
95	95	No Driver Present/Unknown if Driver Present
97	97	Vision Obscured – No Details
98	98	Other Visual Obstruction
99	--	Unknown
--	99	Reported as Unknown

References

- Association of Transportation Safety Information Professionals. (2017, December 18). *Manual on classification of motor vehicle traffic crashes*, 8th edition (ANSI D16.1-2017). www.transportation.gov/sites/dot.gov/files/docs/resources/government/traffic-records/304331/ansid16-2017.pdf
- Federal Highway Administration. (2009). *Manual on uniform traffic control devices for streets and highways*. <https://mutcd.fhwa.dot.gov/index.htm>
- MMUCC Expert Panel. (2017). *MMUCC guideline: Model minimum uniform crash criteria*, 5th edition. National Highway Traffic Safety Administration. <https://crashstats.nhtsa.-dot.gov/Api/Public/Publication/812433>
- National Center for Statistics and Analysis. (in press). *Product information catalog and vehicle listing (vPIC) analytical user's manual 2020* [Web portal]. National Highway Traffic Safety Administration.
- National Highway Traffic Safety Administration (in press). *2020 NTS coding and validation manual*.
- SAE International. (2021). *SAE J3016 Levels of driving automation*. www.sae.org/binaries/content/assets/cm/content/blog/sae-j3016-visual-chart_5.3.21.pdf
- Vehicle Identification Number (VIN) Requirements, Fed. Reg 73, No. 84 / Wednesday, April 30, 2008, Rules and Regulations, 23379. www.govinfo.gov/content/pkg/FR-2008-04-30/pdf/08-1197.pdf#page=13

Appendix A: Rules for Derived Data Elements

Several derived data elements are included in the data files. A derived data element is any element that is not coded (i.e., not directly entered into the system) but translated from existing data. Derived data elements include:

- records counted from vehicle and person levels as crash level counters (e.g., “Number of Parked/Working Vehicles”), and
- data extracted across several records (e.g., “First Harmful Event”).

The derived data elements are provided to facilitate analyses and as a common platform for presenting findings. These elements and the translations used to derive them are described in this appendix.

Crash Level Counts

Number of Motor Vehicles in Transport (MVIT)

Accident. VE_FORMS

(also provided as Vehicle.VE_FORMS, Parkwork.PVE_FORMS, Person.VE_FORMS)

Logic of Derivation

All Vehicle records linked to the crash are used. This data element is derived as the count of all vehicles in the crash where “Unit Type” = 1. It is the number of records in the Vehicle data file.

Number of Parked/Working Vehicles

Accident. PVH_INVL

Logic of Derivation

All Vehicle records linked to the crash are used. This data element is derived as the count of all vehicles in the crash where “Unit Type” is in (3 or 4). It is the number of records in the Parkwork data file.

Number of Persons in Motor Vehicles in Transport (MVIT)

Accident. PERMVIT

Logic of Derivation

All Person records linked to the crash are used. This data element is derived as the count of all people in the crash where “Person Type” is in (1, 2, or 9).

Number of Persons Not in Motor Vehicles in Transport (MVIT)

Accident. PERNOTMVIT

Logic of Derivation

All Person records linked to the crash are used. Prior to 2020 this data element is derived as the count of all people in the crash where “Person Type” is in (3, 4, 5, 6, 7, 10, or 19). Starting in 2020 the attributes are in (3, 4, 5, 6, 7, 10, 11, 12, 13, or 19).

Crash and Vehicle Level Derived Data Elements

Maximum Injury Severity in Crash Accident.MAX_SEV

Attribute Labels	2016- Later
No Apparent Injury	0
Possible Injury	1
Suspected Minor Injury	2
Suspected Serious Injury	3
Fatal	4
Injured, Severity Unknown	5
Died Prior to Crash	6
No person involved in the Crash	8
Unknown if Injured/Not Reported	9

Logic of Derivation

All Person records linked to the crash are used. If there are no records then the value 8 is assigned. If there is a single record then the SAS code for Person.INJ_SEV is used. If there are multiple records all SAS codes for Person.INJ_SEV are obtained and prioritized. Follow the priority ranking of each attribute as follows: 4, 3, 2, 1, 5, 0, 6, 9.

Maximum Injury Severity in Vehicle
Vehicle.MAX_VSEV

Attribute Labels	2016- Later
No Apparent Injury	0
Possible Injury	1
Suspected Minor Injury	2
Suspected Serious Injury	3
Fatal	4
Injured, Severity Unknown	5
Died Prior to Crash	6
No person in Vehicle	8
Unknown if Injured/Not Reported	9

Logic of Derivation

All Person records linked to the vehicle are used. If there are no records then the value 8 is assigned. If there is a single record then the SAS code for Person.INJ_SEV is used. If there are multiple records, all SAS codes for Person.INJ_SEV are obtained and prioritized. Follow the priority ranking of each attribute as follows: 4, 3, 2, 1, 5, 0, 6, 9.

Number Injured in Crash
Accident.NUM_INJ

Attribute Labels	2016- Later
No Person Injured/Property Damage Only Crash	0
Number of Known Injured	x
No Person Involved in the Crash	98
All Persons in Crash Are Unknown if Injured	99

Logic of Derivation

All Person records linked to the crash are used. If there are no records then the value 98 is assigned. If the SAS code for Person.INJ_SEV is 9 for all people in the crash then the value is 99. If not, the value assigned is the number (count) of Person records where the SAS code for Person.INJ_SEV is between 1 and 5.

Number Injured in Vehicle
Vehicle.NUM_INJV

Attribute Labels	2016- Later
No Person Injured in Vehicle	0
Number of Known Injured	1-97
No Person Involved in the Vehicle	98
All Persons in Vehicle Are Unknown if Injured	99

Logic of Derivation

All Person records linked to the vehicle are used. If there are no records then the value 98 is assigned. If the SAS code for Person.INJ_SEV is 9 for all people in the vehicle then the value is 99. If not, the value assigned is the number (count) of Person records where the SAS code for Person.INJ_SEV is between 1 and 5.

First Harmful Event

Accident.HARM_EV

(also provided as Vehicle.HARM_EV, Parkwork.PHARM_EV, Person.HARM_EV)

Logic of Derivation

This data element is derived from the set of all crash events. Each event in a crash is recorded in chronological order. The data element that records the event is “Sequence of Events.” First Harmful Event, therefore, is the first “Sequence of Events” value.

Initial Contact Point

Vehicle. IMPACT1, Parkwork.PIMPACT1

(also provided as Person.IMPACT1)

Logic of Derivation

This data element is derived from the set of all crash events for a vehicle. Each event in a crash is recorded in chronological order. The data element that records each impact for a vehicle is “Area of Impact (This Vehicle)”) for “This Vehicle” or “Area of Impact (Other Vehicle)” for the “Other Vehicle.” Initial Contact Point, therefore, is the vehicle’s first recorded Area of Impact value for a harmful event. Note that the vehicle may be “This Vehicle” or the “Other Vehicle” in the crash event.

Make Model Combined

Vehicle. MAK_MOD, Parkwork. PMAK_MOD

(also provided as Person. MAK_MOD)

Logic of Derivation

This 5-digit data element is the combination of two data elements, the 2-digit “Vehicle Make” code followed by the 3-digit “Vehicle Model” code.

DOT HS 813 316
September 2022



U.S. Department
of Transportation
**National Highway
Traffic Safety
Administration**

