

# Standards Enforcement Program for FMVSS No. 206, "Door Locks and Door Retention Components"

ACTIVE

**Contract Opportunity**

**Notice ID**

693JJ923R000146

**Related Notice**

**Department/Ind. Agency**

TRANSPORTATION, DEPARTMENT OF

**Sub-tier**

NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION

**Office**

693JJ9 NHTSA OFFICE OF ACQUISITION

**Looking for contract opportunity help?**



[\(opens in new window\)](#)

Procurement Technical Assistance Centers (PTACs) are an official government contracting resource for small businesses. [Find your local PTAC \(opens in new window\)](#) for free government expertise related to contract opportunities.

## General Information

- **Contract Opportunity Type:** Combined Synopsis/Solicitation (Original)
- **All Dates/Times are:** (UTC-04:00) EASTERN STANDARD TIME, NEW YORK, USA
- **Original Published Date:** May 24, 2023 03:01 pm EDT
- **Original Date Offers Due:** Jun 18, 2023 03:00 pm EDT
- **Inactive Policy:** 15 days after date offers due
- **Original Inactive Date:** Jul 03, 2023
- **Initiative:**
  - None

## Classification

- **Original Set Aside:**

- **Product Service Code:** H223 - EQUIPMENT AND MATERIALS TESTING-GROUND EFFECT VEHICLES, MOTOR VEHICLES, TRAILERS, AND CYCLES
- **NAICS Code:**
  - 541380 - Testing Laboratories and Services
- **Place of Performance:**

## Description

The Contractor shall furnish the necessary qualified personnel, facilities, materials, supplies, equipment, and services to perform work associated with the procurement, inspection, compliance testing, and compliance test reporting of door latch and hinge assemblies, provided to the Contractor as Government Furnished Test Items (GFTI), or purchased by the Contractor as Contractor Purchased test Items (CPTI) as specified in the contract, with the applicable requirements of Federal Motor Vehicle Safety Standard No. 206, Door Locks and Door Retention Components.

The Contractor shall be required to fabricate all required fixtures (test jig/mounting plate) to facilitate the door latch and hinge testing as specified in the test procedures per Section C.6.5, Test Procedures. As specified in the applicable test procedure, all testing shall be conducted in a controlled temperature and humidity environment.

## Attachments/Links

Download All Attachments/Links  
Attachments

Document	File Size	Access	Updated Date
<a href="#">Synopsis Standards Enforcement Program for FMVSS No. 206 Door Locks and Door Retention Components.doc</a> (opens in new window)	38 KB	Public	May 24, 2023

## Contact Information

### Contracting Office Address

- OFFICE OF ACQUISITION MANAGEMENT 1200 NEW JERSEY AVE SE, ROOM W51-30
- WASHINGTON , DC 20590
- USA

## **Primary Point of Contact**

- **Danna Brooks**
- [danna.brooks@dot.gov](mailto:danna.brooks@dot.gov)

## **Secondary Point of Contact**

- **Reba Dyer**
- [reba.dyer@dot.gov](mailto:reba.dyer@dot.gov)